

NUMOTIZINE- menthol ointment
Hobart Laboratories, Inc.

NUMOTIZINE OINTMENT

NUMOTIZINE OINTMENT

Active Ingredients

Menthol 1.25%

Purpose

Topical Analgesic

Inactive ingredients

Clay, Color, Fragrance of Guaiacol, Methyl Guaiacol and Oil of Wintergreen, Polyols.

Directions

Stir in any liquid at top of jar. Keep sealed when not in use.

Spread 1/8" to 1/4" of ointment to the skin. Cover the ointment with a cloth or bandage to protect clothing. Remove with warm water before totally dry (usually 8 to 12 hours). Application may be repeated every 12 hours as needed.

Uses

For use as a topical analgesic

- Provides temporary relief of muscle pain, soreness and stiffness
- Temporary pain relief on strains, sprains, ligament and tendon injuries
- Arthritis

Stop use and ask a doctor if

- Excessive irritation of the skin occurs.
- Persistent swellings.

Keep out of the reach of children

Warnings:

For external use only.

Use only as directed. Avoid contact with eyes and mucous membranes.

Do not apply to irritated or broken skin or to large areas of the body.

Representative Labeling For - Numotizine Ointment 3.5oz/99g (10546-100-35) | Numotizine Ointment 8oz/228g (10546-100-08)

Drug Facts Active Ingredients Purpose Menthol 1.25% Topical analgesic	 NUMOTIZINE[®] OINTMENT 8 OZ. NET WT. 228 GRAMS	Warnings: For external use only. Use only as directed. Avoid contact with eyes and mucous membranes. Do not apply to irritated or broken skin or to large areas of the body.	
Directions Spread 1/8" to 1/4" of ointment to the skin. Cover the ointment with a cloth or bandage to protect clothing. Remove with warm water before totally dry (usually 8 to 12 hours). Application may be repeated every 12 hours as needed.		Uses For use as a topical analgesic • Provides temporary relief of muscle pain, soreness and stiffness • Temporary pain relief on strains, sprains, ligament and tendon injuries. • Arthritis	Stop use and ask a doctor if • Excessive irritation of the skin occurs. • Persistent swellings. Keep out of the reach of children
Other information Stir in any liquid at top of jar. Keep sealed when not in use.			
Inactive ingredients Clay, Color, Fragrance of Guaiacol, Methyl Guaiacol and Oil of Wintergreen, Polyols.			
NUMOTIZINE T.M. Reg. Made in U.S.A. HOBART LABORATORIES, INC., BEMIDJI, MN 56601 U.S.A. PHONE 1-218-751-9505 www.numotizine.com			



WARNINGS

For external use only.
Use only as directed. Avoid contact
with eyes and mucous membranes.
Do not apply to irritated or broken
skin or to large areas of the body.



NDC 10546-100-08
NET WT. 8 OZ (228 GRAMS)

NUMOTIZINE, Trade Mark Reg.
Manufactured in U.S.A.

HOBART LABORATORIES, INC.,
Bemidji, MN 56601, U.S.A.
Phone 218-751-9505
www.numotizine.com

NUMOTIZINE[®]

OINTMENT

*PROVIDES TEMPORARY RELIEF
OF PAIN AND SORENESS*



NET WT. 8 OZ (228 GRAMS)

03/13 4
50386-01

NUMOTIZINE[®]

OINTMENT

NUMOTIZINE[®] OINTMENT



Drug Facts

Active ingredients	Purpose
Menthol 1.25%	Topical analgesic

Inactive ingredients

Clay, Color, Fragrance of Guaiacol, Methyl guaiacol and Oil of Wintergreen, Polyols

DIRECTIONS

Stir in any liquid at top of jar. Keep sealed when not in use.

Spread 1/8" to 1/4" of ointment to the skin. Cover the ointment with a cloth or bandage to protect clothing. Remove with warm water before totally dry (usually 8 to 12 hours). Application may be repeated every 12 hours as needed.

- USES** For use as a topical analgesic
- Provides temporary relief of muscle pain, soreness and stiffness
 - Temporary pain relief on strains, sprains, ligament and tendon injuries
 - Arthritis

Stop use and ask a doctor if

- excessive irritation of the skin occurs
- Persistent swelling

Keep out of reach of children

NUMOTIZINE[®]
OINTMENT

Package Labeling:

Drug Facts

Active Ingredients	Purpose
Menthol 1.25%	Topical analgesic

Directions

Spread 1/8" to 1/4" of ointment to the skin. Cover the ointment with a cloth or bandage to protect clothing. Remove with warm water before totally dry (usually 8 to 12 hours). Application may be repeated every 12 hours as needed.

Other information

Stir in any liquid at top of jar. Keep sealed when not in use.

Inactive ingredients

Clay, Color, Fragrance of Guaiacol, Methyl Guaiacol and Oil of Wintergreen, Polyols.



3.5 OZ. NET WT. 99 GRAMS
NUMOTIZINE[®]
OINTMENT

- Uses** For use as a topical analgesic
- Provides temporary relief of muscle pain, soreness and stiffness
 - Temporary pain relief on strains, sprains, ligament and tendon injuries.
 - Arthritis

Warnings:

For external use only. Use only as directed. Avoid contact with eyes and mucous membranes. Do not apply to irritated or broken skin or to large areas of the body.

Stop use and ask a doctor if

- Excessive irritation of the skin occurs.
- Persistent swellings.

Keep out of the reach of children



NUMOTIZINE T.M. Reg. Made in U.S.A.
HOBART LABORATORIES, INC., BEMIDJI, MN 56601 U.S.A.
PHONE 1-218-751-9505 www.numotizine.com



NUMOTIZINE

menthol ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10546-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1.25 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
KAOLIN (UNII: 24H4NWX5CO)	
GUAIACOL (UNII: 6JKA7MAH9C)	
CREOSOL (UNII: W9GW1KZG6N)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10546-100-35	99 g in 1 JAR; Type 0: Not a Combination Product	11/30/2011	
2	NDC:10546-100-08	228 g in 1 JAR; Type 0: Not a Combination Product	11/30/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/30/2011	

Labeler - Hobart Laboratories, Inc. (005111786)

Registrant - Hobart Laboratories, Inc. (005111786)

Establishment

Name	Address	ID/FEI	Business Operations
Hobart Laboratories, Inc.		005111786	manufacture(10546-100)

Revised: 10/2023

Hobart Laboratories, Inc.