

**OXYGEN- oxygen gas**  
**Maine Oxy-Acetylene Supply Company**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

CONTENTS: LTRS CU. FT.

MAINE OXY

MOLECULES THAT POWER OUR COMMUNITIES

22 Albiston Way Auburn, ME 04210

(800) 377-9433

In Case of Emergency: 1-800-535-5053

NO SMOKING

NO VAPING

OXYGEN, COMPRESSED  
USP  
UN1072



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. GAS: 77R-44-2  
DO NOT REMOVE THIS PRODUCT LABEL.

MAINE OXY  
22 Allison Way • Auburn, ME 04215  
(603) 377-9432  
A Division of Empire 1-800-255-0001



CONTENTS:  
LTRS: CU. FT. C

REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS: LTRS: CU.FT.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected

area. Get immediate medical help.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

MAINE OXY

MOLECULES THAT POWER OUR COMMUNITIES

22 Albiston Way Auburn, ME 04210

(800) 377-9433

In Case of Emergency: 1-800-535-5053

NO SMOKING

NO VAPING

**REFRIGERATED LIQUID**

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP  
UN1073**



**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑  
DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

CONTENTS: \_\_\_\_\_ LTR:   
DU.FT.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx required.**  
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**Produced by Air Liquefaction.**

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.  
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.  
COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:** **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

CAS: 7782-44-7  
**DO NOT REMOVE THIS PRODUCT LABEL.**



22 Albiston Way • Auburn, ME 04210  
**(800) 377-9433**  
In Case of Emergency: 1-800-535-5053



NO OPEN FLAME  
NO VAPING

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:51887-720
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:51887-720-01	42 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
2	NDC:51887-720-02	103 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
3	NDC:51887-720-03	149 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
4	NDC:51887-720-04	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
5	NDC:51887-720-05	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
6	NDC:51887-720-06	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
7	NDC:51887-720-07	414 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
8	NDC:51887-720-08	573 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
9	NDC:51887-720-09	676 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
10	NDC:51887-720-10	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
11	NDC:51887-720-11	1543 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
12	NDC:51887-720-12	3138 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
13	NDC:51887-720-13	3140 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
14	NDC:51887-720-14	2160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
15	NDC:51887-720-15	3184 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
16	NDC:51887-720-16	4248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
17	NDC:51887-720-17	3954 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
18	NDC:51887-720-18	6350 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
19	NDC:51887-720-19	9410 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
20	NDC:51887-720-20	130 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
21	NDC:51887-720-21	366 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
22	NDC:51887-720-22	143 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
23	NDC:51887-720-23	403 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
24	NDC:51887-720-24	179 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
25	NDC:51887-	254 L in 1 DEWAR; Type 0: Not a Combination	01/01/1989	

25	720-25	Product	01/01/1989	
26	NDC:51887-720-26	211 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
27	NDC:51887-720-27	846 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/1989	

**Labeler** - Maine Oxy-Acetylene Supply Company (144263142)

## Establishment

Name	Address	ID/FEI	Business Operations
Maine Oxy-Acetylene Supply Company		067053512	manufacture(51887-720)

## Establishment

Name	Address	ID/FEI	Business Operations
Maine Oxy NY, Inc.		116960521	manufacture(51887-720)

## Establishment

Name	Address	ID/FEI	Business Operations
Maine Oxy-Acetylene Supply Company		119460576	manufacture(51887-720)

Revised: 11/2025

Maine Oxy-Acetylene Supply Company