

SOFTDYNE .502- teat dip liquid
Tetradyne LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

SOFTDYNE .502

USE DIRECTIONS:

Use at full strength, do not dilute

Recommended for both pre and post dipping applications. Dip entire teat in **SOFTDYNE .502**. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with **SOFTDYNE .502** at full strength. Do not return unused product to original container.

PROTECT FROM FREEZING
IF FROZEN: SHAKE VIGOROUSLY
AFTER THAWING

WARNING: CONTAINS IODINE

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

OBSERVE LABEL DIRECTIONS

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

SOFTDYNE .502

SANITIZING IODINE TEAT DIP FORMULATED WITH EMOLLIENTS TO ENHANCE SKIN CONDITIONING

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient.....0.50% Available Iodine
(Provides 5,000 ppm titratable iodine)
pH.....Minimum 4.0
Emollients.....2%

Lot#: _____

Exp. Date: _____

Net Contents: _____

Manufactured For:
 Tetrydyne LLC
 PO Box 17003
 Reno, NV 89511

SOFTDYNE .502

USE DIRECTIONS:
 Use at full strength, do not dilute.

Recommended for both pre and post dipping applications. Dip entire teat in SOFTDYNE .502 Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with SOFTDYNE .502 at full strength. Do not return unused product to original container.

PROTECT FROM FREEZING
 IF FROZEN: SHAKE
 VIGOROUSLY AFTER THAWING

**SANITIZING IODINE TEAT DIP
 FORMULATED WITH
 EMOLLIENTS TO ENHANCE
 SKIN CONDITIONING**

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient 0.50% Available Iodine
 (Provides 5,000 ppm
 titratable iodine)
 pH Minimum 4.0
 Emollients..... 2%

Lot #: _____
 Exp. Date: _____
 Net Contents: _____

Manufactured For:
 Tetrydyne LLC
 PO Box 17003
 Reno, NV 89511



**OBSERVE LABEL
 DIRECTIONS**

WARNING: CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

FIRST AID:
 INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

SOFTDYNE .502

teat dip liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:66399-710
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5.13 g in 1 L

Packaging

Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66399-710-01	3.78 L in 1 JUG		
2	NDC:66399-710-02	18.9 L in 1 PAIL		
3	NDC:66399-710-03	56.7 L in 1 DRUM		
4	NDC:66399-710-04	113.4 L in 1 DRUM		
5	NDC:66399-710-05	207.9 L in 1 DRUM		
6	NDC:66399-710-06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-710-07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/10/2003	

Labeler - Tetradyne LLC (130969293)

Revised: 2/2014

Tetradyne LLC