

BIO BIOLOGICAL DETOX- echinacea (angustifolia), lomatium dissectum, myrrha, nasturtium aquaticum, propolis, tabebuia impetiginosa, hydrastis canadensis, thymus serpyllum, glandula suprarenalis suis, lymph node (suis), spleen (suis), thyroidinum (suis), belladonna, hypericum perforatum, phosphorus, pyrogenium, anthracinum, arsenicum, carbolicum acidum, hepar sulphuris calcareum, lachesis, variolinum, botulinum, dysentery bacillus, gaertner bacillus, francisella tularensis, coxiella burnetii, lac caninum, malaria officinalis, spray

BioActive Nutritional, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Anthracinum 37X, 60X, 200X, 30C, 200C, Arsenicum Album 12X, 30X, 30C, Belladonna 12X, Botulinum 30X, 200X, 30C, 200C, Carbolicum Acidum 12X, 30X, 200X, 30C, 200C, Coxiella Burnetii 30C, 200C, Dysentery Bacillus 12C, 30C, 200C, Echinacea (Angustifolia) 3X, Francisella Tularensis 60X, Gaertner Bacillus (Bach) 12C, 30C, 200C, Glandula Suprarenalis Suis 8X, Hepar Sulphuris Calcareum 12X, 30X, 200X, 30C, 200C, Hydrastis Canadensis 5X, Hypericum Perforatum 12X, Lac Caninum 30C, 200C, Lachesis 12X, 30X, 200X, 30C, 200C, Lomatium Dissectum 3X, Lymph Node (Suis) 8X, Malaria Officinalis 30C, 200C, Myrrha 3X, Mutabile Bacillus (Bach) 30C, 200C, Nasturtium Aquaticum 3X, Pertussinum 30C, 200C, Pestinum 30C, 200C, Phosphorus 12X, Propolis 3X, Pyrogenium 12X, 30X, 200X, 30C, Spleen (Suis) 8X, Sulphur 30C, 200C, Tabebuia Impetiginosa 3X, Thymus Serpyllum 5X, Thyroidinum (Suis) 8X, Variolinum 15X, 30X, 200X, 30C, 200C.

PURPOSE:

Anthracinum - inflammation,** Arsenicum Album - weakness,** Belladonna - fever,** Botulinum - migraine,** Carbolicum Acidum - neuralgia,** Coxiella Burnetii - muscle aches,** Dysentery Bacillus - fever,** Echinacea (Angustifolia) - fever,** Francisella Tularensis - burning pain,** Gaertner Bacillus (Bach) - swelling,** Glandula Suprarenalis Suis - burning,** Hepar Sulphuris Calcareum - antiseptic,** Hydrastis Canadensis - nerve pain,** Hypericum Perforatum - shooting pain,** Lac Caninum - weakness,** Lachesis - fatigue,** Lomatium Dissectum - malaise,** Lymph Node (Suis) - fatigue,** Malaria Officinalis - weakness,** Myrrha - nerve pain,** Mutabile Bacillus (Bach) - inflammation,** Nasturtium Aquaticum - swelling,** Pertussinum - fever,** Pestinum - weakness,** Phosphorus - nerve tension,** Propolis - nerve pain,** Pyrogenium - fever,** Spleen (Suis) - weakness,** Sulphur - burning,** Tabebuia Impetiginosa - nerve pain,** Thymus Serpyllum - burning,** Thyroidinum (Suis) - itching,** Variolinum - minor aches**

**Claims based on traditional homeopathic practice, not accepted medial evidence. Not FDA evaluated.

USES:

For temporary relief of weakness, burning pain, fever, pustules.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- 1 spray orally, 3 times a day or as directed by a health care professional.
- Consult a health care professional for use in children under 12 years of age.

INACTIVE INGREDIENTS:

Citric Acid, Demineralized Water, Ethanol 0.82%, Glycerin, Sodium Benzoate.

QUESTIONS:**Distributed by:**

BioActive Nutritional, Inc.

1803 N. Wickham Rd.

Melbourne, FL 32935

bioactivenutritional.com

1-800-288-9525

PACKAGE LABEL DISPLAY:

BIOActive Nutritional

BIO BIOLOGICAL DETOX

HOMEOPATHIC

1 fl. oz. (30 mL)



BIOActive
Nutritional

**BIO BIOLOGICAL
DETOX**

HOMEOPATHIC

1 fl. oz. (30mL) 0.82% Ethanol

Do not use if Tamper Evident seal is broken or missing.

Drug Facts

Active Ingredients	Purpose
Anthracinum 37X, 60X, 200X, 30C, 200C.....	inflammation**
Arsenicum Album 12X, 30X, 30C.....	weakness**
Belladonna 12X.....	fever**
Botulinum 30X, 200X, 30C, 200C.....	migraine**
Carbolicum Acidum 12X, 30X, 200X, 30C, 200C.....	neuralgia**
Coxiella Burnetii 30C, 200C.....	muscle aches**
Dysentery Bacillus 12C, 30C, 200C.....	fever**
Echinacea (Angustifolia) 3X.....	fever**
Francisella Tularensis 60X.....	burning pain**
Gaertner Bacillus (Bach) 12C, 30C, 200C.....	swelling**
Glandula Suprarenalis Suis 8X.....	burning**

Drug Facts (continued under label)

Distributed by: BioActive Nutritional, Inc.
1803 N. Wickham Rd., Melbourne, FL 32935
bioactivenutritional.com

PEEL HERE

Drug Facts (continued)

Active Ingredients	Purpose
Hepar Sulphuris Calcareum 12X, 30X, 200X, 30C, 200C.....	antiseptic**
Hydrastis Canadensis 5X.....	nerve pain**
Hypericum Perforatum 12X.....	shooting pain**
Lac Caninum 30C, 200C.....	weakness**
Lachesis 12X, 30X, 200X, 30C, 200C.....	fatigue**
Lomatium Dissectum 3X.....	malaise**
Lymph Node (Suis) 8X.....	fatigue**
Malaria Officinalis 30C, 200C.....	weakness**
Myrrha 3X.....	nerve pain**
Mutabile Bacillus (Bach) 30C, 200C.....	inflammation**
Nasturtium Aquaticum 3X.....	swelling**
Pertussinum 30C, 200C.....	fever**
Pestinum 30C, 200C.....	weakness**
Phosphorus 12X.....	nerve tension**
Propolis 3X.....	nerve pain**
Pyrogenium 12X, 30X, 200X, 30C.....	fever**

Drug Facts (continued)

Active Ingredients	Purpose
Spleen (Suis) 8X.....	weakness**
Sulphur 30C, 200C.....	burning**
Tabebuia Impetiginosa 3X.....	nerve pain**
Thymus Serpyllum 5X.....	burning**
Thyroidinum (Suis) 8X.....	itching**
Variolinum 15X, 30X, 200X, 30C, 200C.....	minor aches**

Warnings

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

Uses

For the temporary relief of weakness, burning pain, fever, pustules.**

Directions

- 1 spray orally, 3 times a day or as directed by a health care professional.
- Consult a health care professional for use in children under 12 years of age.

Inactive Ingredients

Citric Acid, Demineralized Water, Ethanol 0.82%, Glycerin, Sodium Benzoate.

Questions? 1-800-288-9525

*** Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.*

BIO BIOLOGICAL DETOX

echinacea (angustifolia), lomatium dissectum, myrrha, nasturtium aquaticum, propolis, tabebuia impetiginosa, hydrastis canadensis, thymus serpyllum, glandula suprarenalis suis, lymph node (suis), spleen (suis), thyroidinum (suis), belladonna, hypericum perforatum, phosphorus, pyrogenium, anthracinum, arsenicum, carbolicum acidum, hepar sulphuris calcareum, lachesis, variolinum, botulinum, dysentery bacillus, gaertner bacillus, francisella tularensis, coxiella burnetii, lac caninum, malaria officinalis, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43857-0667
Route of Administration	Oral		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ECHINACEA ANGUSTIFOLIA WHOLE (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA WHOLE	3 [hp_X] in 1 mL
LOMATIUM DISSECTUM ROOT (UNII: 5329928G5N) (LOMATIUM DISSECTUM ROOT - UNII:5329928G5N)	LOMATIUM DISSECTUM ROOT	3 [hp_X] in 1 mL
MYRRH (UNII: JC71GJ1F3L) (COMMIPHORA MYRRHA RESIN - UNII:JC71GJ1F3L)	MYRRH	3 [hp_X] in 1 mL
NASTURTIIUM OFFICINALE (UNII: YH89GMV676) (NASTURTIIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIIUM OFFICINALE	3 [hp_X] in 1 mL
PROPOLIS WAX (UNII: 6Y8XYV2NOF) (PROPOLIS WAX - UNII:6Y8XYV2NOF)	PROPOLIS WAX	3 [hp_X] in 1 mL
HANDROANTHUS IMPETIGINOSUS BARK (UNII: 6GLA1946WX) (HANDROANTHUS IMPETIGINOSUS BARK - UNII:6GLA1946WX)	HANDROANTHUS IMPETIGINOSUS BARK	3 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	5 [hp_X] in 1 mL
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N) (THYMUS SERPYLLUM - UNII:86H4S6K51N)	THYMUS SERPYLLUM WHOLE	5 [hp_X] in 1 mL
SUS SCROFA ADRENAL GLAND (UNII: 398IYQ16YV) (SUS SCROFA ADRENAL GLAND - UNII:398IYQ16YV)	SUS SCROFA ADRENAL GLAND	8 [hp_X] in 1 mL
SUS SCROFA LYMPH (UNII: 33A7VYU29L) (SUS SCROFA LYMPH - UNII:33A7VYU29L)	SUS SCROFA LYMPH	8 [hp_X] in 1 mL
SUS SCROFA SPLEEN (UNII: 92AMN5J79Y) (SUS SCROFA SPLEEN - UNII:92AMN5J79Y)	SUS SCROFA SPLEEN	8 [hp_X] in 1 mL
THYROID (UNII: 6RV024OAUQ) (SUS SCROFA THYROID - UNII:6RV024OAUQ)	THYROID	8 [hp_X] in 1 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	12 [hp_X] in 1 mL
HYPERICUM PERFORATUM WHOLE (UNII: XK4IUX8MNB) (HYPERICUM	HYPERICUM PERFORATUM	12 [hp_X]

PERFORATUM - UNII:XK4IUX8MNB)	WHOLE	in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	12 [hp_X] in 1 mL
RANCID BEEF (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)	RANCID BEEF	12 [hp_X] in 1 mL
BACILLUS ANTHRACIS IMMUNOSERUM RABBIT (UNII: 41LZ22DD4N) (BACILLUS ANTHRACIS IMMUNOSERUM RABBIT - UNII:41LZ22DD4N)	BACILLUS ANTHRACIS IMMUNOSERUM RABBIT	37 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	12 [hp_X] in 1 mL
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	12 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 1 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	12 [hp_X] in 1 mL
VARIOLA VIRUS (UNII: 7J6DBS5FRN) (VARIOLA VIRUS - UNII:7J6DBS5FRN)	VARIOLA VIRUS	15 [hp_X] in 1 mL
CLOSTRIDIUM BOTULINUM (UNII: 0296055VE0) (CLOSTRIDIUM BOTULINUM - UNII:0296055VE0)	CLOSTRIDIUM BOTULINUM	30 [hp_X] in 1 mL
SHIGELLA DYSENTERIAE (UNII: 1EP6R5562J) (SHIGELLA DYSENTERIAE - UNII:1EP6R5562J)	SHIGELLA DYSENTERIAE	12 [hp_C] in 1 mL
SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS (UNII: Y3V16D4PV4) (SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS - UNII:Y3V16D4PV4)	SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS	12 [hp_C] in 1 mL
FRANCISELLA TULARENSIS (UNII: NNR1301B0H) (FRANCISELLA TULARENSIS - UNII:NNR1301B0H)	FRANCISELLA TULARENSIS	60 [hp_X] in 1 mL
COXIELLA BURNETII (UNII: GRY5SDU86N) (COXIELLA BURNETII - UNII:GRY5SDU86N)	COXIELLA BURNETII	30 [hp_C] in 1 mL
CANIS LUPUS FAMILIARIS MILK (UNII: G39P120JQT) (CANIS LUPUS FAMILIARIS MILK - UNII:G39P120JQT)	CANIS LUPUS FAMILIARIS MILK	30 [hp_C] in 1 mL
PLASMODIUM FALCIPARUM (UNII: 536WW61NML) (PLASMODIUM FALCIPARUM - UNII:536WW61NML)	PLASMODIUM FALCIPARUM	30 [hp_C] in 1 mL
ESCHERICHIA COLI (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	30 [hp_C] in 1 mL
HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED (UNII: U364V64HUN) (HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED - UNII:U364V64HUN)	HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED	30 [hp_C] in 1 mL
YERSINIA PESTIS (UNII: S6JJH3XV1D) (YERSINIA PESTIS - UNII:S6JJH3XV1D)	YERSINIA PESTIS	30 [hp_C] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name		Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
GLYCERIN (UNII: PDC6A3C0OX)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
WATER (UNII: 059QF0KO0R)		
ALCOHOL (UNII: 3K9958V90M)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0667-1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	12/30/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/30/2025	

Labeler - BioActive Nutritional, Inc. (624980496)

Registrant - Apotheca Company (844330915)

Establishment			
Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0667) , api manufacture(43857-0667) , label(43857-0667) , pack(43857-0667)

Revised: 12/2025

BioActive Nutritional, Inc.