

**PROPARACAINE HYDROCHLORIDE- proparacaine hydrochloride solution/  
drops**

**NuCare Pharmaceuticals, Inc.**

-----  
**Alcaine**®

**(proparacaine hydrochloride**

**ophthalmic solution, USP) 0.5%**

**DESCRIPTION:**


ALCAINE® (proparacaine hydrochloride ophthalmic solution, USP) 0.5% is a topical local anesthetic for ophthalmic use. The active ingredient is represented by the structural formula:

Established name:

Proparacaine Hydrochloride

Chemical name:

Benzoic acid, 3-amino-4-propoxy-,2-(diethylamino) ethyl ester, monohydrochloride.



Molecular Weight: 330.85

Each mL contains: **Active:** proparacaine hydrochloride 5 mg 0.5%. **Preservative:** benzalkonium chloride (0.01%). **Inactives:** glycerin and purified water. The pH may be adjusted with hydrochloric acid and/or sodium hydroxide.

**CLINICAL PHARMACOLOGY:**

ALCAINE® ophthalmic solution is a rapidly-acting topical anesthetic, with induced anesthesia lasting approximately 10-20 minutes.

**INDICATIONS AND USAGE:**

ALCAINE® ophthalmic solution is indicated for procedures in which a topical ophthalmic anesthetic is indicated: corneal anesthesia of short duration, e.g. tonometry, gonioscopy, removal of corneal foreign bodies, and for short corneal and conjunctival

procedures.

### **CONTRAINDICATIONS:**

ALCAINE<sup>®</sup> ophthalmic solution should be considered contraindicated in patients with known hypersensitivity to any of the ingredients of this preparation.

### **WARNINGS:**

NOT FOR INJECTION - FOR TOPICAL OPHTHALMIC USE ONLY. Prolonged use of a topical ocular anesthetic is not recommended. It may produce permanent corneal opacification with accompanying visual loss.

### **PRECAUTIONS:**

#### **Carcinogenesis, Mutagenesis, Impairment of Fertility.**

Long-term studies in animals have not been performed to evaluate carcinogenic potential, mutagenicity, or possible impairment of fertility in males or females.

#### **Pregnancy: Pregnancy Category C:**

Animal reproduction studies have not been conducted with ALCAINE<sup>®</sup> (proparacaine hydrochloride ophthalmic solution, USP) 0.5%. It is also not known whether proparacaine hydrochloride can cause fetal harm when administered to a pregnant woman or can affect reproduction capacity. Proparacaine hydrochloride should be administered to a pregnant woman only if clearly needed.

#### **Nursing Mothers:**

It is not known whether this drug is excreted in human milk. Because many drugs are excreted in human milk, caution should be exercised when proparacaine hydrochloride is administered to a nursing woman.

#### **Pediatric Use:**

Safety and effectiveness of proparacaine hydrochloride ophthalmic solution in pediatric patients have been established. Use of proparacaine hydrochloride is supported by evidence from adequate and well-controlled studies in adults and children over the age of twelve, and safety information in neonates and other pediatric patients.

#### **Geriatric Use:**

No overall clinical differences in safety or effectiveness have been observed between the elderly and other adult patients.

### **ADVERSE REACTIONS:**

Occasional temporary stinging, burning and conjunctival redness may occur with the use of proparacaine. A rare, severe, immediate-type, apparently hyperallergic corneal reaction characterized by acute, intense and diffuse epithelial keratitis, a gray, ground glass appearance, sloughing of large areas of necrotic epithelium, corneal filaments and, sometimes, iritis with descemetitis has been reported.

Allergic contact dermatitis from proparacaine with drying and fissuring of the fingertips has also been reported.

### **DOSAGE AND ADMINISTRATION:**

Usual Dosage: Removal of foreign bodies and sutures, and for tonometry: 1 to 2 drops (in single instillations) in each eye before operating.

Short corneal and conjunctival procedures: 1 drop in each eye every 5 to 10 minutes for 5 to 7 doses.

**NOTE:** ALCAINE<sup>®</sup> (proparacaine hydrochloride ophthalmic solution, USP) 0.5% should be clear to straw-color. If the solution becomes darker, discard the solution.

### **HOW SUPPLIED:**

ALCAINE<sup>®</sup> (proparacaine hydrochloride ophthalmic solution, USP) 0.5% is supplied in 15 mL DROP-TAINER<sup>®</sup> dispensers.

NDC 68071-5139-5

### **Storage:**

Bottle must be stored in unit carton to protect contents from light. Store bottles under refrigeration at 2° - 8°C (36° - 46°F).

### **Rx Only**

©2004 Alcon, Inc.

### **ALCON LABORATORIES, INC.**

6201 South Freeway

Fort Worth, Texas 76134 USA

Printed in USA

MedInfo@AlconLabs.com

1-800-757-9195

**249039-0609**

### **PRINCIPAL DISPLAY PANEL**

 NuCare Pharmaceuticals, Inc.

NDC: 68071-5139-5

**Proparacaine HCl 0.5%**

**15mL Ophth. Soln.**

See manufacturer's label  
for full list of ingredients.

Product #: R0799015  
**Rx Only**

Proparacaine HCl 0.5%  
Lot: 000000 NDC: 68071-5139-05  
MFR NDC: 0998-0016-15 Exp.: 00-00  
Serial# 0000000002

Proparacaine HCl 0.5%  
Lot: 000000 NDC: 68071-5139-05  
MFR NDC: 0998-0016-15 Exp.: 00-00  
Serial# 0000000002

 GTIN 00368071513950  
Serial# 0000000002  
Exp. Date 00-00  
LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

STORE REFRIGERATED BETWEEN 36-46°F.

Manufactured by:  68071513950  
Alcon Laboratories, Inc. Fort Worth, TX 76134  
Packed By: NuCare Pharmaceuticals, Inc. Orange, CA 92867

Rev 01/01/19

**WARNING: KEEP OUT OF REACH OF CHILDREN**

**Use only as directed by your physician.**

**Patent Instructions:**

 68071513905-15-000000-000000

**PROPARACAINE HYDROCHLORIDE**

proparacaine hydrochloride solution/ drops

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:68071-5139(NDC:0998-0016)
<b>Route of Administration</b>	OPHTHALMIC		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PROPARACAINE HYDROCHLORIDE</b> (UNII: U96OL57GOY) (PROPARACAINE - UNII:B4OB0JHI1X)	PROPARACAINE HYDROCHLORIDE	5 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HYDROCHLORIC ACID</b> (UNII: QTT17582CB)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-5139-5	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/23/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA080027	10/19/1973	

**Labeler** - NuCare Pharmaceuticals, Inc. (010632300)

## Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	relabel(68071-5139)

Revised: 1/2025

NuCare Pharmaceuticals, Inc.