OXYGEN- oxygen gas Island Supply Welding Co Inc

oxygen

OXYGEN, COMPRESSED USP UN1072 PRODUCED BY AIR LIQUEFACTION OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical application, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect of oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. CONTAINERS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a wellventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL. ISLAND SUPPLY WELDING CO.

4920 W HWY 30 GRAND ISLAND, NE 68803 308-382-3680



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSITY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7 ISLAND SUPPLY WELDING CO. 4920 W HWY 30 GRAND ISLAND, NE 68803 308-382-3680 DO NOT REMOVE THIS PRODUCT LABEL.





OXYGEN

oxygen gas

Product Information

| Dre | | | HUMAN PRESCRIPTION DRUG | lt-o | m Codo (Sourco) | | NDC:21624-001 | | | | |
|--|----------------------|---------------------------|-----------------------------------|--------|-------------------------|-----|---------------|--|--|--|--|
| Product Type | | | | π | ltem Code (Source) | | NDC:21624-001 | | | | |
| Route of Administration | | | RESPIRATORY (INHALATION) | | | | | | | | |
| | | | | | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | | | | | |
| | | Ingredie | ent Name | | Basis of Strengt | h | Strength | | | | |
| OXYGEN (UNII: S88TT14065) (OXYG | | | GEN - UNII:S88TT14065) | OXYGEN | | | 995 mL in 1 L | | | | |
| | | | | | | | | | | | |
| Packaging | | | | | | | | | | | |
| Packaging | | | | | Aarketing Start | м | arketing End | | | | |
| # | ltem Code | Pa | ckage Description | | Date | 1.1 | Date | | | | |
| 1 | NDC:21624- 001-11 | 179 L in 1 DEV Product | VAR; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 2 | NDC:21624- 001-12 | 163 L in 1 DEV Product | VAR; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 3 | NDC:21624- 001-13 | 148 L in 1 DEV Product | VAR; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 4 | NDC:21624- 001-14 | 8636 L in 1 CY Product | LINDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 5 | NDC:21624- 001-15 | 6909 L in 1 CY Product | LINDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 6 | NDC:21624- 001-16 | 4260 L in 1 CY Product | LINDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 7 | NDC:21624- 001-17 | 3511 L in 1 CY Product | LINDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 8 | NDC:21624- 001-18 | 2350 L in 1 CY Product | LINDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 9 | NDC:21624- 001-19 | 659 L in 1 CYL Product | INDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 10 | NDC:21624- 001-20 | 396 L in 1 CYL Product | INDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| | NDC:21624- 001-21 | 248 L in 1 CYL Product | INDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 12 | 001-22 | Product | INDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| | NDC:21624- 001-23 | Product | AR; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| | NDC:21624- 001-24 | Product | INDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| | NDC:21624- 001-25 | Product | INDER; Type 0: Not a Combination | | /01/1950 | | | | | | |
| 16 | NDC:21624- 001-26 | 3455 L in 1 CY Product | LINDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 17 | NDC:21624- 001-27 | 699 L in 1 CYL Product | INDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 18 | NDC:21624- 001-28 | 2549 L in 1 CY Product | LINDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |
| 19 | NDC:21624- 001-29 | 198 L in 1 CYL Product | INDER; Type 0: Not a Combination | 01, | /01/1950 | | | | | | |

Marketing Information

Marketing

Application Number or Monograph Marketing Start Marketing End

| Category | Citation | Date | Date |
|----------|-----------|------------|------|
| NDA | NDA205889 | 01/01/1950 | |
| | | | |

Labeler - Island Supply Welding Co Inc (035034974)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------------------|---------|-----------|----------------------------|
| ISLAND SUPPLY WELDING COMPANY, INC. | | 035034974 | manufacture(21624-001) |

Revised: 10/2024

Island Supply Welding Co Inc