

OXYGEN- oxygen gas
Island Supply Welding Co Inc

oxygen

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

ISLAND SUPPLY WELDING CO.


4920 W HWY 30 GRAND ISLAND, NE 68803

308-382-3680

NO SMOKING

NO VAPING

**OXYGEN,
COMPRESSED
USP**
UN1072
PRODUCED BY AIR LIQUEFACTION



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

ISLAND SUPPLY WELDING CO.
4920 W HWY 30 • GRAND ISLAND, NE 68803
308-382-3680

**NO SMOKING
NO VAPING**



OXYGEN, REFRIGERATED LIQUID USP

UN1073

ISLAND SUPPLY WELDING CO.

4920 W HWY 30 GRAND ISLAND, NE 68803

308-382-3680

DO NOT REMOVE THIS PRODUCT LABEL.

NO SMOKING

NO VAPING

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Produced by Air Liquefaction. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.** Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Immediately thaw frosted parts with lukewarm water. Do not rub affected area. Get medical help. CAS: 7782-44-7



OXYGEN				
oxygen gas				
Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:21624-001	
Route of Administration	RESPIRATORY (INHALATION)			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	995 mL in 1 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21624-001-11	179 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1950	12/31/2023
2	NDC:21624-001-12	163 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1950	
3	NDC:21624-001-13	148 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1950	12/31/2023
4	NDC:21624-001-14	8636 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
5	NDC:21624-001-15	6909 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
6	NDC:21624-001-16	4260 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
7	NDC:21624-001-17	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
8	NDC:21624-001-18	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
9	NDC:21624-001-19	659 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
10	NDC:21624-001-20	396 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023

11	NDC:21624-001-21	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
12	NDC:21624-001-22	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
13	NDC:21624-001-23	75 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1950	12/31/2023
14	NDC:21624-001-24	112 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
15	NDC:21624-001-25	647 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
16	NDC:21624-001-26	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
17	NDC:21624-001-27	699 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	12/31/2023
18	NDC:21624-001-28	2549 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
19	NDC:21624-001-29	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
20	NDC:21624-001-30	9340 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
21	NDC:21624-001-31	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
22	NDC:21624-001-32	4229 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
23	NDC:21624-001-33	3470 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
24	NDC:21624-001-34	2165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
25	NDC:21624-001-35	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
26	NDC:21624-001-36	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
27	NDC:21624-001-37	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
28	NDC:21624-001-38	631 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
29	NDC:21624-001-39	3137 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	
30	NDC:21624-001-40	1723 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1950	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205889	01/01/1950	

Labeler - Island Supply Welding Co Inc (035034974)

Establishment

Name	Address	ID/FEI	Business Operations
ISLAND SUPPLY WELDING COMPANY, INC.		035034974	manufacture(21624-001)