

CHILDRENS ALLERGY- cetirizine hydrochloride solution
Publix Super Markets Inc

Children's Allergy

Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away (1-800-222-1222).

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- **do not use if carton is opened or if imprinted safety seal is broken or missing**
- see bottom panel for lot number and expiration date
- store between 68° to 77°F (20° to 25°C)

Inactive ingredients

bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,
3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811
1-888-267-3037 publix.com

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC 56062-106-08

AGES 2 YEARS
AND OLDER
INDOOR & OUTDOOR
ALLERGIES

children's
allergy
CETIRIZINE HYDROCHLORIDE

ORAL SOLUTION, 1 mg/mL

ALLERGY

ANTIHISTAMINE

24-hour relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

DYE FREE

SUGAR FREE

BUBBLE GUM

FLAVOR

DOSING CUP

INCLUDED

4 FL OZ (120 mL)

*Compare to
the Active Ingredient
in Children's Zyrtec[®]



NDC 56062-106-08

AGES 2 YEARS
AND OLDER
INDOOR & OUTDOOR
ALLERGIES

children's allergy

**CETIRIZINE HYDROCHLORIDE
ORAL SOLUTION, 1 mg/mL
ALLERGY**

ANTIHISTAMINE



24-hour relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes

**BUBBLE GUM
FLAVOR
DOSING CUP**



Publix.

NDC 56062-106-08

AGES 2 YEARS
AND OLDER
INDOOR & OUTDOOR
ALLERGIES

children's allergy

**CETIRIZINE HYDROCHLORIDE
ORAL SOLUTION, 1 mg/mL
ALLERGY**

ANTIHISTAMINE



Dosing cup should be washed and left to air dry after each use.

*This product is not manufactured or distributed by the owner of the registered trademark Children's Zyrtec®.

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,
3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811
1-888-267-3037 publix.com

MADE IN ISRAEL

**PUBLIX GUARANTEE: COMPLETE
SATISFACTION OR YOUR MONEY BACK**

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient

Purpose

- Itchy throat or nose

DYE FREE
SUGAR FREE

4 FL OZ (120 mL)

INCLUDED


*Compare to
the Active Ingredient
in Children's Zyrtec®

(in each 5 mL)

Cetirizine HCl 5 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat



757
20693-0719-1

Drug Facts (continued)

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended



NDC 56062-106-08

AGES 2 YEARS
AND OLDER
INDOOR & OUTDOOR
ALLERGIES

children's
allergy

• If pregnant: ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
--------------------------------------	--

adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
--------------------------	--

children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours
------------------------------------	--

children under 2 years of age	ask a doctor
-------------------------------	--------------

consumers with liver or kidney disease	ask a doctor
--	--------------

Other information

- do not use if carton is opened or if imprinted safety seal is broken or missing
- see bottom panel for lot number and expiration date
- store between 68° to 77°F (20° to 25°C)

Inactive ingredients
 bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

allergy

**CETIRIZINE HYDROCHLORIDE
 ORAL SOLUTION, 1 mg/mL
 ALLERGY**

ANTIHISTAMINE



24-hour relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

**BUBBLE GUM
 FLAVOR
 DOSING CUP
 INCLUDED**

DYE FREE
 SUGAR FREE

4 FL OZ (120 mL)

*Compare to the Active Ingredient in Children's Zyrtec®

CHILDRENS ALLERGY

cetirizine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-106
---------------------	----------------	---------------------------	---------------

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)		CETIRIZINE HYDROCHLORIDE	1 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ACETIC ACID (UNII: Q40Q9N063P)				
GLYCERIN (UNII: PDC6A3C0OX)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
SODIUM ACETATE ANHYDROUS (UNII: NVG71ZZ7P0)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Product Characteristics				
Color	yellow (colorless to slightly yellow)	Score		
Shape		Size		
Flavor	BUBBLE GUM (Sugar Free)	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-106-08	1 in 1 CARTON	05/20/2011	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA201546	05/20/2011		

Labeler - Publix Super Markets Inc (006922009)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	manufacture(56062-106)