ADAMAS- adamas pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Single label image contains content for sections 1-14.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ADAMAS 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

ADAMAS

adamas pellet

Product	Inform	ation
Product	Intorm	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-750

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

DIAMOND (UNII: 6GRV67N0U2) (DIAMOND - UNII:6GRV67N0U2) DIAMOND 200 [hp_C]

Inactive Ingredients

Ingredient Name	Strenath

SUCROSE (UNII: C151H8M554)

Product Characteristics

1 Todaet Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545- 750-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2019	

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ADAMAS 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing End Date	
	12/20/2019		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Hahnemann Laboratories, Inc. (147098081)

Establishment

TWIST TO OPEN - USE ONLY IF SEALED

Na me	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-750)

Revised: 7/2022 Hahnemann Laboratories, Inc.