

**SUNSCREEN- zinc oxide sunscreen stick**  
**Private Label Select Ltd CO**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Evanhealy Sandstone - Light Sheer Cover Stick SPF 30**

**Dosage & Administration**

## Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - After 80 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours

**Warnings Section**

## Warnings

**For external use only**

**Do not use on damaged or broken skin**

**When using this product keep out of eyes.**

**Rinse with water to remove.**

**Stop using and ask doctor if rash occurs**

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Inactive Ingredients**

---

## Inactive ingredients

Sunflower (Helianthus annuus) Seed Oil\*, Coconut (Cocos nucifera) Oil\*, Candelilla (Euphorbia cerifera) Wax\*, Beeswax\* (Cera alba), Argan (Argania spinosa) Kernel Oil\*, Jojoba (Simmondsia chinensis) Seed Oil\*, Red Raspberry (Rubus idaeus) Seed Oil\*, Carnauba (Copernicia cerifera) Wax\*, Orange (Citrus aurantium dulcis) Peel Oil\*, Vanilla (Vanilla planifolia) Flavor\*, Cocoa (Theobroma cacao) Seed Butter\*, Shea (Butyrospermum parkii) Butter\*, Tocopherol (Vitamin E). May Contain [+/-] Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium dioxide (CI 77861).\*ORGANIC

---

## Indications and Usage

Active ingredient Zinc Oxide 20%	Purpose Sunscreen	<h2>Directions</h2> <ul style="list-style-type: none"><li>• Apply liberally 15 minutes before sun exposure.</li><li>• Reapply:<ul style="list-style-type: none"><li>• After 80 minutes of swimming or sweating</li><li>• Immediately after towel drying</li><li>• At least every 2 hours</li></ul></li></ul> <h2>Sun Protection Measures</h2> <p>Spending time in the sun increases your risk of skin cancer and early signs of aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:</p> <ul style="list-style-type: none"><li>• Limit time in the sun, especially from 10 a.m.-2 p.m.</li><li>• Wear long-sleeve shirts, pants, hats, and sunglasses</li><li>• Children under 6 months: Ask a doctor</li></ul>
<h2>Uses</h2> <ul style="list-style-type: none"><li>• Helps prevent sunburn</li><li>• If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.</li></ul>		
<h2>Warnings</h2> <p><b>For external use only</b> <b>Do not use</b> on damaged or broken skin <b>When using this product</b> keep out of eyes. Rinse with water to remove. <b>Stop using and ask doctor</b> if rash occurs <b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p>		

**Keep Out Of Reach of Children**

---

# Warnings

**For external use only**

**Do not use on damaged or broken skin**

**When using this product keep out of eyes.**

Rinse with water to remove.

**Stop using and ask doctor if rash occurs**

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

## OTC Purpose Section

---

**Active ingredient**

Zinc Oxide 20%

**Purpose**

Sunscreen

---

## OTC Active Ingredients

---

**Active ingredient**


Zinc Oxide 20%

**Purpose**

Sunscreen

---

## Label for Container



**evanhealy**<sup>®</sup>  
the skin breathes

**Sheer Cover Stick**  
Sandstone - Light  
Broad Spectrum SPF 30  
NET WT 0.5 OZ / 14 G

Application: Apply after moisturizing.  
Reapply after swimming or sweating.  
Sun sense: In addition to sunscreen, wear sun protective clothing and a hat.

PEEL  
HERE

**Drug Facts**

Active ingredient	Purpose
Zinc Oxide 20%	Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

Do not use on damaged or broken skin  
When using this product keep out of eyes.  
Rinse with water to remove.  
Stop using and ask doctor if rash occurs  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply after 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours

**Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early signs of aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:  

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

**Inactive ingredients**

Sunflower (Helianthus annuus) Seed Oil, Coconut (Cocos nucifera) Oil, Candellila (Euphorbia cerifera) Wax, Beeswax (Cera alba), Argan (Argan spinosa) Kernel Oil, Jojoba (Simmondsia chinensis) Seed Oil, Red Raspberry (Rubus idaeus) Seed Oil, Carnauba (Copernicia cerifera) Wax, Orange (Citrus aurantium dulcis) Seed Oil, Vanilla (Vanilla planifolia) Flavor, Cocoa (Theobroma cacao) Seed Butter, Shea (Butyrospermum parviflorum) Butter, Tocopherol (Vitamin E), Zinc Oxide (ZnO), Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium dioxide (CI 77861), CARBONIC

**Other information**

- Protect this product from excessive heat and direct sun

**Questions or comments?**

Call toll free 1 888 335-0190

**SUNSCREEN**

zinc oxide sunscreen stick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62932-206
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
ORANGE OIL (UNII: AKN3KSD11B)	
JOJOBA OIL (UNII: 724GKU717M)	
COCONUT OIL (UNII: Q9L0O73W7L)	
WHITE WAX (UNII: 7G1J5DA97F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
SHEA BUTTER (UNII: K49155WL9Y)	
CANDELILLA WAX (UNII: WL0328HX19)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
COCOA BUTTER (UNII: 512OYT1CRR)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.BETA.-TOCOPHEROL (UNII: 9U6A490501)	
RASPBERRY SEED OIL (UNII: 9S8867952A)	

### Product Characteristics

<b>Color</b>	brown (Bare-Beige)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	VANILLA (Vanilla Bean Flavor)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62932-206-34	14 g in 1 CONTAINER; Type 0: Not a Combination Product	04/01/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2019	

**Labeler** - Private Label Select Ltd CO (005415463)

Revised: 12/2019

Private Label Select Ltd CO