

SUNSCREEN- zinc oxide sunscreen stick
Private Label Select Ltd CO

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Evanhealy Almond - Medium Sheer Cover Stick SPF 30

Dosage & Administration

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours

Warnings Section

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop using and ask doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Inactive Ingredients

Inactive ingredients

Sunflower (Helianthus annuus) Seed Oil*, Coconut (Cocos nucifera) Oil*, Candelilla (Euphorbia cerifera) Wax*, Beeswax* (Cera alba), Argan (Argania spinosa) Kernel Oil*, Jojoba (Simmondsia chinensis) Seed Oil*, Red Raspberry (Rubus idaeus) Seed Oil*, Carnauba (Copernicia cerifera) Wax*, Orange (Citrus aurantium dulcis) Peel Oil*, Vanilla (Vanilla planifolia) Flavor*, Cocoa (Theobroma cacao) Seed Butter*, Shea (Butyrospermum parkii) Butter*, Tocopherol (Vitamin E). May Contain [+/-] Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium dioxide (CI 77861).*ORGANIC

Indications and Usage

Active ingredient	Purpose	Directions
<p data-bbox="142 594 410 636">Zinc Oxide 20%</p> <p data-bbox="118 657 224 699">Uses</p> <ul data-bbox="118 730 760 930" style="list-style-type: none">• Helps prevent sunburn• If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.		<ul data-bbox="833 615 1466 888" style="list-style-type: none">• Apply liberally 15 minutes before sun exposure.• Reapply:<ul data-bbox="865 730 1433 888" style="list-style-type: none">• After 80 minutes of swimming or sweating• Immediately after towel drying• At least every 2 hours
<p data-bbox="118 961 329 1014">Warnings</p> <p data-bbox="118 1035 475 1077">For external use only</p> <p data-bbox="118 1077 735 1119">Do not use on damaged or broken skin</p> <p data-bbox="118 1119 792 1161">When using this product keep out of eyes.</p> <p data-bbox="118 1161 565 1203">Rinse with water to remove.</p> <p data-bbox="118 1203 768 1245">Stop using and ask doctor if rash occurs</p> <p data-bbox="118 1245 792 1339">Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p>		<p data-bbox="816 898 1344 951">Sun Protection Measures</p> <p data-bbox="816 972 1490 1192">Spending time in the sun increases your risk of skin cancer and early signs of aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:</p> <ul data-bbox="833 1192 1490 1381" style="list-style-type: none">• Limit time in the sun, especially from 10 a.m.-2 p.m.• Wear long-sleeve shirts, pants, hats, and sunglasses• Children under 6 months: Ask a doctor

Keep Out Of Reach of Children

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop using and ask doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

OTC Purpose Section

Active ingredient	Purpose
-------------------	---------

Zinc Oxide 20%	Sunscreen
----------------	-----------

OTC Active Ingredients

Active ingredient	Purpose
-------------------	---------

Zinc Oxide 20%	Sunscreen
----------------	-----------

Label for Container

evanhealy[®]
the skin breathes

Sheer Cover Stick

Almond – Medium

Broad Spectrum SPF 30

NET WT 0.5 OZ / 14 G

Application: Apply after moisturizing.
Reapply after swimming or sweating.
Sun sense: In addition to sunscreen, wear sun protective clothing and a hat.

PEEL
HERE

Drug Facts

Active ingredient	Purpose
Zinc Oxide 20%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop using and ask doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours

Sun Protection Measures

- Spending time in the sun increases your risk of skin cancer and early signs of aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
 - Children under 6 months: Ask a doctor

Inactive ingredients

Sunflower (Helianthus annuus) Seed Oil*, Coconut (Cocos nucifera) Oil*, Candelilla (Euphorbia cerifera) Wax*, Beeswax* (Cera alba), Argan (Argania spinosa) Kernel Oil*, Jojoba (Simmondsia chinensis) Seed Oil*, Red Raspberry (Rubus idaeus) Seed Oil*, Carnauba (Copernicia cerifera) Wax*, Orange (Citrus aurantium dulcis) Peel Oil*, Vanilla (Vanilla planifolia) Flavor*, Cocoa (Theobroma cacao) Seed Butter*, Shea (Butyrospermum parviflorum) Butter*, Tocopherol (Vitamin E), May Contain (s, l) Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium dioxide (CI 77861), *ORGANIC

Other information

- Protect this product from excessive heat and direct sun

Questions or comments?

Call toll free 1 888 335-0190

SUNSCREEN

zinc oxide sunscreen stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62932-207
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ORANGE OIL (UNII: AKN3KSD11B)	
JOJOBA OIL (UNII: 724GKU717M)	
COCONUT OIL (UNII: Q9L0O73W7L)	
WHITE WAX (UNII: 7G1J5DA97F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
SHEA BUTTER (UNII: K49155WL9Y)	
CANDELILLA WAX (UNII: WL0328HX19)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
COCOA BUTTER (UNII: 512OYT1CRR)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.BETA.-TOCOPHEROL (UNII: 9U6A490501)	
RASPBERRY SEED OIL (UNII: 9S8867952A)	

Product Characteristics

Color	brown (Honey Beige) , brown (Bare-Beige)	Score	
Shape		Size	
Flavor	VANILLA (Vanilla Bean Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62932-207-34	14 g in 1 CONTAINER; Type 0: Not a Combination Product	04/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2019	

Labeler - Private Label Select Ltd CO (005415463)

Revised: 12/2019

Private Label Select Ltd CO