OXYGEN- oxygen gas Clinical 1 Home Medical, Inc.

oxygen

OXYGEN, COMPRESSED USP UN 1072

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.


Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Clinical 1 Home Medical 65 Mathewson Drive Unit E Weymouth, MA 02189 800-261-5737

CAS NO: 7782-44-7



OXYGEN, REFRIGERATED LIQUID USP

UN 1073

CONTENTS: LITERS CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:


IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uniterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Clinical 1 Home Medical

65 Mathewson Drive Unit E Weymouth, MA 02189 800-261-5737



DANGER:
MAY GAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS
REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNE OR
INJURY, COMBUSTBLES IN CONTACT WITH LIQUID OXYGEN MAY
EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from electring and other combustible materials. Neep valves and fittings free from grease and c.t. Use and store only outdoors or in a weal-ventilated place. Wear cold insulating gloves, face shield, and eye protection, in case of first 8t :p lask if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk or or not lequipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Those frosted parts with luxewerm water. Do not rub affected are a. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emargency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Bx only. Uninterrupted use of high echoentrations of oxygen or

Clinical 1 Home Medical Corp

65 Mathewson Drive Unit E Weymouth, MA 02189 781-331-6856

OXYGEN

oxygen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65919-004
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L	

F	Packaging			
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:65919- 004-01	170 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
2	NDC:65919- 004-02	248 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
3	NDC:65919- 004-03	415 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
4	NDC:65919- 004-04	682 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
5	NDC:65919- 004-05	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
6	NDC:65919- 004-06	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
7	NDC:65919- 004-07	31 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/2000	
8	NDC:65919- 004-08	41 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/2000	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
NDA	NDA205840	06/01/2000	

Labeler - Clinical 1 Home Medical, Inc. (110832404)

Establishment				
Name	Address	ID/FEI	Business Operations	
Clinical 1 Home Medical, Inc.		110832404	manufacture(65919-004)	

Revised: 10/2024 Clinical 1 Home Medical, Inc.