

OXYGEN- oxygen gas
Clinical 1 Home Medical, Inc.

oxygen

OXYGEN, COMPRESSED USP

UN 1072

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

NO SMOKING

NO VAPING

Clinical 1 Home Medical

65 Mathewson Drive Unit E

Weymouth, MA 02189

800-261-5737

CAS NO: 7782-44-7

Contents Size

248 Liters C

415 Liters D

682 Liters E

3455 Liters M

6900 Liters H

Liters Other

**OXYGEN,
COMPRESSED USP
UN 1072**



DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS GAS UNDER PRESSURE;
MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.



DO NOT REMOVE THIS PRODUCT LABEL.

CAS NO: 7782-44-7

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. © Applied Home Healthcare Equipment 2025

| Contents | Size |
|-------------|--------------------------------|
| 248 Liters | <input type="checkbox"/> C |
| 415 Liters | <input type="checkbox"/> D |
| 682 Liters | <input type="checkbox"/> E |
| 3455 Liters | <input type="checkbox"/> M |
| 6900 Liters | <input type="checkbox"/> H |
| ____ Liters | <input type="checkbox"/> Other |



**NO SMOKING
NO VAPING**

**Clinical 1 Home Medical
65 Mathewson Drive Unit E
Weymouth, MA 02189
800-261-5737**

OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:65919-004 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 990 mL in 1 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:65919-004-01 | 170 L in 1 CYLINDER; Type 0: Not a Combination Product | 06/01/2000 | |
| 2 | NDC:65919-004-02 | 248 L in 1 CYLINDER; Type 0: Not a Combination Product | 06/01/2000 | |
| 3 | NDC:65919-004-03 | 415 L in 1 CYLINDER; Type 0: Not a Combination Product | 06/01/2000 | |

| | | | | |
|---|------------------|---|------------|--|
| 4 | NDC:65919-004-04 | 682 L in 1 CYLINDER; Type 0: Not a Combination Product | 06/01/2000 | |
| 5 | NDC:65919-004-05 | 3455 L in 1 CYLINDER; Type 0: Not a Combination Product | 06/01/2000 | |
| 6 | NDC:65919-004-06 | 6900 L in 1 CYLINDER; Type 0: Not a Combination Product | 06/01/2000 | |
| 7 | NDC:65919-004-07 | 31 L in 1 DEWAR; Type 0: Not a Combination Product | 06/01/2000 | |
| 8 | NDC:65919-004-08 | 41 L in 1 DEWAR; Type 0: Not a Combination Product | 06/01/2000 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA205840 | 06/01/2000 | |

Labeler - Clinical 1 Home Medical, Inc. (110832404)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------------|---------|-----------|------------------------|
| Clinical 1 Home Medical, Inc. | | 110832404 | manufacture(65919-004) |

Revised: 10/2025

Clinical 1 Home Medical, Inc.