

OXYGEN- oxygen gas


Raimy Corporation

oxygen 2005

OXYGEN COMPRESSED
OXYGEN, COMPRESSED USP
UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to sue on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

WELDERS SUPPLY CO., RAIMY CORPORATION
1628 CASCADE STREET
ERIE, PA 16502
(814) 454-1563



OXYGEN REFRIGERATED LIQUID, U.S.P

UN 1073

(CRYOGENIC LIQUID)

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

WARNING!

EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only.

WARNING!

Uninterrupted use of high concentrations of oxygen over long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

FIRST AID

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

WELDERS SUPPLY AT RAIMY CORPORATION

1628 Cascade St., Erie, PA 16502

(814) 454-1563

Fax (814) 455-1059

(800) 352-0945

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

REFRIGERATED LIQUID, U.S.P.

UN 1073

(CRYOGENIC LIQUID)

Produced by Air Liquefaction



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

WARNING!
EXTREMELY COLD OXIDIZING
LIQUID AND GAS UNDER
PRESSURE.
VIGOROUSLY ACCELERATES
COMBUSTION. COMBUSTIBLES
IN CONTACT WITH LIQUID
OXYGEN MAY EXPLODE ON
IGNITION OR IMPACT. CAN
CAUSE SEVERE FROSTBITE.

For emergency use only when
administered by properly trained
personnel for oxygen deficiency
and resuscitation. For all other
medical applications, RX only.

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

WARNING!

Uninterrupted use of high concentrations
of oxygen over long duration, without
monitoring its effect on oxygen content
of arterial blood, may be harmful. Use only
with pressure reducing equipment and
apparatus designed for oxygen. Do not
attempt to use on patients who have stop-
ped breathing, unless used in conjunction
with resuscitative equipment. Keep oil,
grease, and combustibles away. Use
only with equipment cleaned for oxygen
service. Store and use with adequate
ventilation. Do not get liquid in eyes, on
skin or clothing. For liquid withdrawal,
wear face shield and gloves. Do not drop.
Use hand truck for container movement.
Avoid spills. Do not walk on or roll equip-
ment over spills. Close valve after each
use and when empty. Use in accordance
with Material Safety Data Sheet.

FIRST AID

IN CASE OF FROSTBITE, obtain medical
treatment immediately.

PLEASE REFER TO THE MATERIAL
SAFETY DATA SHEET FOR
SAFETY AND PRODUCT INFORMATION.

FIRST AID



1628 Cascade St., Erie, PA 16502
(814) 454-1563 • Fax (814) 455-1059
(800) 352-0945

DO NOT REMOVE THIS PRODUCT LABEL

PRINTED BY RATESMANN MFG INC. 525-656-5949

OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|----------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:10942-2005 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 996 mL in 1 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|--|-----------------------------|---------------------------|
| 1 | NDC:10942-2005-1 | 28.31 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |
| 2 | NDC:10942-2005-2 | 169.9 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |
| 3 | NDC:10942-2005-3 | 481.39 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |
| 4 | NDC:10942-2005-4 | 651.29 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |
| 5 | NDC:10942-2005-5 | 566.33 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |
| 6 | NDC:10942-2005-6 | 2067.13 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |
| 7 | NDC:10942-2005-7 | 3511.29 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |
| 8 | NDC:10942-2005-8 | 4360.8 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |
| 9 | NDC:10942-2005-9 | 7050.9 L in 1 CYLINDER; Type 0: Not a Combination Product | 05/12/1993 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| NDA | NDA205865 | 05/12/1993 | |

Labeler - Raimy Corporation (045764297)

Registrant - Raimy Corporation (045764297)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------|----------------|---------------|----------------------------|
| Ramiy Corporation | | 045764297 | manufacture(10942-2005) |

