

**ACETAMINOPHEN- acetaminophen tablet**  
**Proficient Rx LP**

-----  
**5427-Major**

***Drug Facts***

***Active Ingredient (in each tablet)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/ Fever reducer

***Uses***

Temporarily reduces fever and relieves minor aches and pains due to:

- headache ☐
- muscular aches ☐
- backache ☐
- minor pain of arthritis ☐
- common cold ☐
- toothache ☐
- premenstrual and
- menstrual cramps

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening ,blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ☐
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if** ☐

- pain gets worse or lasts more than 10 days ☐
- fever gets worse or lasts more than 3 days ☐
- new symptoms occur ☐
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed (see overdose warning)**

**adults and children 12 years and over:**

- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

**children under 12 years:** ask a doctor

### ***Other Information***

Store in a dry place at 15° - 30°C (59° - 86°F)

Povidone, pregelatinized starch, sodium starch glycolate, stearic acid

### ***Questions or comments?***

**Call (800) 616-2471**

**SAVE CARTON FOR COMPLETE DRUG FACTS**

**Do not use if carton is open or if imprinted safety seal under cap is broken or missing.**

Distributed By:

**MAJOR® PHARMACEUTICALS**

Indianapolis, IN 46268

Repackaged By:

**Proficient Rx LP**

Thousand Oaks, CA 91320

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol®

See New Warnings Information and Directions

## Acetaminophen Extra Strength Tablets

Aspirin Free

Strong Pain and Fever Relief

Compare to active ingredient in Extra Strength Tylenol®\*

**50 tablets**

500mg each



Scan Here



NDC 71205-165-50

Packaged By: Proficient Rx LP  
Thousand Oaks, CA 91320

Acetaminophen 500mg  
#50 ES Tablets  
Lot #:00000 SN# MASTER  
NDC 71205-165-50 Exp:00/00/00

Acetaminophen 500mg  
#50 ES Tablets  
Lot #:00000 SN# MASTER  
NDC 71205-165-50 Exp:00/00/00

Acetaminophen 500mg  
#50 ES Tablets  
Lot #:00000 SN# MASTER  
NDC 71205-165-50 Exp:00/00/00



GTIN: 00371205165505  
SN# MASTER  
Exp. 00/00/00  
Lot #:00000



## Acetaminophen 500mg

**#50 ES Tablets**

Each tablet contains: Acetaminophen 500 mg Pain  
reliever/ fever reducer

White, round, scored tablet with imprint code "54" and "27"

Product ID: QA016550

Mfr. By: MAJOR® PHARMACEUTICALS Indianapolis, IN 46268

Store in a dry place at 15°-30°C (59°-86°F)

Keep medication out of the reach of children

## ACETAMINOPHEN

acetaminophen tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71205-165(NDC:0904-6730)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	54;27
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71205-165-10	10 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2018	
2	NDC:71205-165-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	04/24/2025	
3	NDC:71205-165-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2018	
4	NDC:71205-165-40	40 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2018	
5	NDC:71205-165-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2018	
6	NDC:71205-165-60	60 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2018	
7	NDC:71205-165-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/12/2018	

**Labeler** - Proficient Rx LP (079196022)

### Establishment

Name	Address	ID/FEI	Business Operations
Proficient Rx LP		079196022	REPACK(71205-165) , RELABEL(71205-165)