# RANITIDINE- ranitidine tablet Medline Industries, Inc.

-----

**Drug Facts** 

# ACTIVE INGREDIENT (IN EACH TABLET)

Ranitidine 150 mg (as ranitidine hydrochloride USP, 168 mg)

#### **PURPOSE**

Acid reducer

#### **USES**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

#### **WARNINGS**

Allergy alert: Do not use if you are allergic to ranitidine or other acid reducers

#### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor

## Ask a doctor before use if you have

- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness**, **sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

#### Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

### If pregnant or breast-feeding

Ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **DIRECTIONS**

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water
  - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

#### OTHER INFORMATION

- TAMPER EVIDENT: DO NOT USE IF THE CARTON OR INDIVIDUAL BLISTER UNIT IS OPEN OR TORN.
- store at 20° 25° C (68° 77° F)
- avoid excessive heat or humidity
- this product is sodium and sugar free

#### INACTIVE INGREDIENTS

Colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol, talc, titanium dioxide

## **QUESTIONS?**

Call 1-800-MEDLINE (633-5463), Monday - Friday, 9AM - 5PM CST

#### PRINCIPAL DISPLAY PANEL

**MEDLINE** 

NDC 53329-695-68

<sup>†</sup>Compare to the active ingredient of Zantac 150®

**Maximum Strength** 

**RANITIDINE TABLETS, USP 150 mg** 

ACID REDUCER

**Prevents & Relieves** 

Heartburn Associated with Acid Indigestion & Sour Stomach

150 mg

24 TABLETS

Distributed by: Medline Industries, Inc.

5099014/1012





# RANITIDINE TABLETS, **USP 150 mg**

# **ACID REDUCER**



the carton. It contains important information

**Prevents & Relieves** Heartburn Associated with Acid Indigestion & Sour Stomach



150 mg

24 TABLETS



<sup>†</sup>This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals Inc., owner of the registered trademark Zantac 150<sup>®</sup>.

Distributed by: Medline Industries, Inc. One Medline Place, Mundelein, IL 60060, USA

MADE IN INDIA

Re-order# OTC69568 RA130HM 1012

### **RANITIDINE**

ranitidine tablet

#### **Product Information**

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:53329-695

Route of Administration ORAL

# **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength
RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10 YB7)

RANITIDINE

150 mg

Inactive Ingredients		
Ingredient Name	Strength	
COLLOIDAL SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)		
HYPROMELLOSES (UNII: 3NXW29 V3WO)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)		
TALC (UNII: 7SEV7J4R1U)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		

Product Characteristics			
Color	white (Off-White to Pale Yellow)	Score	no score
Shape	OVAL	Size	7mm
Flavor		Imprint Code	9 R
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:53329-695-68	24 in 1 BLISTER PACK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA200536	03/30/2012	

# **Labeler** - Medline Industries, Inc. (025460908)

# Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Shasun Pharmaceuticals Limited		915786829	manufacture(53329-695)

Revised: 3/2013 Medline Industries, Inc.