

SHOPRITE NASAL- oxymetazoline hcl spray
Wakefern Food Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ShopRite Extra Moisturizing Nasal Spray Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Replace cap tightly to maintain child resistance.

Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

Questions or comments?

1-800-SHOPRITE

Principal Display Panel

Compare to: Active Ingredient in Afrin®

SEE NEW DIRECTIONS

EXTRA MOISTURIZING NASAL SPRAY

Oxymetazoline HCl 0.05%

NASAL DECONGESTANT


12 Hour

Fast, Powerful Congestion Relief

Colds - Allergies

Soothes And Helps Rehydrate Dry Noses

1 FL OZ (30 mL)



Compare to: Active Ingredient in Afrin®*

SEE NEW DIRECTIONS



ShopRite®

EXTRA MOISTURIZING

NASAL SPRAY

Oxymetazoline HCl 0.05%
NASAL DECONGESTANT

12 Hour

Fast, Powerful Congestion Relief
Colds • Allergies
Soothes And Helps Rehydrate Dry Noses



ShopRite®

EXTRA MOISTURIZING

NASAL SPRAY

Oxymetazoline HCl 0.05%
NASAL
DECONGESTANT


12 Hour

Fast, Powerful Congestion Relief
Colds • Allergies
Soothes And Helps Rehydrate
Dry Noses



1 FL OZ (30 mL)

1 FL OZ (30 mL)



NASAL SPRAY

EXTRA MOISTURIZING 



Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%....Nasal decongestant

Purpose

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
 - children under 6 years of age: ask a doctor
- To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Replace cap tightly to maintain child resistance.

Drug Facts (continued)

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

Questions or comments?

1-800-SHOPRITE

*This product is not manufactured or distributed by MSD Consumer Care, Inc., distributor of Afrin®.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Distributed By: Wakefern Food Corp.
5000 Riverside Drive
Keasbey, NJ 08832 ©2015



Your complete satisfaction or your money back.

We welcome your questions and comments.

Call: 1-800-ShopRite
or contact us:
www.shoprite.com



Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

LOT NO.

EXP.

: 06 510 88 C4

SHOPRITE NASAL

oxymetazoline hcl spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41190-065
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JH2SW)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41190-065-10	1 in 1 CARTON	07/09/2013	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/09/2013	

Labeler - Wakefern Food Corporation (069722418)

Revised: 12/2018

Wakefern Food Corporation