TERRAMED JUST THINK COMFORT HERPCARE GENITAL HERPES- aesculus hippocastanum, hamamelis virginiana, paeonia officinalis ointment Rida LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Active Ingredient

Purpose

- Anti- Fungal
- Anti- microbial

Uses

Ask your physician before using this for self-treatment Provides temporary relief skin inflammation, irritation, and/ or tingling caused by genital herpes.

Warnings

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control
- For external use only.
- Herpcare Ointment is not a cure for herpes and will not prevent future outbreaks.
 This product does not stop the spread of herpes viruses or other viral infections, which are contagious. Additionally, Herpcare does not prevent sexually transmitted infections (STis). To reduce the risk of STis, practice safer sex latex or polyurethane condoms. However, be aware that HerpCare Ointment may damage condomas, diaphragms, causing them to fail.
- Product is not FDA evaluated and will not cure herpes, will not prevent future outbreaks, and will not stop the spread of the herpes virus.
- When using this product Apply the product exclusively to affected areas. Avoid application near or around the eyes. Do not share this product with others to mitigate the risk of infection or viral transmission.
- Stop use and ask a doctor Symptoms persist or inflammation increases after weeks of use or if the itch increases. There is an increase in redness on the skin.
- Pregnant or Breastfeeding: Ask a health professional before use.

Directions

Adults and children 12 years of age and older:

- Wash hand s before and after applying the ointment.
- Apply to affected area at the first sign of blisters, sores, or tingling sensation.
- Early use ensures the best results.
- Rub in gently and thoroughly.
- Use at a minimum of 4 times daily and then as needed.

Do not use on children less than 2 years.

Please perform a patch test for sensitive skin. Take a small am ount with your finger and gently apply it on the affected area.

Apply liberally and use often until symptoms subside.

Other Information

Store in a cool, dry place.

Inactive ingredients

Bee Propolis Extract, Beeswax, CastorOil, Colloidal Oatmeal, Glycerin, Alcohol, Oxygenated Olive Oil, Melissa Officinalis (lemon Balm) Essential Oil (Natural Fragrance)

Product label

- Symphytum Officinale (Comfrey) IX
- Lemongrass 2X HPUS
- Ofive Extract (Oleuropein) 3X HPUS_____Heating Agent Willow Bark 3X HPUS_____
- Calendula Officinalis IX HPUS.....

Inactive Ingredients:

- Bee Propolis Extract
- Castor Oil

- Alcohol
- Oxygenated Olive Oil
- Melissa Officinalis (Lemon Balm) Essential Oil (Natural Fragrance)

Purpose:

- Anti-Fungal Anti-microbial

Ask your physician before using this for self-treatment. Provides temporary relief from skin inflammation, initation, and/or tingling caused by genital herpes

When using this product:

Stop use and ask a doctor if::

after weeks of use or if the itch increases. There is an increase in redness on the skin

Pregnant or Breastfeeding:

Ask a health professional before use

HOMEOPATHIC MEDICINE

While HerpCare Ointment is generally well-tolerated, some individuals may experience side effects. If you notice any of the following side effects or other unusual symptoms, discontinue use and consult a healthcare professional:

Side intriduce NRI to mediate infriding, redness, or liching at the application site.

Altergic Readians Bigns of an altergic readion, such as rost, hives, swelling, or difficulty breathing.

- Burning Sensetion: A temporary burning or stinging sensation upon application. Dryness or Peeling: Dryness or peeling of the skin in the treated area.
- Increased Redness: An increase in redness or information of the affected area.

- Hand Hygiere: Wash your hands before and after applying the ointment to maintain cleanliness and prevent the spread of infect
- Application Timing: Apply the cintment to the affected area at the first sign of blisters, sores, or tingling sensation. Early use ensures
- Application Method: Rub the cintment in gently and thoroughly to ensure proper absorption.
- Dryness or Peeling: Dryness or peeling of the skin in the treate
- Frequency of User Use the circinent at least 4 times daily and then as needed for continued relief.
- Children: Do not use an children under 2 years of age.

 Patch Test: Perform a patch test for sensitive skin. Tate a small amount of the ointment with your finger and gently apply it to a small area of the affected skin. Apply liberally and use after until symptoms subside.
- Sanitary Products: Use decidorant-free sanitary napitins or sanitary pads as needed.
- Intercourse: Try to avoid intercourse while using HerpCare Circiment to reduce initiation and transmission risk

- mercourse, my to award intercourse while using HerpCare Deliment to reduce initiation and transmission risk.

 Avaid Scratching: Do not scratch the offschold area, as this connocuse more initiation and potentially spread the virus.

 Catathing: Award searring synthetic and tight underwoor Use branchation comou underwoor to except the area verificated.

 Crying: Thoroughly dry the genital area offer showering, unhation, bowel movements, or swimming, and reapply the aintiment.

 Mentatural Period: HerpCare Ointiment can be used during your mentatual period; it does not disrupt your pritodomos.

 Neclatation: PerpCare Ointiment can be used alongside your prescription medication, but it is not intended to replace your prescribed bestments.

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away
- For external use only.

HerpCare Ontment is not a cure for herpes and will not prevent future outbreaks. This product does not stop the spread of herpes viruses or other virol infections, which are contagious, Additionally, HerpCare Cintment does not prevent sexually transmitted infections (§Tis), To reduce the risk of \$Tis, proctice safer sex by using lotex or polyurethane condoms. However, be aware that HerpCare Cintment may damage condoms and diaphragms, causing them to fail.

Product is not FDA evaluated and will not oure herpes, will not prevent future outbrooks, and will not step the

spread of the herpes virus.

- Adults and children 12 years of age and older.
- Wash hands before and after applying the aintment
- Apply to affected area at the first sign of blisters, sores, or tingling sensation.
- Early use ensures the best results. Rub in gently and thoroughly.
- Use at a minimum of 4 times daily and then as needed.
- Do not use on children less than 2 years.
 Please perform a patch test for sensitive skin. Take a small amount with your finger and gently apply it on the affected area. Apply liberally and use often until symptoms subside.



- Provides temporary relief of pain, itching, tingling, and burning

TERRAMED JUST THINK COMFORT HERPCARE GENITAL HERPES

🖻 👶 🥝 📻

aesculus hippocastanum, hamamelis virginiana, paeonia officinalis ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83004-022
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
COMFREY ROOT (UNII: M9VVZ08EKQ) (COMFREY ROOT - UNII:M9VVZ08EKQ)	COMFREY ROOT	1 [hp_X] in 56 g	
CYMBOPOGON CITRATUS LEAF (UNII: 06JMS448M5) (CYMBOPOGON CITRATUS LEAF - UNII:06JMS448M5)	CYMBOPOGON CITRATUS LEAF	2 [hp_X] in 56 g	
OLEUROPEIN (UNII: 204553545L) (OLEUROPEIN - UNII:204553545L)	OLEUROPEIN	3 [hp_X] in 56 g	
WILLOW BARK (UNII: S883J9JDYX) (WILLOW BARK - UNII:S883J9JDYX)	WLLOW BARK	3 [hp_X] in 56 g	
CALENDULA OFFICINALIS WHOLE (UNII: PFR03EBU0H) (CALENDULA OFFICINALIS WHOLE - UNII:PFR03EBU0H)	CALENDULA OFFICINALIS WHOLE	1 [hp_X] in 56 g	

Inactive Ingredients			
Ingredient Name	Strength		
PROPOLIS WAX (UNII: 6Y8XYV2NOF)			
YELLOW WAX (UNII: 2ZA36H0S2V)			
CASTOR OIL (UNII: D5340Y2I9G)			
OATMEAL (UNII: 8PI54V663Y)			
GLYCERIN (UNII: PDC6A3C0OX)			
ALCOHOL (UNII: 3K9958V90M)			
OLIVE OIL (UNII: 6UYK2W1W1E)			
MELISSA OFFICINALIS SEED OIL (UNII: MJ76269K9S)			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:83004- 022-01	1 in 1 CARTON	03/13/2025		
1		56 g in 1 APPLICATOR; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/13/2025	

Labeler - Rida LLC (004425803)

Revised: 3/2025 Rida LLC