

H.E.B SOLUTIONS SUNSCREEN- kids spf 50 lotion spray aerosol, spray H.E.B

H.E.B Solutions Sunscreen Kids SPF 50 Lotion Spray

☐ **Active ingredients**

Avobenzone 3.0%, Homosalate 13.0%, Octisalate 5.0%, Octocrylene 2.0%, Oxybenzone 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ☐ **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, sorbitol, VP/eicosene copolymer, stearic acid, styrene/acrylates copolymer, aloe barbadensis leaf juice, triethanolamine, sorbitan isostearate, chamomilla recutita (matricaria) flower extract, propylene glycol, benzyl alcohol, dimethicone, tocopherol (vitamin E), polyglyceryl-3 distearate, acrylates/C10-30 alkyl acrylate crosspolymer, disodium EDTA, phenoxyethanol, capryloyl glycine, undecylenoyl glycine

Questions or comments?

Call toll free 1-800-527-7731

H.E.B Solutions Sunscreen Kids SPF 50 Lotion Spray

6.3 OZ (178g)

NDC 37808-983-50

Dermatologist Tested
 Oil Free • PABA Free
 Hypoallergenic
 Contains Aloe, Chamomile Extract
 and Vitamin E

Drug Facts	
Active ingredients	Purpose
Avobenzone 3% Homosalate 13% Octisalate 5% Octocrylene 2% Oxybenzone 4%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • hold can 4-6 inches away from body, spray evenly to ensure complete coverage • do not spray into face. Spray into hand and apply to face. • use in well ventilated, but not windy areas • reapply: <ul style="list-style-type: none"> • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses 	
Other information	
<ul style="list-style-type: none"> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces 	
Inactive ingredients	
water, sorbitol, VP/eicosene copolymer, stearic acid, styrene/acrylates copolymer, aloe barbadensis leaf juice, triethanolamine, sorbitan laurate, chamomilla recutita (matricaria) flower extract, propylene glycol, benzyl alcohol, dimethicone, tocopherol (vitamin E), polyglyceryl-3 distearate, acrylates/C10-30 alkyl acrylate crosspolymer, disodium EDTA, phenoxyethanol, capryloyl glycine, undecylenol glycine	
Questions or Comments? Call toll free 1-800-527-7731	

MADE WITH PRIDE
 AND CARE FOR H-E-B®
 SAN ANTONIO, TEXAS 78204



SOLUTIONS™
 SUNSCREEN

KID 50
LOTION SPRAY
Sunscreen

UVA/UVB Protection
 Sweat and Water
 Resistant (80 minutes)
 Paraben Free
 Sprays white to
 ensure coverage

BROAD SPECTRUM SPF 50



NET WT 6.3 OZ (178 g)

H.E.B Solutions Sunscreen Kids SPF 50 Lotion Spray Twin Pack
 (2x) 6.3 OZ (178g)
 NDC 37808-983-76

APPROVED

By Nicollette Sherrod at 4:46 pm, Dec 19, 2018

Dermatologist Tested
Oil Free • PABA Free • Hypoallergenic
Contains Aloe, Chamomile Extract
and Vitamin E



H.E.B.
SOLUTIONS™
SUNSCREEN



**KIDS
50**

LOTION SPRAY Sunscreen

UVA/UVB Protection
Sweat and Water Resistant (80 minutes)
Paraben Free
Sprays white to ensure coverage
BROAD SPECTRUM SPF 50



Drug Facts	Purpose
Active Ingredients Avobenzone 3% Homosalate 13% Octisalate 5% Octocrylene 2% Oxybenzone 4%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only Do not use • on damaged or broken skin. When using this product • keep out of eyes. Rinse with water to remove. • do not puncture or scratch. Contents under pressure. • do not store at temperatures above 120° F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • apply liberally 15 minutes before sun exposure • hold can 4-6 inches away from body, spray evenly to ensure complete coverage • do not spray into face. Spray into hand and apply to face. • use in well ventilated, but not windy areas • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other Information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive Ingredients water, sorbitol, Polyoxane copolymer, stearic acid, dimerized polyoxane copolymer, also herbaceous leaf juice, hydroxystyrene, sorbitan sebacate, chamomilla recutita (matricaria) flower extract, propylene glycol, benzyl alcohol, dimethicone, tocopherol, vitamin E, polyglyceryl-3 distearate, acrylates/C10-30 alkyl acrylate crosspolymer, disodium EDTA, phenylethanediol, caprylyl glycol, undecylmethyl glycol	
Questions or Comments? Call toll free: 1-800-922-7721	

MADE WITH PRIME AND CARE FOR US • SAN ANTONIO, TEXAS 78204

H.E.B SOLUTIONS SUNSCREEN

kids spf 50 lotion spray aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-983
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	130 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	20 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZ ONE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	
ALOE VERA LEAF (UNII: ZY81Z 83H0X)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
PHENOXYETHANOL (UNII: HIE492Z Z3T)	
TROLAMINE (UNII: 9O3K93S3TK)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAPRYLOYL GLYCINE (UNII: 8TY5YO42NJ)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TOCOPHEROL (UNII: ROZB2556P8)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CHAMOMILE (UNII: FGL3685T2X)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-983-76	2 in 1 PACKAGE	03/04/2017	
1	NDC:37808-983-50	156 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/09/2012	

Labeler - H.E.B (007924756)

Revised: 10/2024

H.E.B