# ALLERGY GET RELIEF- diphenhydramine hydrochloride tablet Eagle Distributors,Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Allergy Get Relief

**Drug Facts** 

#### Active ingredient (in each caplet)

Diphenhydramine HCl 25 mg

## Purpose

Antihistamine

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat
- and these symptoms associated with the common cold:
  - sneezing
  - runny nose

#### Warnings

**Do not use** with any other products containing diphenhydramine, including one used on skin

#### Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma or
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

## When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,** ask a health professional before use

Keep out of reach of children.

#### Overdose warning

In case of accidental overdose, contact a doctor or Poison Control Center immediately.

#### **Directions**

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

Adults and children 12 years of age and over	1 to 2 caplets
Children 6 to under 12 years	1 caplet
Children under 6 years	Consult a doctor

#### Other information

- store between 20-25 C (68-77 F). Avoid high humidity. Protect from light
- do not use if pouch is torn or open
- see side panel for lot number and expiration date

#### **Inactive ingredients**

croscarmellose sodium, D&C Red #27, hydroxypropylmethyl cellulose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide. May contain polysorbate.

### Questions or comments?

Call toll free 1-800-570-8650 (M-F 9 am to 5 pm PST)

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl ${\mathbb R}$ 

Product manufactured for:

*Eagle Distributors,Inc.* 

Los Angeles, CA 90011

#### PRINCIPAL DISPLAY PANEL - 50 Pouch Carton

Compare to the Active Ingredients in Bendaryl® Allergy\*


Allergy


Get Relief

- Itchy, Watery Eyes
- Itchy Throat
- Sneezing
- Runny Nose

#### Diphenhydramine Hci, An Antihis tamine







#### Conches of 2 Caplets Each

Diphenhydramine Hci, An Antihistamine

- Itchy Throat Sneezing Runny Nose

Get Relief

Bendaryl Allergy\* Compare to the Active Ingredients in

#### Drug Facts

Active ingredient (in each tablet)

Purpose Antihistamine

Diphenydramine HCI 25 mg...

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
   \* runny nose \* sneezing \* itchy, watery eyes \* itching of the nose or throat
   \* temporarily relieves these symptoms due to the common cold:
   \* runny nose \* sneezing
  - · runny nose · sneezing

#### Warnings

Do not use with any other product containing diphenhydramine, even one used on skin.

- Ask a doctor before use if you have

   a breathing problem such as emphysema or chronic bronchitis
- glaucoma
   trouble urinating due to an enlarged prostate gland

#### Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

#### When using this product

- marked drowsiness may occur
   avoid alcoholic drinks
   alcohol, sedatives, and tranquilizers may increase drowsiness
   be careful when driving a motor vehicle or operating machinery
   excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away.

Directions	take every 4 to 6 hours • do not take more than 6 times in 24 hours		
CO.	adults and children 12 years and over	1 to 2 tablets	
	children 6 to under 12 years	1 tablet	
	obildren under Curero	onneulli a doctor	

#### Other information


- store between 20-25°C (68-77°F). Avoid high humidity.Protect from light
   do not use if pouch is torn or open
   see side panel for lot number and expiration date

#### Inactive ingredients na D&C rad # 27 aluminum laka

Compare to the Active Ingredients in Bendaryl<sup>®</sup> Allergy\*



Diphenhydramine Hci, An Antihistamine



## ALLERGY GET RELIEF

diphenhydramine hydrochloride tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68737-223
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>Diphenhydramine Hydrochloride</b> (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydro chlo ride	25 mg	

Inactive Ingredients		
Ingredient Name	Strength	
croscarmellose sodium (UNII: M28OL1HH48)		
D&C Red No. 27 (UNII: 2LRS185U6K)		
hypromelloses (UNII: 3NXW29V3WO)		
lactose (UNII: J2B2A4N98G)		
magnesium stearate (UNII: 70097M6I30)		
cellulose, microcrystalline (UNII: OP1R32D61U)		
polyethylene glycols (UNII: 3WJQ0SDW1A)		
silicon dioxide (UNII: ETJ7Z6XBU4)		
titanium dioxide (UNII: 15FIX9V2JP)		

Product Characteristics			
Color	PINK	Score	2 pieces
Shape	OVAL (Capsule shape)	Size	11mm
Flavor		Imprint Code	AZ;048

# Packaging # Item Code Package Description Marketing Start Date Marketing End Date 1 NDC:68737-223-07 50 in 1 BOX

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/30/2012	

# Labeler - Eagle Distributors,Inc. (929837425)

2 in 1 POUCH

Contains

Revised: 6/2012 Eagle Distributors,Inc.