

MOTION SICKNESS RELIEF- meclizine hcl tablet, film coated
Shield Pharmaceuticals Corp

Motion Sickness Relief

Drug Facts

Active ingredient (in each liquid-filled capsule)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur n avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.1(800)222-1222

Directions

- **do not take more than directed**

- take first dose ½ to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F) protect from heat and humidity

Inactive ingredients

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch.

Questions or comments?

1-800-373-6981 (toll-free)

Shield Pharmaceuticals Corp.
Carle Place, NY 11514

PRINCIPAL DISPLAY PANEL

Compare to Dramamine® Less Drowsy active ingredient†

LESS DROWSY FORMULA

Motion Sickness Relief

Meclizine HCl, 25 mg

Antiemetic

Helps prevent nausea and dizziness due to motion sickness

For Ages 12 and Over

ValuRx Compare to Dramamine® Less Drowsy active ingredient†

LESS DROWSY FORMULA

Motion Sickness Relief

Meclizine HCl, 25 mg

Antiemetic

- Helps prevent nausea and dizziness due to motion sickness

15 tablets

DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredient (in each tablet)
Meclizine HCl 25 mg.....Antiemetic

Uses
for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings
Do not use for children under 12 years of age, unless directed by a doctor.
Ask a doctor before use if you have ■ glaucoma
■ difficulty in urination due to enlargement of the prostate gland
■ a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product
■ drowsiness may occur ■ avoid alcoholic beverages
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ use caution when driving a motor vehicle or operating machinery
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
■ **do not take more than directed**
■ take first dose ½ to 1 hour before starting activity
■ adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information
■ store at 25°C (77°F); excursions permitted between 15°C-30°C (59°-86°F) protect from heat and humidity

Inactive ingredients
colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch.

Questions or comments? 1-800-373-6981 (toll-free)

Distributed by:
Shield Pharmaceuticals Corp.
Carle Place, NY 11514

167293
ORG. 1-123
Made in USA



MOTION SICKNESS RELIEF

meclizine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83059-0007
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	44;403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83059-0007-1	1 in 1 PACKAGE	12/06/2023	
1		15 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	12/06/2023	

Labeler - Shield Pharmaceuticals Corp (118724924)

Revised: 12/2023

Shield Pharmaceuticals Corp