

NEO-TERRAMYCIN 100/100D- neomycin-oxytetracycline powder
Phibro Animal Health

Neo-Terramycin® 100/100D
(neomycin-oxytetracycline)
TYPE A MEDICATED ARTICLE

(Antibiotic)

Active Drug Ingredients:

Oxytetracycline (from oxytetracycline dihydrate)
equivalent to oxytetracycline hydrochloride 100 g/lb
Neomycin Sulfate 100 g/lb

CAUTION:

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

CAUTION: For use in manufacturing medicated animal feeds only.

CAUTION: Certain components of animal feeds, including medicated premixes, possess properties that may be a potential health hazard or a source of personal discomfort to certain individuals who are exposed to them. Human exposure should, therefore, be minimized by observing the general industry standards for occupational health and safety.

Precautions such as the following should be considered: dust masks or respirators and protective clothing should be worn; dust-arresting equipment and adequate ventilation should be utilized; personal hygiene should be observed; wash before eating or leaving a work site; be alert for signs of allergic reactions—seek prompt medical treatment if such reactions are suspected.

STORE IN A DRY, COOL PLACE

STORE AT OR BELOW 25°C (77°F), EXCURSIONS PERMITTED UP TO 40°C (104°F)

NEO-TERRAMYCIN is a registered trademark of Pfizer, Inc
licensed to Phibro Animal Health Corporation for Neomycin-Oxytetracycline
PHIBRO and PHIBRO logo design are trademarks owned by
Phibro Animal Health Corporation of its affiliates.
Phibro Animal Health Corporation, Teaneck, NJ 07666

**SEE BACK PANEL FOR COMPLETE MIXING DIRECTIONS
USE DIRECTIONS AND WARNINGS**

Approved by FDA under NADA # 094-975

8853000

101-9076-08

Net Weight 50 lb (22.7 kg)

FOR USE IN DRY FEEDS ONLY. NOT FOR USE IN LIQUID FEED SUPPLEMENTS.

MIXING AND USE DIRECTIONS

Mix Neo-Terramycin 100/100D with nonmedicated milk replacer to provide the following drug concentrations:

Indications for Use	Oxytetracycline and Neomycin Amount	lb. of Neo-Terramycin 100/100D per ton¹
CALVES (milk replacer)		
For calves (up to 250 lb) for treatment of bacterial enteritis caused by <i>E. coli</i> susceptible to oxytetracycline; treatment and control of colibacillosis (bacterial enteritis) caused by <i>E. coli</i> susceptible to neomycin	10 mg/lb of body weight daily Feed continuously for 7-14 days Treatment should continue 24 to 48 hours beyond remission of disease symptoms.	20 ²
CALVES, BEEF CATTLE, AND NONLACTATING DAIRY CATTLE		
Treatment of bacterial enteritis caused by <i>E. coli</i> and bacterial pneumonia (shipping fever complex) caused by <i>Pasteurella multocida</i> susceptible to oxytetracycline; treatment and control of colibacillosis (bacterial enteritis) caused by <i>E. coli</i> susceptible to neomycin	10 mg/lb of body weight daily Feed continuously for 7-14 days Treatment should continue 24 to 48 hours beyond remission of disease symptoms.	20 ²

WARNING: A withdrawal period has not been established in preruminating calves; do not use in calves to be processed for veal. At the 10 mg/lb level, withdraw 5 days before slaughter.
Use of more than one product containing neomycin or failure to follow withdrawal times may result in illegal drug residues.
A milk discard time has not been established for use in lactating dairy cattle. Do not use in female dairy cattle 20 months of age or older.

¹Mixing directions are for example only and are based on mixing 1 lb of dry milk replacer with 1 gallon of water.


²If calf weighs 100 lb, consuming 1 gallon of milk replacer per day.

FOR USE IN ANIMAL FEEDS ONLY

NOT FOR HUMAN USE

RESTRICTED DRUG (CALIFORNIA) - USE ONLY AS DIRECTED

Neo-Terramycin 100/100D



NEO-TERRAMYCIN 100/100D

neomycin-oxytetracycline powder

Product Information

Product Type	VFD TYPE A MEDICATED ARTICLE ANIMAL DRUG	Item Code (Source)	NDC:66104-8853
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYTETRACYCLINE HYDROCHLORIDE (UNII: 4U7K4N52Z M) (OXYTETRACYCLINE ANHYDROUS - UNII:SLF0D9077S)	OXYTETRACYCLINE HYDROCHLORIDE	100 g in 0.45 kg

NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)

NEOMYCIN SULFATE

100 g
in 0.45 kg

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
SODIUM ALUMINOSILICATE (UNII: 058TS43PSM)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66104-8853-0	22.7 kg in 1 BAG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA094975	07/08/2009	

Labeler - Phibro Animal Health (006989008)

Registrant - Phibro Animal Health (006989008)

Establishment

Name	Address	ID/FEI	Business Operations
Sichuan Long March Pharmaceutical Co. Ltd.		544881741	api manufacture

Revised: 8/2023

Phibro Animal Health