EXTRA STRENGTH ACETAMINOPHEN- acetaminophen tablet WALGREENS CO.

EXTRA STRENGTH PAIN RELIEVER

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

• if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	 take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store between 20-25°C (68-77°F)
- do not use if carton is opened or inner Safety Seal is broken or missing

Inactive ingredients

hypermellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-287-1915

Distributed by: **Walgreen Co.** 200 Wilmot Rd., Deerfield, IL 60015

PRINCIPAL DISPLAY PANEL

EXTRA STRANGTH PAIN RELIEVER

ACETAMINOPHEN 500 MG CAPLETS





EXTRA STRENGTH ACETAMINOPHEN

acetaminophen tablet

Product Information HUMAN OTC DRUG Item Code (Source) NDC:0363-9084 Route of Administration ORAL VAL VAL

Active Ingredient/Active Moiety Ingredient Name Basi						Strenath	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D					Basis of Strength ACETAMINOPHEN		500 mg	
Inactive Ingre	aients						trength	
Ingredient Name								
HYPROMELLOSE 2								
	-	-						
POVIDONE, UNSPE			'4C)					
STARCH, CORN (UNII: 08232NY3SJ) STEARIC ACID (UNII: 4ELV7Z65AP)								
TALC (UNII: 7SEV7]4								
		X9\/2IP)						
Product Chara	cteristi	cs						
Color		white Score				no score		
Shape	e OVAL Size			18mm				
Flavor	r Imprint Code				\$500			
Contains								
Packaging								
# Item Code		Package Description			ting Start Date		ting End ate	
1 NDC:0363-9084- 15	1 in 1 CAR	1 CARTON			3			
1		TTLE; Type 0	Not a Combination					
	Product							
Marketing I	nform	ation						
Marketing	Appl	Application Number or Monograph Citation		n Mark	Marketing Start Mar Date		eting End Date	
Category								

Labeler - WALGREENS CO. (008965063)

Revised: 12/2023

WALGREENS CO.