MEDISTIK DUAL- menthol, methyl salicylate, eucaluptus stick Natureteq Inc.

-----

Natureteq (as PLD) - MEDISTIK PRO DUAL ACTION STICK (50231-211)

#### **ACTIVE INGREDIENTS**

Menthol 15%

Methyl Salicylate 30%

Eucaluptus Oil 1%

## **PURPOSE**

Topical Analgesic

### **USES**

MEDISTIK™ DUAL provides temporary soothing relief of sore muscles associated with strains and sprains, backaches, lumbago, pain of tendons and/or ligaments as well as arthritic or rheumatic pain

#### WARNINGS

For external use only. The application of external heat may cause skin irritation or burn. Avoid contact with eyes and broken skin. Do not bandage. DO NOT USE IF ALLERGIC TO SALICYLATES OR IF TAKING ANTICOAGULANT MEDICATIONS. Stop use and consult a physician if condition worsens, rash or irritation develops, or if symptoms persist for more than 7 days or clear up and recur in a few days.


#### **DIRECTIONS**

For use on adults and children over 12 years of age. Apply generously to the affected area using hands-free applicator. Use 3 to 4 times per day as required. A stinging or burning sensation will be experienced during the first few minutes as the formula begins working. For arthritis or muscle pain of the hands, retain for at least 10 minutes then wash hands.

#### **INACTIVE INGREDIENTS**

Paraffin Wax, Hydrogenated Castor Oil, White Petrolatum, Oleic Acid 700, BHT KEEP OUT OF REACH OF CHILDREN





Active Ingredients	Purpose
Menthol 15% Eucalyptus Oil 1% Methyl Salicylate 30%	Topical Analgesic
Uses Temporarily relieves minor a and joints associated with ■ simple ■ strains ■ sprains ■ bruises ■ crai	aches and pains of muscles backache arthritis
Warnings For external use only	
Allergy alert: If prone to allergic r salicylates, ask a doctor before us	
When using this product use onlinto the eyes and mucous membranuse with a heating pad on on appl	es a do not bandage tightly or
Stop use and ask doctor if a condit persist for more than 7 days or clear few days a excessive skin irritation or	ion worsens  symptoms up and occur again within a
If pregnant or breast-feeding, ask a	health professional before use.
Keep out of reach of children to If swallowed, get medical help or of Center immediately.	
Directions = adults and children apply generously to affected area = massage into painful area until t = repeat as necessary, but no mor children under 12 years of age:	using hands-free applicator horoughly absorbed into skin e than 3 to 4 times daily <b>=</b>

Inactive Ingredients ■ BHT, hydrogenated castor oil, oleic acid 700, paraffin wax, white petrolatum

MADE IN CANADA

MEDISTIK.com

Natureteq Inc. | NDC 50231-211

5-62 Alness St, Taronto, ON, Canada M3J 2H1 | 855-347-0226

Drug Facts

menthol, methyl salicylate, eucaluptus stick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50231-211
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	15 g in 100 g	
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	30 g in 100 g	
<b>EUCALYPTUS GLOBULUS LEAF</b> (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	1 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)		
OLEIC ACID (UNII: 2UMI9U37CP)		
PARAFFIN (UNII: 1900E3H2ZE)		
PETROLATUM (UNII: 4T6H12BN9U)		

l	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:50231-211- 11	58 g in 1 CANISTER; Type 0: Not a Combination Product	04/15/2011	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/15/2011	

# Labeler - Natureteq Inc. (243737371)

Revised: 1/2024 Natureteq Inc.