

**STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet  
Best Choice (Valu Merchandisers Company)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

**Purpose**

Stool softener

Stimulant laxative

**Uses**

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.
-

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- each tablet contains: **calcium 20 mg**
- each tablet contains: **sodium 6 mg** VERY LOW SODIUM
- store at 25°C (77°F), protect from heat, light, and moisture

### Inactive ingredients

carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, maltodextrin\*, microcrystalline cellulose, polyethylene glycol\*, polyvinyl alcohol\*, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide

\*contains one or more of these ingredients

### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

### Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENTS IN PERI-COLACE®†

### Stool Softener

### Plus Stimulant Laxative

Docusate Sodium, 50 mg & Sennosides, 8.6 mg

For Overnight Relief of Occasional Constipation

- Effective
- Reliable
- Comfortable

TABLETS

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

†This product is not manufactured or distributed by Purdue Products LP., distributor of Peri-Colace®.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO,

5000 KANSAS AVE

KANSAS CITY, KS 66106

www.bestchoicebrand.com

### Product Label

**Best Choice®**

COMPARE TO THE ACTIVE INGREDIENTS IN PERI-COLACE®†

# Stool Softener

Plus Stimulant Laxative

**Docusate Sodium, 50 mg & Sennosides, 8.6 mg**  
For Overnight Relief of Occasional Constipation

- Effective
- Reliable
- Comfortable

**100 TABLETS**

**Best Choice®**

COMPARE TO THE ACTIVE INGREDIENTS IN PERI-COLACE®†

# Stool Softener

Plus Stimulant Laxative

**Docusate Sodium, 50 mg & Sennosides, 8.6 mg**  
For Overnight Relief of Occasional Constipation

- Effective
- Reliable
- Comfortable

**100 TABLETS**

**Drug Facts**

Active ingredients (in each tablet)	Purpose
Docusate sodium 50 mg	Stool softener
Sennosides 8.6 mg	Stimulant laxative

**Uses**

- for overnight relief from occasional constipation (irregularly)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.** These may indicate a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

**Drug Facts (continued)**

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**

- each tablet contains: calcium 20 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F), protect from heat, light, and moisture

**Inactive ingredients** carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium benzoate, stearic acid, talc, titanium dioxide  
\*contains one or more of these ingredients

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

†This product is not manufactured or distributed by Purdue Products L.P., distributor of Peri-Colace®.

**Best Choice,  
100% Guaranteed**

www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:  
VALU MERCHANDISERS, CO.  
5000 KANSAS AVE  
KANSAS CITY, KS 66106

PLD-G9S F0003218

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

BEST CHOICE



0 70038 58991 4

Lot No.:  
Exp. Date:

**Best Choice Stool Softener Plus Stimulant Laxative**

**STOOL SOFTENER PLUS STIMULANT LAXATIVE**

docusate sodium and sennosides tablet

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-484
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg	
SENNOSIDES (UNII: 3FYP5M0IUX) (SENNOSIDES - UNII:3FYP5M0IUX)	SENNOSIDES	8.6 mg	

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	

FD&C RED NO. 40 (UNII: WZB9127XOA)
HYPROMELLOSES (UNII: 3NXW29V3WO)
MAGNESIUM STEARATE (UNII: 70097M6I30)
MALTO DEXTRIN (UNII: 7CVR7L4A2D)
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
STEARIC ACID (UNII: 4ELV7Z65AP)
TALC (UNII: 7SEV7J4R1U)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
ALUMINUM OXIDE (UNII: LM26O6933)
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

### Product Characteristics

<b>Color</b>	RED	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097;0806;AV;S44
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-484-01	1 in 1 BOX	12/31/2015	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	12/31/2015	

**Labeler** - Best Choice (Valu Merchandisers Company) (868703513)