

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate,
polymyxin b cream
J&A Digital Inc.**

Triple Antibiotic

Drug Facts

Active ingredients(in each gram)

Bacitracin zinc (bacitracin 400 units)

Neomycin sulfate (neomycin 3.5 mg)

Polymyxin B sulfate

(polymyxin B 5,000 units)

Purpose

first aid

antibiotic

Uses

first aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only

Do not use

- in eyes over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor

before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops.

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions


- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage.

Other Information

store at room temperature

Inactive ingredients

Mineral oil, petrolatum, purified water


Triple Antibiotic
 Antibiotic to treat cuts and scrapes and promote healing

KEEP GOING
FIRST AID

NET WT 0.9 g

Drug Facts

Active Ingredients	Purpose
Neomycin sulfate (Neomycin) 400 mg/100 mg	Antibiotic
Bacitracin zinc (Bacitracin) 500 mg/100 mg	Antibiotic
Polymyxin B poly-B (Polymyxin B) 100 mg/100 mg	Antibiotic
Other inactive ingredients	None

Some first aid to help prevent infection in minor cuts, scrapes, and burns

Warnings Use as directed only.

Do not use on deep or severe burns or areas of the body if you are at risk to be any of the ingredients in this product. It must be used as directed by a doctor.

Ask a doctor before use if you have an allergy or sensitive reaction to animal dyes or antibiotics.

Stop use and ask a doctor if you develop pus, pain, redness, or other signs of infection. Keep out of reach of children. If used near your eyes, stop use and contact a Poison Control Center for advice.

Directions To clean the affected area, apply a small amount of this product to the surface of the wound. Apply 1 to 3 times daily in order to prevent infection.

Other important information See other directions.

Contains Neomycin sulfate, Polymyxin B poly-B, and Zinc Bacitracin.

Manufactured For: KeepGoing First Aid, Orlando, FL 32804 Made in China

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, polymyxin b cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82942-1002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [CFU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [CFU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82942-1002-1	0.9 g in 1 PACKET; Type 0: Not a Combination Product	10/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	10/01/2022	

Labeler - J&A Digital Inc. (040268672)

Registrant - J&A Digital Inc. (040268672)

Revised: 3/2024

J&A Digital Inc.