#### LIDOCAINE PAIN RELIEVING- lidocaine patch Unexo Life Sciences Private Limited

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Lidocaine Pain Relieving Patch

**Drug Facts** 

### **Active Ingredient**

Lidocaine 4.0%

Topical anesthetic

#### Uses

Temporarily relieves minor pain.

### Warnings

For external use only

### Do not use

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened.

### When using this product

- Use only as directed
- Read and follow all directions and warnings on this pack
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets
- Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch

## Stop use and ask a doctor if

- Condition worsens
- Redness is present

- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### Directions

- Adults and children over 12 years: Clean and dry affected area. Remove film from patch (see illustration). Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use
- Children 12 years of age or younger: Consult a physician.

## **Other Information**

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### **Inactive Ingredients**

aluminum glycinate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

### **Questions or Comments**

### Call 1-888-287-1915

### Manufactured By:

UNEXO LIFE SCIENCES PVT. LTD. B-16. Sector 4, Bawana Industrial Area, Delhi – 110039 (INDIA)

## **PRINCIPAL DISPLAY PANEL - 1 Patch Pouch Label**

NDC: 71391-150-01

LIDOCAINE PAIN RELIEVING PATCH

LIDOCAINE 4% / Topical Anesthetic

Temporarily relieves pain Stay-Put flexible Patch Easy to apply & remove No-mess, single use application Odor-free

Lasts upto 12 hours

1 PATCH 3.93 X 5.5 IN (10cm X 14cm)

NDC: 71391-150-01


# LIDOCAINE PAIN RELIEVING PATCH

**LIDOCAINE 4% / Topical Anesthetic** 

Temporarily relieves pain Stay-Put flexible Patch Easy to apply & remove No-mess, single use application Odor-free

Lasts upto 12 hours

1 PATCH 3.93 X 5.5 IN (10cm X 14cm)



# Drug Facts

Active Ingredients

Purpose

Topical anesthetic

Uses Temporarily relieves minor pain.

#### Warnings

Lidocaine 4.0%

For external use only

Do not use - More than one patch on your body at a time - On cut, irritated or swollen skin - On puncture wounds - For more than one week without consulting a doctor - If you are allergic to any active or inactive ingredients - If pouch is damaged or opened.

When using this product = Use only as directed = Read and follow all directions and warnings on this pack = Do not allow contact with the eyes = Do not use at the same time as other topical analgesics = Do not bandage tightly or apply local heat (such as heating pads) to the area of use = Do not microwave = Dispose of used patch in manner that always keeps product away from children and pets. = Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if 

Condition worsens

Redness is present

Irritation develops

Symptoms persist for more than 7 days or clear up and occur again within a few days

You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding ask a healthcare professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** - Adults and children over 12 years: Clean and dry affected area. Remove film from patch (see illustration). Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. • Children 12 years of age or younger: Consult a physician.

#### Other Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

#### Inactive Ingredients

aluminum glycinate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

Questions or Comments Call +91 9212228401

Manufactured By: UNEXO LIFE SCIENCES PVT. LTD. B-16, Sector 4, Bawana Industrial Area, Delhi - 110039 (INDIA) Phone: +91 9212228401 Email: info@unexopharma.com Made in India NC/DL-378-A&U

NDC: 71391-150-01

# LIDOCAINE PAIN RELIEVING

lidocaine patch

#### **Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:71391-150

Active Ingredient/Active Moiety Ingredient Name	Basis of Strength	Strength
Lidocaine (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	Lidocaine	344 mg
		- J
Inactive Ingredients		
		Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K7	13C615K)	<b>j</b>
Glycerin (UNII: PDC6A3C0OX)	-	
Kaolin (UNII: 24H4NWX5CO)		
Methylparaben (UNII: A2I8C7HI9T)		
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)		
Polysorbate 80 (UNII: 60ZP39ZG8H)		
Propylene Glycol (UNII: 6DC9Q167V3)		
Propylparaben (UNII: Z8IX2SC10H)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)		
Tartaric Acid (UNII: W4888I119H)		
Titanium Dioxide (UNII: 15FIX9V2JP)		

## Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71391-150- 01	1 in 1 POUCH; Type 0: Not a Combination Product	02/01/2022	
2	NDC:71391-150- 05	5 in 1 BOX	02/01/2022	
2	NDC:71391-150- 01	1 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:71391-150- 06	6 in 1 BOX	02/01/2022	
3	NDC:71391-150- 01	1 in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/01/2022	

Labeler - Unexo Life Sciences Private Limited (872260
---

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Unexo Life Sciences Private Limited		872260479	MANUFACTURE(71391-150)		

Revised: 2/2022

Unexo Life Sciences Private Limited