

**MUCUS RELIEF- guaifenesin tablet**  
**Best Choice (Valu Merchandisers Company)**

-----  
**Drug Facts**

**Active ingredient (in each extended-release tablet)**

Guaifenesin 600 mg

**Purpose**

Expectorant

**Uses**

Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive.

**Warnings**

**Do not use**

for children under 12 years of age.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accompanied by too much phlegm (mucus)

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals

- adults and children 12 years of age and over: 1 or 2 tablet every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

\*COMPARE TO THE ACTIVE INGREDIENT IN MUCINEX®

Mucus Relief

Guaifenesin 600 mg

Expectorant

12-HOUR RELIEF

- Relieves Chest Congestion
- Thins and Loosens Mucus

EXTENDED-RELEASE TABLETS

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex®.

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS EVE

KANSAS CITY, KS 66106

**Package Label**

|  |                               |
|--|-------------------------------|
| <b>Drug Facts</b>  |                               |
| <b>Active ingredient</b><br>(in each extended-release tablet)<br>Guaifenesin 600 mg  | <b>Purpose</b><br>Expectorant |
| <b>Uses</b> Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.  |                               |
| <b>Warnings</b><br>Do not use for children under 12 years of age.  |                               |
| Ask a doctor before use if you have <ul style="list-style-type: none"> <li>■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema</li> <li>■ cough accompanied by too much phlegm (mucus)</li> </ul>  |                               |
| <b>Stop use and ask a doctor</b> if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.  |                               |
| If pregnant or breast-feeding, ask a health professional before use.<br><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).  |                               |
| <b>Directions</b> <ul style="list-style-type: none"> <li>■ do not crush, chew, or break tablet</li> <li>■ take with a full glass of water</li> <li>■ this product can be administered without regard for the timing of meals</li> <li>■ adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.</li> <li>■ children under 12 years of age: do not use</li> </ul> |                               |
| <b>Other information</b> <ul style="list-style-type: none"> <li>■ store between 20° to 25°C (68° to 77°F)</li> </ul>   |                               |
| <b>Inactive ingredients</b> carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc   |                               |
| <b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST  |                               |

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex®.

PROUDLY DISTRIBUTED BY:  
VALU MERCHANDISERS, CO.  
5000 KANSAS AVE  
KANSAS CITY, KS 66106

**Best Choice.**  
100% Guaranteed

www.bestchoicebrand.com

**PARENTS:**  
Learn about teen medicine abuse  
www.StopMedicineAbuse.org

PLD-A517A FC007369



Scan here for more product information. Call 1-844-292-1112 for more product information.

**Best Choice**

**Mucus Relief**

**12-HOUR RELIEF**

**Best Choice**

\*COMPARE TO THE ACTIVE INGREDIENT IN MUCINEX®

# Mucus Relief

**Guaifenesin 600 mg Expectorant**

**12-HOUR RELIEF**

- Relieves Chest Congestion
- Thins and Loosens Mucus

20 EXTENDED-RELEASE TABLETS

Actual Size

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

**BEST CHOICE Mucus Relief**

## MUCUS RELIEF

guaifenesin tablet

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:63941-731 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength |
|---|-------------------|----------|
| <b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN       | 600 mg   |

### Inactive Ingredients

| Ingredient Name                               | Strength |
|---|----------|
| <b>CARBOMER 934</b> (UNII: Z135WT9208)        |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)     |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD) |          |

|   |  |
|---|--|
| <b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)   |  |
| <b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)         |  |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)          |  |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U) |  |
| <b>POVIDONE</b> (UNII: FZ989GH94E)                    |  |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                        |  |

### Product Characteristics

|                 |      |                     |          |
|-----------------|------|---------------------|----------|
| <b>Color</b>    | blue | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL | <b>Size</b>         | 16mm     |
| <b>Flavor</b>   |      | <b>Imprint Code</b> | AN036    |
| <b>Contains</b> |      |                     |          |

### Packaging

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:63941-731-20 | 20 in 1 CARTON   | 01/14/2022           |                    |
| 1 |                  | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA               | ANDA207342                               | 01/14/2022           |                    |

**Labeler** - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 1/2022

Best Choice (Valu Merchandisers Company)