

**DOVE- aluminum chlorohydrate aerosol, spray**  
**Conopco, Inc. d/b/a Unilever**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Dove Advanced Care Dry Spray Rose Petals 48h Antiperspirant Deodorant**

**DOVE ADVANCED CARE DRY SPRAY ROSE PETALS 48H ANTIPERSPIRANT DEODORANT - aluminum chlorohydrate aerosol, spray**

Dove Advanced Care Dry Spray Rose Petals 48h Antiperspirant Deodorant

***Drug Facts***

***Active ingredient***

Aluminum Chlorohydrate (20.2%)

***Purpose***

antiperspirant

***Uses***

reduces underarm wetness

***Warnings***

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH
  - Keep away from face and mouth to avoid breathing in.
  - Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat
  - Do not use on broken skin. Stop use if rash or irritation occurs.
  - Ask a doctor before using if you have kidney disease.
  - USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.
- Help stop inhalation abuse. For information visit [www.inhalant.org](http://www.inhalant.org)

- **KEEP OUT OF REACH OF CHILDREN**

***Directions***

apply to underarms only

### Inactive ingredients

Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Distearidimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol.

### Questions?

Call toll-free 1-800-761-3683

### Packaging



Effective protection that feels instantly dry and is kind to skin

- Shake well before each use
- Hold can 6 inches from the underarm
- Spray to underarm to feel the difference
- For 48h protection plus soft and comfortable underarms

Download our tools for free at [dove.com/selfesteem](http://dove.com/selfesteem)

Drug Facts	
<b>Active ingredient</b> Aluminum Chlorohydrate (20.2%)	<b>Purpose</b> antiperspirant
<b>Uses</b> • reduces underarm wetness	
<b>Warnings</b> • <b>FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.</b> • Keep away from face and mouth to avoid breathing in • Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat. • Do not use on broken skin. Stop use if rash or irritation occurs. • Ask a doctor before using if you have kidney disease. • <b>KEEP OUT OF REACH OF CHILDREN.</b> • <b>USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.</b> Help stop inhalation abuse. For information visit <a href="http://www.inhalant.org">www.inhalant.org</a> .	
<b>Directions</b> apply to underarms only	
<b>Inactive ingredients</b> Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Distearidimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol.	
<b>Questions?</b> Call toll-free 1-800-761-3683	

754001447851  
SmartLabel enabled

DOT 2P M5655    Cruelty-Free    Unilever    68125710

Dist. by Unilever  
Trumbull, CT 06611  
Made in Mexico

METAL CAN

**DOVE**  
aluminum chlorohydrate aerosol, spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64942-1685
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ALUMINUM CHLOROHYDRATE</b> (UNII: HPN8MZ W13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZ W13M)	ALUMINUM CHLOROHYDRATE	20.2 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PPG-14 BUTYL ETHER</b> (UNII: R199TJT95T)	
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>1,1-DIFLUOROETHANE</b> (UNII: 0B1U8K2ME0)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PROPANE</b> (UNII: T75W9911L6)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>DIMETHICONOL (40 CST)</b> (UNII: 343C7U75XW)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:64942-1685-1	107 g in 1 CAN; Type 0: Not a Combination Product	02/01/2020	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part350	02/01/2020	

**Labeler** - Conopco, Inc. d/b/a Unilever (001375088)