

NO MAKEUP FOUNDATION LIGHT-MEDIUM BROAD SPECTRUM SPF 30- zinc oxide and titanium dioxide cream

Allure Labs, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active Ingredients:

Zinc Oxide: 12.88 %

Titanium Dioxide: 3.37%

Sunscreen

Uses:

- help prevent sunburn.
- if used as directed with other sun protection measures (see directions), decreases the chance of skin cancer and early skin aging caused by the sun.

For external use only.

on damaged or broken skin.

Do not use and ask a doctor if

- rash occurs
- keep out of eyes. Rinse with water to remove.

If swallowed, get a medical help or contact a Poison Control Center right away.

Directions Apply evenly with your fingertips and blending product in circular motions. Can be re-applied as necessary to build desired coverage.

For sunscreen use: apply liberally 15 minutes before sun exposure. use water resistant sunscreen if swimming or sweating. reapply at least every 2 hours. not for use on children. Sun Protection Measures. Spending time in the sun increase your risk to skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients:

Water/Aqua/Eau, cyclopentasiloxane, Butylene Glycol, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Tetrahexyldecyl Ascorbate, C12-15 Alkyl Benzoate, Dimethicone, Caprylic/Capric Triglyceride, Sorbitan Stearate, Ethylhexyl palmitate, Cyclohexasiloxane, Aluminum Hydroxide, Stearic Acid, , Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Dimethyl MEA, Mica, Phenoxyethanol, Glycolic Acid, Iron Oxides (CI 77491, CI

77492, CI 77499), Lecithin, Tocopheryl Linoleate/Oleate, Cetyl Alcohol, Caprylyl Glycol, Tribehennin, citric Acid, Xanthan Gum, Ethylhexylglycerin, Hexylene Glycol, PEG-8, Polyacrylamide, Sodium Lactate, C13-14 Isoparaffin, Dipotassium Glycyrrhizate, Disodium EDTA, Tocopherol, Ceramide NG, Phoenix Dactylifera (Date) Fruit Extract, Silica Dimethyl Silylate, PEG-10 Rapeseed Sterol, Teprenone, Triethoxycaprylsilane, Thioctic acid, Silica, Palmitoyl Hexapeptide-12, Limonene, Linalool, Laureth-7, Hyaluronic Acid, Ascorbic Acid, Arabidopsis Thaliana Extract, Plankton Extract, Micrococcus Lysate, Citrus Medica Limonum (Lemon) peel Oil, Salvia Sclarea (Clary) Extract, Cedrus Atlantica Bark Oil, Ilex Paraguariensis Leaf Extract, Bulnesia Sarmientoi Wood Oil, Coriandrum Sativum (Coriander) Fruit Oil, Salvia Sclarea (Clary) Oil, Eugenia Caryophyllus (Clove) Flower Oil, Triticum Vulgare (Wheat) Bran Extract, Anthemis Nobillis Flower Oil, Jasminum Officinatum (Jasmine) Oil, Viola Odorata Flower/Leaf Extract

Protect the product in this container from excessive heat and direct sun.

Dist By: NV Perricone LLC

San Francisco, CA 94111

Made in USA

18888237837

perriconemd.com

LIGHT - MEDIUM

Perricone MD

No Makeup Foundation

Broad Spectrum SPF 30

Drug Facts

Active ingredients	Purpose
Titanium Dioxide (3.37%)	Sunscreen
Zinc Oxide (12.08%)	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use:

- on damaged or broken skin.

Stop use and ask a doctor if:

- skin occurs.

When using this product:

- keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply evenly with your fingertips and blending product in circular motions. Can be re-applied as necessary to build desired coverage.
- For sunburn use:
 - apply liberally 15 minutes before sun exposure.
 - use a water resistant sunscreen if swimming or sweating.
 - reapply at least every 2 hours.
 - not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Water/Aqua/Eau, Cyclopentasiloxane, Butylene Glycol, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Polyacrylamide-3, Polyethylene Glycol, Dimethicone, Trimethylsiloxylate Succinate, Citric Acid, Silica, Disodium EDTA, Disodium Stearoyl Glucosylsulfonate, Tocopherol, Phoenix Dactylifera (Date) Fruit Extract, Silica Dimethyl Silylate, Teprenone, Triethoxycaprylsilane, Linoleol, Laureth-7, Silica, Ascorbyl Palmitate, Hyaluronic Acid, Ascorbic Acid, Arabidopsis Thaliana Extract, Plankton Extract, Micrococcus Lysate, Palmitoyl Hexapeptide-12, Citrus Medica Limonum (Lemon) Peel Oil, Salvia Sclarea (Clary) Flower Oil, Cedrus Atlantica Bark Oil, Ilex Paraguariensis Leaf Extract, Bulnesia Sarmientoi Wood Oil, Coriandrum Sativum (Coriander) Fruit Oil, Salvia Sclarea (Clary) Oil, Eugenia Caryophyllus (Clove) Flower Oil, Triticum Vulgare (Wheat) Bran Extract, Anthemis Nobillis Flower Oil, Jasminum Officinatum (Jasmine) Oil, Viola Odorata Flower/Leaf Extract

Other information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

APPLICATION

Apply evenly with your fingertips and blend product in circular motions.

US Patent Numbers
6,191,321, 6,979,459

Please refer to the enclosed insert for additional information.

Dist. By: NV Perricone LLC, San Francisco CA 94111, Made in USA.
Dist. By: Perricone MD Cosmeceuticals LTD London
WIT_B.N.UK 650982

1 888 823 7837
perriconemd.com

*Instant sheer, radiant coverage.
Perricone MD science visibly improves skin's appearance over time.*

e 30 mL / 1 fl oz

ALPHA LIPOIC ACID

Minimizes the appearance of fine lines, wrinkles and enlarged pores over time.

BENEFITS

- ✓ Instant sheer coverage with a natural, no-makeup texture and finish
- ✓ Corrects and evens skin tone
- ✓ Broad Spectrum SPF 30

NO MAKEUP FOUNDATION LIGHT-MEDIUM BROAD SPECTRUM SPF 30

zinc oxide and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62742-4102
Route of Administration	Topical		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	128.8 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	33.7 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPAS) (UNII: RLA2U05Z4Q)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
DEANOL (UNII: 2N6K9DRA24)	
MICA (UNII: V8A1AW0880)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
.ALPHA.-TOCOPHEROL LINOLEATE, D- (UNII: G0N132Q0ED)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
POLYACRYLAMIDE (1500 MW) (UNII: 5D6TC4BRVW)
SODIUM LACTATE (UNII: TU7HW0W0QT)
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)
EDETATE DISODIUM (UNII: 7FLD91C86K)
TOCOPHEROL (UNII: R0ZB2556P8)
CERAMIDE NG (UNII: C04977SRJ5)
DATE (UNII: H3O7QI5HY7)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
THIOCTIC ACID (UNII: 73Y7P0K73Y)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PALMITOYL HEXAPEPTIDE-12 (UNII: HO4ZT5S86C)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+)- (UNII: F4VNO44C09)
TEPRENONE (UNII: S8S8451A4O)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
LAURETH-7 (UNII: Z95S6G8201)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
HYALURONIC ACID (UNII: S270N0TRQY)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
ARABIDOPSIS THALIANA (UNII: A13L60HQ81)
LEMON OIL (UNII: I9GRO824LL)
CLARY SAGE OIL (UNII: 87L0D4U3M0)
CEDRUS ATLANTICA BARK OIL (UNII: ZX5QRE4U60)
ILEX PARAGUARIENSIS LEAF (UNII: 1Q953B4O4F)
BULNESIA SARMIENTO I WOOD OIL (UNII: 81H0L6W02F)
CORIANDER (UNII: 1OV56052IK)
CLOVE OIL (UNII: 578389D6D0)
WHEAT BRAN (UNII: 6L966A1IMR)
CHAMAEMELUM NOBILE FLOWER OIL (UNII: UB27587839)
JASMINUM OFFICINALE FLOWER (UNII: 0Q8K841432)
VIOLA ODORATA FLOWERING TOP (UNII: 04BPC8714H)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62742-4102-2	1 in 1 CARTON	11/30/2017	
1	NDC:62742-4102-1	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/30/2017	

