

EMULSIVIT E-300- d-alpha tocopherol vitamin a vitamin d3 injection
Vedco, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

EmulsiVit E-300

Injectable Tocopherol

300 IU vitamin E per mL

Keep Out of Reach of Children

FOR ANIMAL USE ONLY

INTRAMUSCULAR OR SUBCUTANEOUS INJECTION ONLY

Each mL contains:

Active Ingredients:

vitamin E (as d-alpha-tocopherol,

a natural source of vitamin E).....300 IU

Inactive Ingredients: 2% Benzyl Alcohol (preservative) in a water emulsifiable base.

Caution:

Do not exceed recommended dosage.

Occasionally, reactions of an anaphylactic or allergic nature may occur. Should such reactions occur, treat immediately with injection of epinephrine or antihistamines.

Warning:

Do not add water to solution.

Store between 15°—30°C (59°—86°F) in a dark place

ADMINISTRATION AND DOSAGE:

Intramuscular or Subcutaneous Administration Only. May be repeated. If dose is greater than 5 mL, equally divide the dose and inject at two sites.

SUGGESTED DOSAGE:	mL	International Units (IU)
SWINE		
Sows and Gilts		
2 wks pre-partum	4-6	1200-1800
2 wks pre-breeding	4-6	1200-1800
Pigs		
At birth	1-2	300-600
At weaning	2-3	600-900
CATTLE (Dairy and Beef)		
Cows and Heifers		
2-3 wks pre-partum	8-10	2400-3000
At calving	8-10	2400-3000
Calves		
At birth	4-6	1200-1800
At weaning	4-6	1200-1800
Yearlings	5-6	1500-1800
SHEEP		
Ewes		
2-3 wks pre-partum	4-5	1200-1500
At lambing	4-5	1200-1500
Lambs		
At birth	2-3	600-900
At weaning	2-3	600-900
Finishing Lambs	3-4	900-1200

SUGGESTED DOSAGE:	mL	International Units (IU)
SWINE		
Sows and Gilts		
2 wks pre-partum	4-6	1200-1800
2 wks pre-breeding	4-6	1200-1800
Pigs		
At birth	1-2	300-600
At weaning	2-3	600-900
CATTLE (Dairy and Beef)		
Cows and Heifers		
2-3 wks pre-partum	8-10	2400-3000
At calving	8-10	2400-3000
Calves		
At birth	4-6	1200-1800
At weaning	4-6	1200-1800
Yearlings	5-6	1500-1800
SHEEP		
Ewes		
2-3 wks pre-partum	4-5	1200-1500
At lambing	4-5	1200-1500
Lambs		
At birth	2-3	600-900
At weaning	2-3	600-900
Finishing Lambs	3-4	900-1200

