

**SINUS DEFENSE- lac vaccinum, silicea, aspergillus niger, babesia microti, borrelia burgdorferi, candida albicans, candida parapsilosis, chlamydia trachomatis, colibacillinum cum natrum muriaticum, cytomegalovirus nosode, ehrlichia nosode, herpes simplex i and ii nosode, human papilloma nosode, klebsiella pneumoniae, mucor racemosus, mycobacterium paratuberculosis, pneumococcinum, staphylococcus aureus, streptococcus viridans, epstein-barr virus nosode, herpes zoster nosode spray**

**Micro Balance Health Products LLC**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

## **ACTIVE INGREDIENTS:**

Aspergillus Niger 16X, Babesia Microti 16X, Borrelia Burgdorferi 16X, Candida Albicans 16X, Candida Parapsilosis 16X, Chlamydia Trachomatis 16X, Colibacillinum Cum Natrum Muriaticum (Escherichia Coli) 16X, Cytomegalovirus Nosode 16X, Ehrlichia Nosode 16X, Epstein-Barr Virus Nosode 15C, Herpes Simplex I & II Nosode 16X, Herpes Zoster Nosode 15C, Human Papilloma Nosode 16X, Klebsiella Pneumoniae 16X, Lac Vaccinum (Cow's Milk) 6X, 12X, 30X, 60X, 200X, Mucor Racemosus 16X, Mycobacterium Paratuberculosis 16X, Pneumococcinum 16X, Silicea (Silica) 9X, Staphylococcus Aureus 16X, Streptococcus Viridans 16X.

## **PURPOSE:**

Aspergillus Niger – Cough, respiratory symptoms, † Babesia Microti – Chills, sweats, headache, malaise, † Borrelia Burgdorferi – Fatigue, headache, muscle and joint aches, † Candida Albicans – Nausea, lethargy, confusion, food/fungi sensitivities, † Candida Parapsilosis – Sweats, chills, cough, abdominal pain, † Chlamydia Trachomatis – Fever, chills, abdominal pain, † Colibacillinum Cum Natrum Muriaticum (Escherichia Coli) – Diarrhea, nausea, swollen eyelids, † Cytomegalovirus Nosode – Minor muscle and joint aches, runny nose, † Ehrlichia Nosode – Sweats, headache, muscle and joint aches, † Epstein-Barr Virus Nosode – Headaches, sweats, chills, minor aches of muscles and joints, † Herpes Simplex I & II Nosode – Itching, muscle and joint aches, sweats, fatigue, † Herpes Zoster Nosode – Rash, itching, muscle weakness, fever, headache, fatigue, nausea, † Human Papilloma Nosode – Itching and abdominal pain, † Klebsiella Pneumoniae – Sweats, chills, cough, † Lac Vaccinum (Cow's Milk) – Minor muscle and joint aches, † Mucor Racemosus – Nasal congestion, sneezing, watery eyes, cough, † Mycobacterium Paratuberculosis – Sweats, headache, dehydration, diarrhea, nausea, † Pneumococcinum – Sweats, headache, light sensitivity, stiff neck, † Silicea (Silica) – Headaches, facial pressure, † Staphylococcus Aureus – Headaches, chills, sweats, skin bumps or redness, † Streptococcus Viridans – Fever, fatigue †

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**USES:**

For health support during times of increased stress and inflammation and temporary relief of sinus congestion, irritation, and pressure.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**WARNINGS:**

**If pregnant or breast-feeding**, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsen, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

**Do not use if tamper evident seal is broken or missing.**

Store in a cool place after opening

**KEEP OUT OF REACH OF CHILDREN:**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

- Adults and Children over 12: For sinus symptoms apply 3-9 sprays under tongue 2-3 times daily, or as needed.
- Use 9 sprays under tongue, 3 times daily when symptoms increase or additional immune support is needed.
- Hold spray under tongue for 15 seconds before swallowing.

Consult a physician for use in children under 12 years of age. Do not take within 15 minutes of consuming food or brushing teeth.

**INACTIVE INGREDIENTS:**

Alcohol USP 20%, Purified Water USP.

**QUESTIONS:****MANUFACTURED EXCLUSIVELY FOR**

Micro Balance Health Products, Inc.

3193 Howell Mill Road, Suite 215

Atlanta, GA 30327 (888) 404-8958

[www.microbalancehealthproducts.com](http://www.microbalancehealthproducts.com)

**PACKAGE LABEL DISPLAY:**

**Micro Balance**

**Health Products**

**NDC 83018-0002-1**

**HOMEOPATHIC**

**SINUS**

**DEFENSE 2.0**

Immune Support and

Sinus Congestion Relief!

**2 FL. OZ. (60 ml)**

**Micro Balance Health Products**  
NDC 83018-0002-1

HOMEOPATHIC

**Sinus DEFENSE 2.0**

Immune Support and Sinus Congestion Relief!

2 FL. OZ. (60 mL) Alcohol USP 20%

Do not use if tamper evident seal is broken or missing.

**Drug Facts**

**Active ingredients (in each spray)..Purposes**

Aspergillus Niger 16x.....Cough, respiratory symptoms†  
Babesia Microti 16x ..... Chills, sweats, headache, malaise†  
Borrelia Burgdorferi 16x.....Fatigue, headache, muscle and joint aches†  
Candida Albicans 16x..... Nausea, lethargy, confusion, food/fungi sensitivities†  
Candida Parapsilosis 16x ..... Sweats, chills, cough, abdominal pain†  
Chlamydia Trachomatis 16x ..... Fever, chills, abdominal pain†  
Colibacillinum Cum Natrum Muriaticum (Escherichia Coli) 16x.....Diarrhea, nausea, swollen eyelids†

MANUFACTURED EXCLUSIVELY FOR  
Micro Balance Health Products, Inc.  
3193 Howell Mill Road, Suite 215  
Atlanta, GA 30327 (888) 404-8958  
microbalancehealthproducts.com  
rev 3.0

8 51428 00356 8

UNVARNISHED AREA

PEEL HERE

**Drug Facts (continued)**

Cytomegalovirus Nosode 16x.....Minor muscle and joint aches, runny nose†  
Ehrlichia Nosode 16x..... Sweats, headache, muscle and joint aches†  
Epstein-Barr Virus Nosode 15c .....Headaches, sweats, chills, minor aches of muscles and joints†  
Herpes Simplex I & II Nosode 16x..... Itching, muscle and joint aches, sweats, fatigue†  
Herpes Zoster Nosode 15c..... Rash, itching, muscle weakness, fever, headache, fatigue, nausea†  
Human Papilloma Nosode 16x ..... Itching and abdominal pain†  
Klebsiella Pneumoniae 16x ..... Sweats, chills, cough†  
Lac Vaccinum (Cow's Milk) 6x, 12x, 30x, 60x, 200x..... Minor muscle and joint aches†

**Drug Facts (continued)**

Mucor Racemosus 16x..... Nasal congestion, sneezing, watery eyes, cough†  
Mycobacterium Paratuberculosis 16x..... Sweats, headache, dehydration, diarrhea, nausea†  
Pneumococcinum 16x ..... Sweats, headache, light sensitivity, stiff neck†  
Silicea (Silica) 9x .....Headaches, facial pressure†  
Staphylococcus Aureus 16x .....Headaches, chills, sweats, skin bumps or redness†  
Streptococcus Viridans 16x .....Fever, fatigue†

**Uses**

For health support during times of increased stress and inflammation and temporary relief of sinus congestion, irritation, and pressure.†

TIEDOWN AREA

**Drug Facts (continued)**

**Warnings**

If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

**Directions**

- Adults and Children over 12: For sinus symptoms apply 3-9 sprays under tongue 2-3 times daily, or as needed.
- Use 9 sprays under tongue, 3 times daily when symptoms increase or additional immune support is needed.
- Hold spray under tongue for 15 seconds before ▶

**Drug Facts (continued)**

swallowing.

- Consult a physician for use in children under 12 years of age. Do not take within 15 minutes of consuming food or brushing teeth.

**Other information**

Store in a cool place after opening.

**Inactive ingredients**

Alcohol USP 20%, Purified Water USP.

**Questions? (888) 404-8958**

† Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**SINUS DEFENSE**

lac vaccinum, silicea, aspergillus niger, babesia microti, borrelia burgdorferi, candida albicans, candida parapsilosis, chlamydia trachomatis, colibacillinum cum natrum muriaticum, cytomegalovirus nosode, ehrlichia nosode, herpes simplex i and ii nosode, human papilloma nosode, klebsiella pneumoniae, mucor racemosus, mycobacterium paratuberculosis, pneumococccinum, staphylococcus aureus, streptococcus viridans, epstein-barr virus nosode, herpes zoster nosode spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83018-0002
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>COW MILK</b> (UNII: 917J3173FT) (COW MILK - UNII:917J3173FT)	COW MILK	6 [hp_X] in 1 mL
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	9 [hp_X] in 1 mL
<b>ASPERGILLUS NIGER VAR. NIGER</b> (UNII: 9IOA40ANG6) (ASPERGILLUS NIGER VAR. NIGER - UNII:9IOA40ANG6)	ASPERGILLUS NIGER VAR. NIGER	16 [hp_X] in 1 mL
<b>BABESIA MICROTI</b> (UNII: 1948X6KEG3) (BABESIA MICROTI - UNII:1948X6KEG3)	BABESIA MICROTI	16 [hp_X] in 1 mL
<b>BORRELIA BURGdorFERI</b> (UNII: 0J8NV9V5Q8) (BORRELIA BURGdorFERI - UNII:0J8NV9V5Q8)	BORRELIA BURGdorFERI	16 [hp_X] in 1 mL
<b>CANDIDA ALBICANS</b> (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	16 [hp_X] in 1 mL
<b>CANDIDA PARAPSILOSIS</b> (UNII: 0KZ676D44N) (CANDIDA PARAPSILOSIS - UNII:0KZ676D44N)	CANDIDA PARAPSILOSIS	16 [hp_X] in 1 mL
<b>CHLAMYDIA TRACHOMATIS</b> (UNII: T6NI39QU44) (CHLAMYDIA TRACHOMATIS - UNII:T6NI39QU44)	CHLAMYDIA TRACHOMATIS	16 [hp_X] in 1 mL

<b>ESCHERICHIA COLI</b> (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	16 [hp_X] in 1 mL
<b>HUMAN HERPESVIRUS 5</b> (UNII: 7COI029E6K) (HUMAN HERPESVIRUS 5 - UNII:7COI029E6K)	HUMAN HERPESVIRUS 5	16 [hp_X] in 1 mL
<b>EHRlichia canis</b> (UNII: 970Y8T1JZY) (EHRlichia canis - UNII:970Y8T1JZY)	EHRlichia canis	16 [hp_X] in 1 mL
<b>HUMAN HERPESVIRUS 1</b> (UNII: 22G38P19RL) (HUMAN HERPESVIRUS 1 - UNII:22G38P19RL)	HUMAN HERPESVIRUS 1	16 [hp_X] in 1 mL
<b>HUMAN HERPESVIRUS 2</b> (UNII: 74J6DNH49U) (HUMAN HERPESVIRUS 2 - UNII:74J6DNH49U)	HUMAN HERPESVIRUS 2	16 [hp_X] in 1 mL
<b>HUMAN PAPILLOMAVIRUS</b> (UNII: 23CVL7WF4J) (HUMAN PAPILLOMAVIRUS - UNII:23CVL7WF4J)	HUMAN PAPILLOMAVIRUS	16 [hp_X] in 1 mL
<b>KLEBSIELLA PNEUMONIAE</b> (UNII: 09PA36CT5R) (KLEBSIELLA PNEUMONIAE - UNII:09PA36CT5R)	KLEBSIELLA PNEUMONIAE	16 [hp_X] in 1 mL
<b>MUCOR RACEMOSUS</b> (UNII: 17RH99LQ7G) (MUCOR RACEMOSUS - UNII:17RH99LQ7G)	MUCOR RACEMOSUS	16 [hp_X] in 1 mL
<b>MYCOBACTERIUM AVIUM SUBSP. PARATUBERCULOSIS</b> (UNII: XH0F4IP2RX) (MYCOBACTERIUM AVIUM SUBSP. PARATUBERCULOSIS - UNII:XH0F4IP2RX)	MYCOBACTERIUM AVIUM SUBSP. PARATUBERCULOSIS	16 [hp_X] in 1 mL
<b>Streptococcus pneumoniae</b> (UNII: BT6U234YR2) (Streptococcus pneumoniae - UNII:BT6U234YR2)	Streptococcus pneumoniae	16 [hp_X] in 1 mL
<b>STAPHYLOCOCCUS AUREUS</b> (UNII: O478WX4004) (STAPHYLOCOCCUS AUREUS - UNII:O478WX4004)	STAPHYLOCOCCUS AUREUS	16 [hp_X] in 1 mL
<b>STREPTOCOCCUS VIRIDANS GROUP</b> (UNII: NNV2379HKR) (STREPTOCOCCUS VIRIDANS GROUP - UNII:NNV2379HKR)	STREPTOCOCCUS VIRIDANS GROUP	16 [hp_X] in 1 mL
<b>HUMAN HERPESVIRUS 4</b> (UNII: 2A26YW7PNX) (HUMAN HERPESVIRUS 4 - UNII:2A26YW7PNX)	HUMAN HERPESVIRUS 4	15 [hp_C] in 1 mL
<b>HUMAN HERPESVIRUS 3</b> (UNII: 9885M7D6JP) (HUMAN HERPESVIRUS 3 - UNII:9885M7D6JP)	HUMAN HERPESVIRUS 3	15 [hp_C] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83018-0002-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/08/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/08/2023	

**Labeler** - Micro Balance Health Products LLC (025495088)