CARCINOSIN CORD- carcinosin liquid Energique, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENT:

(in each drop): 24.98% of Carcinosin 30X, 60X, 100X, 200X; 0.10% of Carcinosin 12X.

INDICATIONS:

May temporarily relieve symptoms of excessive weariness; symptoms ever changing and conflicting.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults and children 5 to 10 drops orally, 1 time daily or as otherwise directed by a health care professional. If symptoms persist for more than 7 days, consult your health care professional.

Consult a physician for use in children under 12 years of age.

INDICATIONS:

May temporarily relieve symptoms of excessive weariness; symptoms ever changing and conflicting.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not

INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

QUESTIONS:

Dist. by Energique, Inc.

201 Apple Blvd

Woodbine, IA 51579 **800.869.8078**

PACKAGE LABEL DISPLAY:

ENERGIQUE SINCE 1987

HOMEOPATHIC REMEDY

CARCINOSIN

CORD

1fl. oz. (30ml)

WARNINGS: If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

INDICATIONS: May temporarily relieve symptoms of excessive weariness; symptoms ever changing and conflicting.**

"Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Dist. by Energique, Inc. 201 Apple Blvd. Woodbine, IA 51579 800.869.8078



HOMEOPATHIC REMEDY

CARCINOSIN CORD

1 fl. oz. (30 ml) 20% Ethanol

Active Ingredients (in each drop): 24.98% of Carcinosin 30X, 60X, 100X, 200X; 0.10% of Carcinosin 12X.

Inactive Ingredients: Demineralized water, 20% Ethanol.

DIRECTIONS: Adults and children 5 to 10 drops orally, 1 time daily or as otherwise directed by a health care professional. If symptoms persist for more than 7 days, consult your health care profescional. Consult a physician for use in children under 12 years of age.

LOT: XXXXXX MFD: MM/YY



CARCINOSIN CORD

carcinosin liquid

Product Type HUMAN OTC DRUG Item Code (Source) NDC:44911-0191

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HUMAN BREAST TUMOR CELL (UNII: C62007VD9K) (HUMAN BREAST TUMOR CELL - UNII:C62007VD9K)	HUMAN BREAST TUMOR CELL	12 [hp_X] in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
ALCOHOL (UNII: 3K9958V90M)		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:44911- 0191-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	07/09/2015			

	Marketing Information			
pplication Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	07/09/2015			
		Citation Date		

Labeler - Energique, Inc. (789886132)

Registrant - Apotheca Company (844330915)

Establishment				
Name	Address	ID/FEI	Business Operations	
Apotheca Company		844330915	$manufacture (44911-0191) \;,\; api\; manufacture (44911-0191) \;,\; label (44911-0191) \;,\; pack (44911-0191)$	

Revised: 3/2022 Energique, Inc.