

BAND LEE MYUNGNAE GOYAK- elecampane root, forsythia fruit ointment
Chunwoo Pharmaceutical Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

(Goyak 1g)

Aucklandia Radix 2% ----- Boil, pus remover
Forsythia Fruit 2% ----- Boil, pus remover
Frankincense 1% ----- Boil, pus remover
Lonicera 2% ----- Boil, pus remover
Mulberry Twig 2% ----- Boil, pus remover
Myrrh 1% ----- Boil, pus remover
Purslane Herb 3% ----- Boil, pus remover
Peach Seed 1% ----- Boil, pus remover
Peach Leaf 2% ----- Boil, pus remover
Minium 33% ----- Boil, pus remover
Salix Alba Bark 2% ----- Boil, pus remover

(Uprooting ointment 1g)

Atractylodes Rhizome 2% ----- Boil, pus remover
Citrus Aurantium Fruit, Immature 1% ----- Boil, pus remover
Sulfur 1% ----- Boil, pus remover
Chenopodium Album Whole 52% ----- Boil, pus remover

- Goyak

Rice Oil, Bandage

- Uprooting Ointment

Rice Oil, Sucrose

■ Boil and pus remover. ■ Help reducing the pain from a boil

keep out of reach of the children

■ Wash your hands and clean affected area

■ before a boil or a pus is festering, attach the plaster only to cover the affected area.

■ when a boil or a pus festering, insert an uprooting ointment into the area and attach the plaster on it.

■ Change to a new plaster after a day or two while symptom persists.

For external use only

Do not use if you are

■ Under 7

■ Pregnant or breastfeeding

■ Using around eyes

Ask a doctor before use

■ if you are allergic to any ingredients of this product.

When using this product

■ avoid eating greasy food; pork, herring, mackerel, and etc.

Stop use and ask a doctor if you have

■ rash, itching or excessive skin irritation develops

for external use only

Band Leemyungnae Goyak / 3 bandages, 3 uprooting ointments, 1g each

Drug Facts

Active ingredients (활성성분)

Purpose (용도)

(Goyak 1g)

Elecampane Root 2% ----- Boil, pus remover

Forsythia Fruit 2% ----- Boil, pus remover

Frankincense 1% ----- Boil, pus remover

Lonicera Flower 2% ----- Boil, pus remover

Mulberry Twig 2% ----- Boil, pus remover

Myrrh 1% ----- Boil, pus remover

Parslane Herb 3% ----- Boil, pus remover

Peach Kernel 1% ----- Boil, pus remover

Peach Twig 2% ----- Boil, pus remover

Refined Minium 33% ----- Boil, pus remover

Willow Twig 2% ----- Boil, pus remover

(Uprooting ointment 1g)

Atractylodes Rhizome 2% ----- Boil, pus remover

Green Citrus Unshiu Peel 1% ----- Boil, pus remover

Medical Soap 53% ----- Boil, pus remover

Sulfur 1% ----- Boil, pus remover

Uses (용도)

■ Boil and pus remover ■ Help reducing the pain from a boil.

Warnings (주의사항)

For external use only

Do not use if you are

■ Under 7

■ Pregnant or breastfeeding

■ Using around eyes

Ask a doctor before use

■ if you are allergic to any ingredients of this product.

When using this product

■ avoid eating greasy food; pork, herring, mackerel, and etc.

Stop use and ask a doctor if you have

■ rash, itching or excessive skin irritation develops

Keep out of reach of children

BAND LEEMYUNGNAE GOYAK

elecampane root, forsythia fruit ointment

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:72850-0006

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ATRACTYLODES LANCEA ROOT (UNII: CAZ6282J2O) (ATRACTYLODES LANCEA ROOT - UNII:CAZ6282J2O)	ATRACTYLODES LANCEA ROOT	2 g in 100 g
CITRUS AURANTIUM FRUIT (UNII: DQD16J2B5O) (CITRUS AURANTIUM FRUIT - UNII:DQD16J2B5O)	CITRUS AURANTIUM FRUIT	1 g in 100 g
PRUNUS PERSICA LEAF (UNII: VN3501T41P) (PRUNUS PERSICA LEAF - UNII:VN3501T41P)	PRUNUS PERSICA LEAF	2 g in 100 g
CHENOPODIUM ALBUM WHOLE (UNII: O417YBE692) (CHENOPODIUM ALBUM WHOLE - UNII:O417YBE692)	CHENOPODIUM ALBUM WHOLE	52 g in 100 g
SALIX ALBA BARK (UNII: 205MXS71H7) (SALIX ALBA BARK - UNII:205MXS71H7)	SALIX ALBA BARK	2 g in 100 g
MORUS ALBA STEM (UNII: 05Y42QCG2T) (MORUS ALBA STEM - UNII:05Y42QCG2T)	MORUS ALBA STEM	2 g in 100 g
FRANKINCENSE (UNII: R9XLF1R1WM) (FRANKINCENSE - UNII:R9XLF1R1WM)	FRANKINCENSE	1 g in 100 g
INULA HELENIUM ROOT (UNII: E55SMD6DA8) (INULA HELENIUM ROOT - UNII:E55SMD6DA8)	INULA HELENIUM ROOT	2 g in 100 g
FORSYTHIA SUSPENS A FRUIT (UNII: P4793M1E55) (FORSYTHIA SUSPENS A FRUIT - UNII:P4793M1E55)	FORSYTHIA SUSPENS A FRUIT	2 g in 100 g
MYRRH (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	1 g in 100 g
PRUNUS PERSICA SEED (UNII: V9C81470RR) (PRUNUS PERSICA SEED - UNII:V9C81470RR)	PRUNUS PERSICA SEED	1 g in 100 g
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	1 g in 100 g
LONICERA DASYSTYLA FLOWER BUD (UNII: J133K038DY) (LONICERA DASYSTYLA FLOWER BUD - UNII:J133K038DY)	LONICERA DASYSTYLA FLOWER BUD	2 g in 100 g
PURSLANE (UNII: M6S840WYG5) (PURSLANE - UNII:M6S840WYG5)	PURSLANE	3 g in 100 g
LEAD TETROXIDE (UNII: A4G39L7HN2) (LEAD TETROXIDE - UNII:A4G39L7HN2)	LEAD TETROXIDE	33 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
RICE OIL (UNII: ACU8G2V809)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72850-0006-1	3 g in 1 BOX; Type 0: Not a Combination Product	03/22/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/22/2019	

Registrant - Chunwoo Pharmaceutical Co., Ltd. (688729065)

Establishment

Name	Address	ID/FEI	Business Operations
Chunwoo Pharmaceutical Co., Ltd.		688729065	manufacture(72850-0006) , label(72850-0006)

Revised: 1/2020

Chunwoo Pharmaceutical Co., Ltd.