

**TOPCARE MAXIMUM REDNESS RELIEF EYE DROPS- glycerin, naphazoline hydrochloride solution**  
**Topco Assoc LLC**

-----  
**Topcare Maximum Redness Relief Eye Drops (PLD)**

***Active ingredients***

Glycerin.....0.5%

Naphazoline hydrochloride....0.03%

***Purpose***

Glycerin.....Lubricant

Naphazoline hydrochloride.....Redness reliever

***Uses***

- For the relief of redness of the eye due to minor eye irritations
- For the temporary relief of burning and irritation due to dryness of the eye
- For use as a protectant against further irritation or dryness of the eye

***Warnings***

**For external use only**

**Do not use** if solution changes color or becomes cloudy

**Ask a doctor before use if you have** narrow angle glaucoma

**When using this product**

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

**Stop use and ask a doctor if**

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

Inatill 1 or 2 drops in the affected eye(s) up to 4 times daily.

***Other information***

- store at room temperature
- remove contact lenses before using
- **Tamper evident:** Do not use this product if imprinted neckband is missing or broken

## Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

**TopCare health™**

**Eye Drops**  
Maximum Redness Relief

**COMPARE TO CLEAR EYES® MAXIMUM REDNESS RELIEF ACTIVE INGREDIENTS\***

**Maximum Redness Relief Eye Drops**  
Relieves Redness PLUS Dryness, Burning & Irritation

**Sterile 0.5 FL OZ (15 mL)**

**Drug Facts**

Active ingredients	Purpose
Glycerin 0.5%	Lubricant
Naphazoline hydrochloride 0.03%	Redness reliever

**Directions**  
Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

**Other information**  

- store at room temperature
- remove contact lenses before using
- Tamper Evident:** Do not use this product if imprinted neckband is missing or broken.

**Inactive ingredients**  
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

**Warnings**  
For external use only  
Do not use if solution changes color or becomes cloudy  
Ask a doctor before use if you have narrow angle glaucoma  
When using this product  

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if  

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Quality Guaranteed**

DISTRIBUTED BY  
TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
© TOPCO KCPA1118  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com  
PRODUCT OF USA

0 36800 1 21123 0

LOT  
EXP

**FPO**  
LEAVE THIS AREA BLANK  
FOR LOT AND EXP.  
NO TEXT OR GRAPHICS  
IN THIS AREA.

## TOPCARE MAXIMUM REDNESS RELIEF EYE DROPS

glycerin, naphazoline hydrochloride solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-975
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.5 g in 100 mL
<b>NAPHAZOLINE HYDROCHLORIDE</b> (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.03 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	
<b>BORIC ACID</b> (UNII: R5ZHV85D4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-975-01	1 in 1 CARTON	02/04/2020	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	02/04/2020	

**Labeler** - Topco Assoc LLC (006935977)

**Registrant** - K.C. Pharmaceuticals, Inc. (174450460)

### Establishment

Name	Address	ID/FEI	Business Operations
K.C. Pharmaceuticals, Inc.		174450460	manufacture(36800-975) , pack(36800-975) , label(36800-975)

Revised: 12/2023

Topco Assoc LLC