## CITROMA- magesium citrate liquid Select Brand Distributors

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

# **Active Ingredient**

Magnesium citrate 1.745g per fl oz

### Purpose

Saline laxative

#### use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

# Warnings

for this product

# Ask A Doctor

# before use if you have

- a magnesium or sodium restricted diet
- abdorominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits tat persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

#### ask a doctor or pharmacist

**before use if you ar**e taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how othr drugs work.

#### Stop use

**and ask a doctor if** you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

# if pregnant or breast-feeding

ask help professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

## Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours children under 2 years of age - ask a doctor discard unused product within 24 hours of opening bottle

#### other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- sodium content 80 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

### **Inactive ingredients**

citric acid, lemon oil, potassium bicarbonate, purified water, sodium saccharin,

# **Adverse Reaction**

Distributed by: SELECT BRAND DISTRIBUTORS Pine Bluff, Ar 71603 AC (870) 535-3635 686.001/686AF

# principal display panel

select brand the lower price name brand NDC 15127-686-38 LEMON flavor MAGNESIUM CITRATE

#### Very Low Sodium

- Saline Lazative
- Oral Solution

Do not use if tamper evident twist-off cap is missing, broken,or separated from neckring 10 FL OZ (296 mL)



CITROMA									
magesium citrate liquid									
Product Information									
Product T ype	HUMAN OTC DRUG	Item Code (Source)		NDC:15127-686					
Route of Administration	ORAL								
Active Ingredient/Active Moiety									
Ing	Basis of Streng	gth	Strength						
MAGNESIUM CITRATE (UNII: RHO20 JNII:T6 V3LHY838)	MAGNESIUM CITRATE		745 g n 29.6 mL						

<b>_</b>	lie nts						
	Strength						
CITRIC ACID MON							
LEMON OIL (UNII:							
POTASSIUM BICAI							
water (UNII: 059QF0							
SACCHARIN SO DIUM (UNII: SB8ZUX40TY)							
Packaging							
Packaging							
		Package Description	Marketing Start Date	Marketing End Date			
# Item Code	296 n Produ	aL in 1 BOTTLE, GLASS; Type 0: Not a Combination	-	-			
# Item Code 1 NDC:15127-686-	Pro du	aL in 1 BOTTLE, GLASS; Type 0: Not a Combination ct	Date	-			
<ul> <li># Item Code</li> <li>1 NDC:15127-686- 38</li> </ul>	Produ <b>1forr</b>	aL in 1 BOTTLE, GLASS; Type 0: Not a Combination ct	Date	•			

Labeler - Select Brand Distributors (012578514)

# Registrant - Vi-Jon (790752542)

Establishment							
Name	Address	ID/FEI	<b>Business Operations</b>				
Vi-Jo n		790752542	manufacture(15127-686)				

Revised: 7/2019

Select Brand Distributors