ISOPROPYL ALCOHOL- isopropyl alcohol liquid Strategic Sourcing Services LLC

Drug Facts

Active ingredient (by volume)

Isopropyl alcohol (70% conc.)

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

If taken internaly, serious gastric disturbances will result

Flammable, keep away from fire or flame

• use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have

deep or puncture woods, animal bites or serious burns.

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away (1800-222-1222).

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first

• may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient

purified water

Principal Display Panel

Rubbing Alcohol 70% Isopropyl

first aid antiseptic

WARNING FLAMMABLE | Keep away from heat, spark, electrical, fire or flame USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE TOXIC

FL OZ (mL)

You may report serious side effects to **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by: McKesson Corp.,

via SSSL Memphis, TN 38141

Package Label



Drug Facts

Active ingredient (by volume)

Purpose

Isopropyl alcohol (70% conc.).....First aid antiseptic

Uses first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

- if taken internally, serious gastric disturbances will result Flammable, keep away from fire or flame.
- use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have deep or puncture wounds. animal bites, or serious burns.

When using this product do not get into eyes

- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions = clean affected area

- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient purified water

©2023 McKesson Corporation

Distributed by: McKesson Corp., via SSSL Memphis, TN 38141 Money Back Guarantee www.fosterandthrive.com



FOSTER & THRIVE Rubbing Alcohol 70% Isopropyl

ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70677-1251

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients		
	Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)		

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:70677- 1251-1	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/01/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	10/01/2023		

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 4/2025 Strategic Sourcing Services LLC