

SENNA S- docusate sodium and sennosides tablet
Marlex Pharmaceuticals Inc

Senna S

SENNOSIDES AND DOCUSATE SODIUM-sennosides, docusate sodium tablet
Marlex Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SennaS

Drug Facts

Active ingredient (in each tablet)

Docusate Sodium 50mg Sennosides 8.6 mg

Purpose

Stool softener Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally causes bowel movement in 6-12 hours

Warnings

Do not use

- this product if you are presently taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- Nausea
- Vomiting
- a sudden change in bowel movements that persists over 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use if a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor
- if you do not have a comfortable bowel movement by the second day, increase does by one tablet (do not exceed maximum dosage) or decrease does until you are comfortable

age	starting dosage	maximum dosage
adults and children 12 years of age and older	2 tablets once a day	4 tablets twice a day
children 6 to 12 years	1 tablet once a day	2 tablets twice a day
children 2 to 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:**calcium 4mg, sodium 8mg
- store at 20°C to 25°C (68°F to 77°F) excursions permitted between 15°30°C (59°-86°F)

Inactive ingredients

Colloidal silicon dioxide, croscarmellose sodium, D&C Yellow #10 Aluminum Lake, FD&C Yellow #6 Aluminum Lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, titanium dioxide

*Compare to the active ingredients in SENOKOT-S®

PRINCIPAL DISPLAY PANEL

NDC 10135-0669-01
Senna S
100 TABLET



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDERCAP IS BROKEN OR MISSING

Drug Facts

Active Ingredient (in each tablet) Purpose

Docusate sodium 50 mg Stool softener laxative
Sennosides 8.6 mg..... Stimulant laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces a bowel movement in 6 -12 hours

Warnings

Do not use ■ this product if you are presently taking mineral oil, unless directed by a doctor ■ laxative products for longer than 1 week unless directed by a doctor

Manufactured for and Distributed by:
Marlex Pharmaceuticals, Inc.
New Castle, DE 19720



This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot-S®

Peel Here
For More Drug Facts

REV 1 07/23 AA

Drug Facts (continued on back)

ACTUAL SIZE • DIE LINE DOES NOT PRINT

Drug Facts (continued)

Ask a doctor before use if you have
 ■ stomach pain ■ nausea ■ vomiting ■ a sudden change in bowel movements that persists over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ take preferably at bedtime or as directed by a doctor ■ if you do not have a comfortable bowel movement by the second day, increase dose by one tablet (do not exceed maximum dosage) or decrease dose until you are comfortable.

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information ■ each tablet contains: calcium 4 mg, sodium 8 mg ■ store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, D&C Yellow #10 Aluminum Lake, FD&C Yellow #6 Aluminum Lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, titanium dioxide

SENNAS

docusate sodium and sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10135-669
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	S6
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10135-669-01	1 in 1 CARTON	10/01/2018	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/01/2018	

Labeler - Marlex Pharmaceuticals Inc (782540215)

Revised: 11/2025

Marlex Pharmaceuticals Inc