

**ARTISTRY YOUTH XTEND LIFTING SMOOTHING FOUNDATION SHADE PLUSH
L3C1- octinoxate, oxybenzone cream
Amway Corp**

Artistry Youth Xtend™ Lifting Smoothing Foundation Shade Plush - L3C1

Drug Facts

Active Ingredients

Octinoxate 7.5% (W/W / P/P)

Oxybenzone 0.5% (W/W P/P)

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only

Do not use

on broken or damaged skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating or washing
- Reapply at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. **Sun**

Protection Measures.

- To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: ask a doctor

Other Information

- Protect this product from excessive heat and direct sun

Inactive ingredients

WATER/AQUA/EAU, CYCLOPENTASILOXANE, METHYL TRIMETHICONE, BUTYLENE GLYCOL, GLYCERIN, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TALC, DIMETHICONE, TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRATE, POLYGLYCERYL-6 POLYRICINOLEATE, HDI/ TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, DIMETHICONE/PEG-10/15 CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, PHENOXYETHANOL, SODIUM CHLORIDE, SODIUM CITRATE, POLYGLYCERYL- 3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, ALUMINA, SORBITAN LAURATE, ALUMINUM HYDROXIDE, STEARIC ACID, METHYLPARABEN, SODIUM HYALURONATE, PROPYLPARABEN, FRAGRANCE/ PARFUM, HYDROXYETHYLCELLULOSE, ACETYL DIPEPTIDE-1 CETYL ESTER, ETHYLPARABEN, SILICA, IODOPROPYNYL BUTYLCARBAMATE, LECITHIN, CHLORELLA VULGARIS EXTRACT, GLYCINE SOJA (SOYBEAN) OIL, CERAMIDE-3, LIMNANTHES ALBA (MEADOWFOAM) SEED OIL, BETA-SITOSTEROL, PERILLA OCYMOIDES SEED OIL, SALVIA HISPANICA SEED OIL, OENOTHERA BIENNIS (EVENING PRIMROSE) OIL, TETRAHEXYLDECYL ASCORBATE. MAY CONTAIN/PEUT CONTEINIR: TITANIUM DIOXIDE, IRON OXIDES, BISMUTH OXYCHLORIDE

Package Labeling:

Exclusively from **Amway**

Drug Facts (continued)/Faits médicaux (continués)/Datos sobre el Fármaco (continuación)

TRIETHOXYCAPRYLYLSILANE, ALUMINA, SORBITAN LAURATE, ALUMINUM HYDROXIDE, STEARIC ACID, METHYLPARABEN, SODIUM HYALURONATE, PROPYLPARABEN, FRAGRANCE/PARFUM, HYDROXYETHYLCELLULOSE, ACETYL DIPEPTIDE-1 CETYL ESTER, ETHYL PARABEN, SILICA, ODOROPROPYNYL BUTYLCARBAMATE, LECITHIN, CHLORELLA VULGARIS EXTRACT, GLYCINE SOJA (SOYBEAN) OIL, CERAMIDE-3, LIMNANTHES ALBA (MEADOWFOAM) SEED OIL, BETA-SITOSTEROL, PERILLA OXYMIDES SEED OIL, SALVIA HISPANICA SEED OIL, OENOTHERA BIENNIS (EVENING PRIMROSE) OIL, TETRAHEXYLDECYL ASCORBATE. MAY CONTAIN/PEUT CONTENIR: TITANIUM DIOXIDE, IRON OXIDES, BISMUTH OXYCHLORIDE

This rich hydrating foundation helps skin appear smooth, lifted and younger looking. / Ce fond de teint riche et hydratant aide la peau à paraître lisse, liftée et plus jeune. / Esta fórmula rica e hidratante ayuda a que la piel luzca suave, reafirmada y con una apariencia juvenil.

MADE IN USA

DEPT. BY-PAR AMWAY CORP. 7575 RUDION AVE. MI 49355 USA/E.U. • AMWAY CANADA CORPORATION, LONDON, ON N5Y 5T6 • AMWAY SOUTH AFRICA (PTY) LTD, ATLANTIC CENTRE, 14 CHRISTIAN BARNARD STREET, FORESHORE, CAPE TOWN 8001, TEL 021 403 1711 • IMP. V/O DIST. POL. AMWAY DOMINICAN REPUBLIC LLC

FABRICADO EN E.U.A. POR ACCESS BUSINESS GROUP LLC, 7575 RUDION STREET, EGT, ADA, MI 49355

™/TRADEMARK LICENSED BY AILCOR INC.

© Ailcor Inc.

9002977



Lifting Smoothing Foundation

Broad Spectrum SPF 20 Sunscreen Cream

Fond de Teint Liftant Effet Lissant

FPS 20 à large spectre Crème écran solaire

DIN 02435829

NO FLUORIDE AND/À

30 ml / 1.0 Fl. Oz.

Base Reafirmante Espectro Amplio del FPS 20 Crema de Protector Solar ARTISTRY YOUTH XTEND™

Drug Facts/Faits médicaux/Datos sobre el Fármaco

Active Ingredients / Ingrédients Actif / Ingredientes Activos
Octinoxate 7.5% (W/W P/P)
Oxybenzone 0.5% (W/W P/P) Sunscreen/Écran Solaire/Protector Solar

Purpose/ Objectif/ Objetivo

Uses/Utilisations/Usos

- Helps prevent sunburn
- Aide à prévenir les coups de soleil
- Ayuda a prevenir quemaduras solares

Warnings/Avvertissements/Advertencias
For external use only. Usage externe seulement. / Para uso externo solamente

Do not use on broken or damaged skin. / Ne pas utiliser sur une peau éraflée ou abîmée. / No utilizar sobre piel lesionada o dañada.

When using this product keep out of eyes. Rinse with water to remove. / En utilisant ce produit, le tenir à l'écart des yeux. Rincer avec de l'eau pour l'enlever. / Al utilizar este producto mantén fuera de los ojos. Enjuaga con agua para remover.

Stop use and ask a doctor if rash occurs. / En cas d'éruption cutanée, cesser l'utilisation et communiquer avec un médecin. / Detener el uso y preguntarle a un doctor si se desarrolla erupción o irritación.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. / Tenir hors de la portée des enfants. En cas d'ingestion du produit, obtenir immédiatement un avis médical ou contacter un centre antipoison. / Mantener fuera del alcance de los niños. Si se ingiere, se debe obtener atención médica o comunicarse con un Centro de Control de Envenenamiento inmediatamente.

Drug Facts (continued)/Faits médicaux (continués)/Datos sobre el Fármaco (continuación)

Directions/Mode d'emploi /Instrucciones
For sunscreen use/Pour une utilisation comme écran solaire/Usos del protector solar:

- Apply liberally 15 minutes before sun exposure. / Appliquez généreusement 15 minutes avant de s'exposer au soleil. / Aplique libremente 15 minutos antes de exponerte al sol.
- Use a water resistant sunscreen if swimming or sweating or washing. / Utiliser un écran solaire résistant à l'eau si vous nagez, si vous transpirez ou si vous vous lavez. / Usa un protector solar resistente al agua si estas nadando o sudando o enjuagando la cara.
- Reapply at least every 2 hours. / Appliquer à nouveau au moins toutes les deux heures. / Reaplica al menos cada 2 horas.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including. / Mesures de Protection solaire. Passer du temps au soleil augmente votre risque de cancer de la peau et de vieillissement prématuré de la peau. Pour diminuer ce risque, utiliser régulièrement un écran solaire à large spectre avec un FPS de 15 ou plus et respecter d'autres mesures de protection solaire, y compris. / Medidas de Protección Solar. Pasar tiempo en el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, se utiliza regularmente un protector solar de amplio espectro con FPS 15 o superior y otras medidas de protección solar, incluyendo:
 - limit time in the sun, especially from 10 a.m. - 2 p.m. / limiter le temps passé au soleil, en particulier de 10 h 00 à 14 h 00 / limitar el tiempo bajo el sol, especialmente durante las 10 AM - 2 PM
 - wear long-sleeve shirts, pants, hats, and sunglasses / porter une chemise à manches longues, un pantalon, un chapeau et des lunettes de soleil / usa camisetitas de manga larga, pantalones, gorras y lentes de sol
 - Children under 6 months: ask a doctor / enfants de moins de 6 mois: consulter un médecin / niños menores de 6 meses: preguntale a un doctor

Other information/Autre information/Información adicional

- Protect this product from excessive heat and direct sun. / Protéger ce produit de la chaleur excessive et d'une exposition directe au soleil. / Proteger el producto contra el calor excesivo y luz solar directa.

Inactive ingredients/Ingrédients inactifs/Ingredientes inactivos:

WATER/AQUA/EAU, CYCLOPENTASILOXANE, METHYL TRIMETHICONE, BUTYLENE GLYCOL, GLYCERIN, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TALC, DIMETHICONE, TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRYLATE POLYGLYCERYL-6 POLYTRICOLATE, HDV TRIMETHYLOL HEXYL LACTONE/CROSSPOLYMER, DIMETHICONE/PEG-10/15 CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE/CROSSPOLYMER, PHENOXYETHANOL, SODIUM CHLORIDE, SODIUM CITRATE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE.



9002977

PLUSH
L3C1

11-7695

1046782i

**ARTISTRY YOUTH XTEND LIFTING SMOOTHING FOUNDATION
SHADE PLUSH L3C1**

octinoxate, oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50390-242
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRATE (UNII: N1TRQ06KVJ)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
ACETYL TYROSYLARGININE CETYL ESTER (UNII: 3M7W78X5IR)	
ETHYLPARABEN (UNII: 14255EXE39)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SOYBEAN OIL (UNII: 241ATL177A)	
CERAMIDE NP (UNII: 4370DF050B)	
MEADOWFOAM SEED OIL (UNII: 412ZHA4T4Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	

PERILLA FRUTESCENS SEED OIL (UNII: 322MS57V7Z)	
CHIA SEED OIL (UNII: MC2LH51BO7)	
EVENING PRIMROSE OIL (UNII: 3Q9L08K71N)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50390-242-00	1 in 1 CARTON	05/06/2013	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/06/2013	

Labeler - Amway Corp (083416854)

Revised: 10/2023

Amway Corp