

DG MAXIMUM STRENGTH REDNESS RELIEF- glycerin, naphazoline hcl solution
Dolgenercorp, Inc

DG Health Maximum Strength Redness Relief (PLD)

Active ingredients

Glycerin 0.5%

Naphazoline hydrochloride 0.03%

Purposes

Glycerin ----Lubricant

Naphazoline hydrochloride ----Redness reliever

Uses

- For the relief of redness of the eye due to minor eye irritations
- For the temporary relief of burning and irritation due to dryness of the eye
- For use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using
- **Tamper Evident:** Do not use this product if imprinted neckband is missing or broken.

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Sterile

Redness Relief
Maximum Strength
Lubricant/Redness
Reliever Eye Drops

• Relieves dryness, burning, irritation
• Soothes & moisturizes • Fast-acting

DG | health

Drug Facts
(continued)

Directions
Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using
- **Tamper Evident:** Do not use this product if imprinted neckband is missing or broken.

Inactive ingredients
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

DG | health

**Maximum Strength
Redness Relief**
Lubricant/Redness
Reliever Eye Drops

- Relieves dryness, burning, irritation
- Soothes & moisturizes
- Fast-acting

Sterile

0.5 FL OZ (15 mL)

Drug Facts

Active ingredients **Purposes**
Glycerin 0.5% Lubricant
Naphazoline hydrochloride 0.03% Redness reliever

Uses

- For the relief of redness of the eye due to minor eye irritations.
- For the temporary relief of burning and irritation due to dryness of the eye.
- For use as a protectant against further irritation or dryness of the eye.

Warnings
For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▶

100%
Satisfaction Guaranteed!
(888) 309-9030

Compare to the active ingredients of Clear Eyes® Maximum Redness Relief*


A STERILE BUFFERED SOLUTION

Tamper Evident. Do not use this product if imprinted neckband is missing or broken.

*This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Clear Eyes® Maximum Redness Relief.

DISTRIBUTED BY
DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN
37072

MADE IN U.S.A.



A0041 0 95072 05755 7

DG MAXIMUM STRENGTH REDNESS RELIEF

glycerin, naphazoline hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-870
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.5 g in 100 mL
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.03 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength

BORIC ACID (UNII: R57ZHV85D4)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-870-01	1 in 1 CARTON	01/31/2020	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	01/31/2020	

Labeler - Dolgencorp, Inc (068331990)

Registrant - K.C. Pharmaceuticals, Inc. (174450460)

Establishment

Name	Address	ID/FEI	Business Operations
K.C. Pharmaceuticals, Inc.		174450460	manufacture(55910-870) , pack(55910-870) , label(55910-870)

Revised: 12/2025

Dolgencorp, Inc