

FIRST AID ANTISEPTIC PAIN RELIEVING- benzalkonium chloride, lidocaine hydrochloride cream

Hubei Changjian Medical Products Co., Ltd.

First Aid Antiseptic Pain Relieving Cream

Drug Facts

Active ingredients

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5%

Purpose

First aid antiseptic

Pain relieving cream

Uses

- First aid to help prevent infection in minor cuts scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- in large quantities
- over raw surfaces or blistered areas
- longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- animal bites
- deep or puncture wounds
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse.
- symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- Adults and children 2 years of age and older. Apply a small amount of this product to affected area not more than 3 times daily.
- Children under 2 years of age consult a doctor.
- May be covered with a sterile bandage

Other information

Store at room temperature.

Inactive ingredients

glycerin monostearate, glycerol, purified water

Package labeling: 82996-002-01

First Aid Antiseptic
Pain Relieving Cream
Benzalkonium Chloride
Lidocaine Hydrochloride

Net Wt. 1/32 oz (0.9 g)

1
/pouch



Hubei Changjian Medical Products Co., Ltd.
No.1 Building 1, shazigang Industrial Park,
Taodian Town, Huangzhou District,
Huanggang City, Hubei, 438011, China

Drug Facts

Active ingredients	Purpose
Benzalkonium chloride 0.13%.....	First aid antiseptic
Lidocaine hydrochloride 0.5%.....	Pain relieving cream

Uses

- First aid to help prevent infection in minor cuts scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

Warnings

For external use only.

- Do not use** ■ in the eyes ■ over large areas of the body
■ in large quantities ■ over raw surfaces or blistered areas
■ longer than 1 week unless directed by a doctor.

- Ask a doctor before use if you have** ■ animal bites
■ deep or puncture wounds ■ serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse. ■ symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- Adults and children 2 years of age and older. Apply a small amount of this product to affected area not more than 3 times daily.
- Children under 2 years of age consult a doctor.
- May be covered with a sterile bandage.

Other information

Store at room temperature.

Inactive ingredients

glycerin monostearate, glycerol, purified water

TO REPORT A SERIOUS ADVERSE EVENT. CONTACT +1(855)924-2182

LOT



Package labeling: 82996-002-02

First Aid Antiseptic
Pain Relieving Cream
Benzalkonium Chloride
Lidocaine Hydrochloride

Net Wt. 1/8 oz (3.5 g)

1
/pouch



Hubei Changjian Medical Products Co., Ltd.
No.1 Building 1, shazigang Industrial Park,
Taodian Town, Huangzhou District,
Huanggang City, Hubei, 438011, China

Drug Facts

Active ingredients	Purpose
Benzalkonium chloride 0.13%.....	First aid antiseptic
Lidocaine hydrochloride 0.5%.....	Pain relieving cream

Uses

- First aid to help prevent infection in minor cuts scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

Warnings

For external use only.

- Do not use** ■ in the eyes ■ over large areas of the body
 ■ in large quantities ■ over raw surfaces or blistered areas
 ■ longer than 1 week unless directed by a doctor.

- Ask a doctor before use if you have** ■ animal bites
 ■ deep or puncture wounds ■ serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse. ■ symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- Adults and children 2 years of age and older. Apply a small amount of this product to affected area not more than 3 times daily.
- Children under 2 years of age consult a doctor.
- May be covered with a sterile bandage.

Other information

Store at room temperature.

Inactive ingredients

glycerin monostearate, glycerol, purified water

TO REPORT A SERIOUS ADVERSE EVENT. CONTACT +1(855)924-2182

LOT



FIRST AID ANTISEPTIC PAIN RELIEVING

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82996-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82996-002-01	0.9 g in 1 POUCH; Type 0: Not a Combination Product	11/01/2022	04/01/2027
2	NDC:82996-002-02	3.5 g in 1 POUCH; Type 0: Not a Combination Product	11/01/2022	04/01/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	11/01/2022	04/01/2027

Labeler - Hubei Changjian Medical Products Co., Ltd. (699440035)

Revised: 10/2024

Hubei Changjian Medical Products Co., Ltd.