

**BRONCHIAL AND BREATHING AIDE- aconitum napellus, calcium sulfide, spongia officinalis skeleton, roasted, tin tablet
Schwabe North America, Inc**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Bronchial and Breathing Aide

ACTIVE INGREDIENTS:

Aconitum napellus 3X

Hepar sulphuris calcareum (Calcium Sulfide) 12X

Spongia tosta 3X

Stannum metallicum (Tin) 12X

INACTIVE INGREDIENTS

Lactose monohydrate

Magnesium stearate

Microcrystalline cellulose

PURPOSE:

Uses: Helps loosen phlegm (mucus) and thins bronchial secretions, relieves bronchial congestion

Directions: Sublingual medication.

Place tablets under tongue at least 15 minutes before or 30 minutes after eating, brushing teeth, or drinking anything except water.

Adults and children 12 years of age and older: 2 tablets every two hours until relieved.

Children under 12 years of age: Consult a doctor.

INDICATIONS AND USAGE:

Helps loosen phlegm (mucus) and thins bronchial secretions, relieves bronchial congestion.

WARNINGS:

Sore Throat Warning: Severe or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting or rash may be serious.

Consult a physician promptly.

Pregnancy or Breast Feeding:

If pregnant or breast-feeding, ask a healthcare professional before use.

Children:

Keep out of the reach of children.

Ask a doctor before use if you have :

a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema or is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if new symptoms occur, symptoms worsen or do not get better within 7 days for adults or 5 days for children, fever worsens or lasts more than 3 days, cough lasts more than 7 days or occurs with a rash or persistent headache.

These could be signs of a serious condition.

Overdosage:

In case of overdose, seek medical help or contact a Poison Control Center immediately.

Boericke and Tafel Bronchial and Breathing Aide 21814098



BRONCHIAL CONGESTION††

Relieves
Aide™
& Breathing
Bronchial
EST. 1835
BOERICKE & TAFEL
BT

Drug Facts (continued)

Directions:

Sublingual medication. Place tablet under tongue at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water.

Adults & children 12 years of age and over	Take 2 tablets every 2 hours until relieved
Children under 12 years of age	Consult a doctor

Other Information

Store at room temperature 20-25° C (68-77° F)
Keep in a dry place out of direct sunlight.

Inactive ingredients

cellulose, lactose monohydrate, magnesium stearate

Questions? 1-800-9NATURE / naturesway.com

††There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. This bottle has a cap with a perforated ring attached. Do not use if the ring is broken or missing.

©2017
Distributed by: Boericke & Tafel
a division of Nature's Way Brands, LLC
Green Bay, WI 54311 USA
Product of Mexico

Bronchial & Breathing Aide™

- Relieves Bronchial Congestion††
- Helps Loosen Phlegm††

BT NDC 53499-9498-2
BOERICKE & TAFEL
EST. 1835®

Bronchial & Breathing Aide™

Relieves
BRONCHIAL CONGESTION††

HOMEOPATHIC

100 tablets

Drug Facts

Active Ingredient
(154.42 mg in each tablet) Purpose
Aconitum napellus 3X, Relieves
Hepar sulphuris calcareum 12X, Bronchial
Spongia tosta 3X, Congestion††
Stannum metallicum 12X

Uses: ■ loosen phlegm (mucus)††
■ thins bronchial secretions††
■ relieves bronchial congestion††

Warnings

Sore throat warning: severe or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting or rash may be serious. Consult a physician promptly.

Ask a doctor before use if you have ■ a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema or is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if ■ new symptoms occur, symptoms worsen or do not get better within 7 days for adults or 5 days for children ■ fever worsens or lasts more than 3 days ■ cough lasts more than 7 days or occurs with rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children.** In case of overdose, seek medical help or contact a Poison Control Center immediately.

Lot/Best by area

E0-Z08W

LBN21814098.04
BLK7641



Carton Contact: Sue McVey
sue.mcvey@naturesway.com
920.469.1313 X61550

PMS 273 PMS 227 PMS 285

Varneh



BRONCHIAL AND BREATHING AIDE

aconitum napellus, calcium sulfide, spongia officinalis skeleton, roasted, tin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-9498
Route of Administration	SUBLINGUAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	3 [hp_X]
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X]
SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	3 [hp_X]
Tin (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	Tin	12 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

Product Characteristics

Color	white (B;T)	Score	no score
Shape	ROUND (BT)	Size	8mm
Flavor		Imprint Code	B;T
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53499-9498-2	1 in 1 BOX	04/01/2017	
1		100 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/01/2017	

Labeler - Schwabe North America, Inc (831153908)**Establishment**

Name	Address	ID/FEI	Business Operations
Schwabe Mexico SA DE CV		812805901	manufacture(53499-9498)