## ARNICARE- arnica montana ointment Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### **Arnicare Ointment**

## Active ingredients\*\*

Arnica montana 1X HPUS 4%

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

## Purpose\*

Arnica montana 1X HPUS 4% ... Relieves minor muscle pain & stiffness, swelling from injuries, discoloration from bruises

#### Uses\*

- temporarily relieves minor muscle pain, minor joint pain, and stiffness due to:
- minor injuries
- overexertion
- falls
- reduces symptoms of bruising such as:
- pain
- swelling
- discoloration

## For external use only.

**Do not use if** you are allergic to Arnica montana or to any of this product's inactive ingredients.

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

## Stop use and ask doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away.

- Adults and children 1 year of age and older: Apply a thin layer of Arnicare Ointment to affected area as soon as possible after minor injury up to 3 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Ointment.
- Children under 1 year of age: Not recommended.

alcohol, purified water, white petrolatum USP

Questions, Comments?

Arnicare.com Boironusa.com

## Info@boironusa.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron Inc. Newtown Square, PA 19073-3267

do not use if glued carton end flaps are open or if the tube seal is broken dispose of 1 year after opening

1 oz (30g)

Pain Relief\*

Muscle Pain & Stiffness Swelling from Injuries Bruises\*

i Homeopathic tincture made from Arnica montana fresh whole plant.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

#### Drug Facts (continued)

#### Directions

- Adults and children 1 year of age and older: Apply a thin layer of Amicare Dintment to affected area as soon as possible after minor injury up to 3 times a day. If heat or ice is applied, wait 5 minutes before applying Amicare Dintment.
- Children under 1 year of age: Not recommended.

#### Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- dispose of 1 year after opening

#### Inactive ingredients

alcohol, purified water, white petrolatum USP

#### Questions or comments?

Arnicare.com BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

please recycle



NDC 0220-9023-51

## PAIN RELIEF\*

Muscle Pain & Stiffness Swelling from Injuries Bruises\*



#### HOMEOPATHIC MEDICINE

- Fragrance-Free
- Easy to Use on Joints





MADE FROM FRESH

## Arnica montana plants

Nature provides us with the best resources for ingredients. Arnicare® Ointment is formulated with fresh Arnica plants hand-picked from the mountains of Europe.



#### The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

## **Drug Facts**

## Active ingredient" Purpose

Amica montana. Relieves minor muscle pain & 1X HPUS 4% stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States,

#### Uses

- temporarily relieves minor muscle pain, minor joint pain, and stiffness due to:
- minor injuries coverexertion falls
- ■reduces symptoms of bruising such as: ■ pain ■ swelling ■ discoloration

#### Warnings

#### For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

#### When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- do not tightly wrap or bandage the treated area.
- do not apply heat or ice to the treated area immediately before or after use

#### Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

\*Homeopathic tincture made from Amica montana fresh whole plant, \*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

"C, K, CK, and X are homeopathic dilutions:

### Drug Facts Active ingredient

Purpose

Arnica montana ..... .... Relieves minor muscle pain & stiffness, 1X HPUS 4% swelling from injuries, discoloration from bruises

> **Uses** temporarily relieves minor muscle pain, minor joint pain, and stiffness due to:

minor injuries overexertion

reduces symptoms of bruising such as: swelling miso discoloration

#### Warnings

For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ do not tightly wrap or bandage the treated area do not apply heat or ice to the treated area immediately before or after use Stop use and ask a doctor if condition persists for more than 3 days or symptoms clear up and occur again within a worsens few days Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults and children 1 year of age and older: Apply a thin layer of Arnicare Ointment to affected area as soon as possible after minor injury up to 3 times a day, If heat or ice is applied, wait 5 minutes before applying Amicare Ointment. Children under 1 year of age: Not recommended.

Other information do not use if glued carton end flaps are open or if the tube seal is broken dispose of 1 year after opening

> Inactive ingredients alcohol, purified water, white petrolatum USP

> > Made in France

Distributed by Boiron Inc. Newtown Square, PA 19073 1-800-B0IRON-1 (1-800-264-7661)

Arnicare.com

NDC 0220-9023-51

## PAIN RELIEF

Muscle Pain & Stiffness Swelling from Injuries Bruises



#### HOMEOPATHIC MEDICINE

Fragrance-Free





#### Drug Facts Active ingredient TX HPUS 4% from injuries, discoloration from bruises

Uses temporarily relieves muscle pain and stiffness due to: minor injuries oversection falls reduces symptoms of bruising such as:

m pain m swelling m discoloration

## Warnings

For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product social contact with eyes, mucous membranes, wounds, damaged or irritated skin

use only as directed do not tightly wrap or bandage the treated area . . . . do not apply heat or ice to the treated area

immediately before or after use. Stop use and ask a doctor if condition pensists for more than 3 days or worsens symptoms clear up and occur again within a few days. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Amicare Onlment to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Amicare Ointment.

Other information | do not use if glued carton end flaps are open or if the tube seal is broken store at 68-77°F (20-25°C)

> Inactive Ingredients storiol. purified water, white petrolatum USP

Made in France Distributed by Boiron Inc. Newtown Square, PA 19073

1-800-B0RON-1 (1-800-264-7661) Arnicare\_com

NDC 0220-9023-51

#### PAIN RELIEF

Muscle Pain & Stiffness Swelling from Injuries **Bruises** 

#### HOMEOPATHIC MEDICINE

- Fragrance-Free
- Easy to Use on Joints
- Plant-Based Relief



#### Drug Facts (continued)

Directions Apply a thin layer of Arnicare Ointment to affected area as soon as possible after minor injury, Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Amicare Ointment,

#### Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- ■store at 68-77°F (20-25°C

#### Inactive ingredients

alcohol, purified water, white petrolatum USP

#### Questions or comments?

Arnicare,com BoironUSA,com Info@Boiron.com 1-800-B0[R0N-1 1-800-264-7661)

Made in France Distributed by Boiron Inc. Newtown Square, PA 19073

please recycle





## From the French Mountains to You

Boiron Arnicare Ointment is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France.

### The Boiron **Promise**

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

## **Drug Facts**

#### Active ingredient" Purpose\*

Amica montana Relieves muscle pain & 1X HPUS 4% stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States

#### lises\*

- temporarily relieves muscle pain and stiffness due to:
- minor injuries overexertion falls ■ reduces symptoms of bruising such as: ■ pain ■ swelling ■ discoloration

#### Warnings

#### For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive

#### When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin-
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

#### Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms dear up and occur again within a few days.

Keep out of reach of children. If swallowed. get medical help or contact a Poison Control Center right away.

- Homeopathic mother tincture made from Arnica
- montana fresh whole plant, \*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
- "C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



## **Drug Facts** (continued)

Inactive ingredients

alcohol, purified water, white petrolatum USP-NF

#### Questions or comments?

www.Arnicare.com www.BoironUSA.com info@boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron Inc. 6 Campus Boulevard Newtown Square, PA 19073-3267





NDC 0220-9023-51

Muscle Pain & Stiffness Swelling from Injuries Bruising\*



- Unscented
- Paraben-Free
- Works Naturally with Your Body



# arnica active ingredient

**Use Arnicare** at the First Sign of Pain

Arnicare Ointment is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It adheres to the skin to provide prolonged action for injuries that require a longer healing time. Arnicare is recommended by doctors, plastic surgeons and pharmacists, and used by professional athletes and savvy moms.

- Unscented
- Paraben-free

#### The Boiron Promise

At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing homeopathic medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details

## **Drug Facts**

## Active ingredient\*\*

Purpose

Arnica montana. Trauma, muscle 1X HPUS-4% pain & stiffness, swelling from injuries,

discoloration from bruising The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

#### Uses'

temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls reduces pain, swelling and

discoloration from bruises

#### Warnings

For external use only.

Avoid contact with eyes, mucous membranes, damaged skin or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product use only

as directed and not bandage tightly or use a heating pad.

Stop use and ask a doctor if condition persists for more than 3 days or worsens,

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Apply a thin layer of Arnicare Ointment to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed,

#### Other information

■do not use if glued carton end flaps are open or if the tube seal is broken ■store at 68-77°F (20-25°C)

"These "Uses" have not been evaluated by the Food and Drug Administration. "C, K, CK, and X are homeopathic dilutions see www.boironusa.com for details.

## **ARNICARE**

arnica montana ointment

### **Product Information**

**Product Type HUMAN OTC DRUG** Item Code (Source) NDC:0220-9023

**Route of Administration CUTANEOUS** 

## **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII: O80TY208ZW)	ARNICA MONTANA	1 [hp_X] in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
ALCOHOL (UNII: 3K9958V90M)			
WATER (UNII: 059QF0KO0R)			

PETROLATUM (UNII: 4T6H12BN9U)
FEIROLATON (ONII. 410HIZBN90)

ı	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:0220-9023- 51	30 g in 1 BOX; Type 0: Not a Combination Product	06/02/2007		

Marketing End Date

## Labeler - Laboratoires Boiron (282560473)

## Registrant - Boiron Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-9023)	

Revised: 12/2024 Laboratoires Boiron