

**MEIJER STOMACH RELIEF- bismuth subsalicylate tablet**  
**Meijer Distribution Inc**

-----  
**Meijer Stomach Relief Bismuth Subsalsicylate Caplets**

**Active ingredient (in each caplet)**

Bismuth subsalicylate 262 mg

**Purpose**

Upset stomach reliever and anti-diarrheal

**Uses**

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- nausea
- gas
- belching
- fullness

**Warnings**

**Reye's syndrome:**Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool

**Ask a doctor or pharmacist before use if you are taking any drug for**

- anticoagulation (thinning of the blood)

- diabetes
- gout
- arthritis

### **When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur.

### **Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding**,ask a health professional before use .

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

### **Keep Out of Reach of Children**

### **Directions**

- swallow with water, do not chew
- **adults and children 12 years and older:**2 caplets every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:**ask a doctor
- drink plenty clear fluids to help prevent dehydration caused by diarrhea.

### **Other information**

- **each caplet contains:** calcium 27 mg, sodium 3 mg
- salicylate 99 mg
- low sodium
- sugar free
- store at room temperature.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING.**

### **Inactive ingredients**

calcium carbonate, crospovidone, D&C Red No. 27, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate.

### **Questions?**

**1-866-467-2748**

**Principal Display**

meijer®

**NDC# 41250-324-40**

**Compare To Pepto-Bismol® Caplets active ingredient\***

Stomach relief

Bismuth Subsalicylate 262 mg

Soothing relief for Upset Stomach, Indigestion, Nausea, Heartburn and Diarrhea

40 caplets

OUR QUALITY GUARANTEE

WWW.MEIJER.COM/SATISFACTION

**DIST. BY**

**MEIJER DISTRIBUTION, INC**

**GRAND RAPIDS, MI 49544**

**www.meijer.com**

**\*This product is not manufactured or distributed by The Procter & Gamble Co., owner of the registered trademark Pepto-Bismol®.**



## MEIJER STOMACH RELIEF

bismuth subsalicylate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-324
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CROSPVIDONE (120 .MU.M)</b> (UNII: 68401960MK)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	

**Product Characteristics**

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	L324
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-324-40	1 in 1 CARTON	03/07/2017	
1		40 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/07/2017	

**Labeler** - Meijer Distribution Inc (006959555)

Revised: 10/2025

Meijer Distribution Inc