

**NOON POST PROCEDURE PROGRAM- allantoin, titanium dioxide, octocrylene, and avobenzone**

**Noon Aesthetics M.R. Ltd**

-----

**NOON Post Procedure Program**

**DeFlame + DERMSHIELD™**

***Drug Facts***

**Active Ingredient**

Allantoin 0.5%

**Purpose**

Skin Protectant

**Uses**

- Temporarily protects minor: skin irritation, cuts, scrapes, burns and helps protect and relieve chafed, chapped or cracked skin.

**Warnings**

**For external use only.**

**Do not use on**

- deep or puncture wounds, animal bites, serious burns.

**When using this product**

- avoid contact with eyes. In case of eye contact, flush with water.

**Stop use and ask a doctor if**

- condition worsens.
- symptoms last more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**

**Directions**

- Apply as needed.

**Inactive Ingredients**

Water, Propylene Glycol, Glycerin, Dimethyl Sulfone, Strontium Chloride Hexahydrate, Dimethicone, Cetyl Alcohol, Glyceryl Stearate, Propanediol, Dipotassium Glycyrrhizate, Polysorbate 20, PEG-40 Stearate, Laureth-4, Porphyridium Cruentum Extract, Arnica

Montana Flower Extract, sh-Oligopeptide-1 (EGF), sh-Oligopeptide-2 (IGF-1), sh-Polypeptide-1 (bFGF), sh-Polypeptide-9 (VEGF), sh-Polypeptide-11 (FGF-1), Bacillus/Folic Acid Ferment Filtrate Extract, Octyldodecyl Xyloside, Butylene Glycol, Sodium Hyaluronate, 1,2-Hexanediol, Acetyl Glutamine, Octyldodecanol, PEG-30 Dipolyhydroxystearate, Sorbitan Tristearate, Lecithin, Phenoxyethanol, Benzyl Alcohol, Caprylyl Glycol, Potassium Sorbate, Disodium EDTA, Sodium Benzoate.

## **Multi-Vit Sun Protector SPF 30**

### ***Drug Facts***

<b><i>Active Ingredient</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide 9%	Sunscreen
Octocrylene 4.8%	Sunscreen
Butyl Methoxydibenzoylmethane 1.44%	Sunscreen

### **Uses**

- Help prevent sunburn.

### **Warnings**

**For external use only.**

### **Do not use**

- on damage or broken skin.

### **When using this product**

- keep out of eyes. Rinse with water to remove.

### **Stop use and ask a doctor**

- if rash or irritation develops and lasts.

### **Keep out of reach of children.**

- If product is swallowed, get medical help or contact a poison control center right away.

### **Directions**

- Apply liberally 15 minutes before sun exposure and as needed.
- Use a water-resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad- spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.

## **Other Information**

- **Sun alert:** Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.
- Protect this product from excessive heat and direct sun.

## **Inactive Ingredients**

Water, Isononyl Isononanoate, Cyclopentasiloxane, Isohexadecane, Glyceryl Stearate, PEG 100 Stearate, Glycerin, Silica, Potassium Cetyl Phosphate, Sorbitol, Sorbitan Stearate, Magnesium Aluminum Silicate, Xanthan Gum, Sodium Phytate, Xylitol, Nicotinamide, Butyrospermum Parkii (Shea ) Butter, Tocopheryl Acetate, Ascorbyl Tetraisopalmitate, Ectoin, Phenoxyethanol, Anhydroxylitol, Stearic Acid, Alumina, PPG-3 Benzyl Ether Myristate, PVP, Xylitylglucoside, Citrus Aurantium Bergamia fruit oil, Fragrance, Sodium Polyacrylate, Ethylhexyl Cocoate, Caprylyl Glycol, Alcohol.

## **Developed + Dist by NOON Aesthetics**

TLV, 62153

## **PRINCIPAL DISPLAY PANEL - Kit Carton**

AESTHETICS

Post-Procedure Treatment Program

MicroSoft Cleanser 15 mL / 0.5 Fl. Oz.


Smart Occlusion System 15 mL / 0.5 Fl. Oz.

Halo-Ronic Serum 15 mL / 0.5 Fl. Oz.

Optimal Moisturizing Guardian 15 mL / 0.5 Fl. Oz.

DeFlame 15 mL / 0.5 Fl. Oz.

Multi-Vit Sun Protector SPF 30 15 mL / 0.5 Fl. Oz.





Post-Procedure Treatment Program



# AESTHETICS

## Post-Procedure Treatment Program

MicroSoft Cleanser	15 mL / 0.5 FL. Oz.	Optimal Moisturizing Guardian	15 mL / 0.5 FL. Oz.
Smart Occlusion System	15 mL / 0.5 FL. Oz.	DeFlame	15 mL / 0.5 FL. Oz.
Halo-Ronic Serum	15 mL / 0.5 FL. Oz.	Multi-Vit Sun Protector SPF 30	15 mL / 0.5 FL. Oz.







### **binding aesthetics + science**

Post Procedure Treatment Program is a carefully developed regimen designed to facilitate the healing process and support the skin's recovery following aesthetic procedures. This program aims to restore and build a healthy skin barrier by creating an optimal environment for this purpose and enabling accelerated cell rejuvenation.

The comprehensive nature of this program aims to restore and strengthen the skin barrier, creating an optimal environment for healing and leading to improve results following aesthetic procedure.



### Drug Facts (continued)

#### Inactive Ingredients

Water, Propylene Glycol, Glycerin, Dimethyl Sulfone, Strontium Chloride Hexahydrate, Dimethicone, Cetyl Alcohol, Glyceryl Stearate, Propanediol, Dipotassium Glycyrrhizate, Polysorbate 20, PEG-40 Stearate, Laureth-4, Porphyridium Cruentum Extract, Arnica Montana Flower Extract, sh-Oligopeptide-1 (EGF), sh-Oligopeptide-2 (IGF-1), sh-Polypeptide-1 (bFGF), sh-Polypeptide-9 (VEGF), sh-Polypeptide-11 (FGF-1), Bacillus/Folic Acid Ferment Filtrate Extract, Octyldodecyl Xyloside, Butylene Glycol, Sodium Hyaluronate, 1,2-Hexanediol, Acetyl Glutamine, Octyldodecanol, PEG-30 Dipolyhydroxystearate, Sorbitan Tristearate, Lecithin, Phenoxethanol, Benzyl Alcohol, Caprylyl Glycol, Potassium Sorbate, Disodium EDTA, Sodium Benzoate.

Multi-Vit Sun Protector SPF 30 15 mL / 0.5 FL Oz.

### Drug Facts

Active Ingredient	Purpose
Titanium Dioxide 9%	Sunscreen
Octocrylene 4.8%	Sunscreen
Butyl Methoxydibenzoylmethane 1.44%	Sunscreen

#### Uses

- Help prevent sunburn.

#### Warnings

For external use only.

#### Do not use

- on damage or broken skin.

#### When using this product

- keep out of eyes. Rinse with water to remove.

#### Stop use and ask a doctor

- if rash or irritation develops and lasts.

#### Keep out of reach of children.

- If product is swallowed, get medical help or contact a poison control center right away.

### Drug Facts (continued)

#### Directions

- Apply liberally 15 minutes before sun exposure and as needed.
- Use a water-resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

#### Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.–2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

#### Other Information

- Sun alert:** Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.
- Protect this product from excessive heat and direct sun.

#### Inactive Ingredients

Water, Isononyl Isononanoate, Cyclopentasiloxane, Isohexadecane, Glyceryl Stearate, PEG 100 Stearate, Glycerin, Silica, Potassium Cetyl Phosphate, Sorbitol, Sorbitan Stearate, Magnesium Aluminum Silicate, Xanthan Gum, Sodium Phytate, Xylitol, Nicotinamide, Butyrospermum Parkii (Shea) Butter, Tocopheryl Acetate, Ascorbyl Tetraisopalmitate, Ectoin, Phenoxethanol, Anhydroxylitol, Stearic Acid, Alumina, PPG-3 Benzyl Ether Myristate, PVP, Xylitylglycoside, Citrus Aurantium Bergamia fruit oil, Fragrance, Sodium Polyacrylate, Ethylhexyl Cocoate, Caprylyl Glycol, Alcohol.

Developed + Dist by NOON Aesthetics  
TLV, 62153 | Made in Israel  
noonaesthetics.com



**Micro Soft Cleanser + DERMSHIELD™** 15 mL / 0.5 FL Oz.

**DIRECTIONS** Apply the required amount with your hands onto dry skin and massage gently. Add some water to your face and massage gently. Rinse off with lukewarm water.

**WARNINGS** For external use only. Avoid direct contact with the eyes. Keep out of reach of children.

**INGREDIENTS** PEG-20 Glyceryl Trisostearate, Cyclopentasiloxane, Isohexadecane, Propanediol, Aqua, Lavandula Angustifolia Flower Water, Macadamia Ternifolia Seed Oil, Squalane, Isopropyl Myristate, Panthenol, Strontium Chloride Hexahydrate, Butylene Glycol, Dimethyl Sulfone, Babusa Vulgaris Shoot Extract, Nelumbo Nucifera Extract, Nymphaea Alba Root Extract, Glycerin, Hydrogenated Hydrolyzate, Propylene Glycol, Caprylyl Glycol, Phenoxyethanol, Benzyl Alcohol, Sodium Benzoate, Potassium Sorbate, Polyacrylate, Ethylhexyl Cocoate, Caprylyl Glycol, Sodium Phytate, Citric Acid, Plankton Extract, Polysorbate 20, Alcohol.

**Smart Occlusion System** 15 mL / 0.5 FL Oz.

**DIRECTIONS** Apply a thin layer onto the face, eye and neck area up to twice a day, or as instructed by a skincare specialist.

**WARNINGS** For external use only. Avoid direct contact with the eyes. Keep out of reach of children.

**INGREDIENTS** Aqua, Petrolatum Jelly, Propanediol, Cholesterol, Caprylic/ Capric Triglyceride, Mineral Oil, PEG-40 Hydrogenated Castor Oil, Cyclopentasiloxane, Glycerin, Mycrocristalline Wax, Curcuma Longa (Turmeric) Root Extract, Isosorbide Dicaprylate, Oleic Acid, Palmitic Acid, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, Ceramide 3, Magnesium Stearate, Tocopheryl Acetate, Ferulic Acid, Ceramide 6 II, Ceramide 2, Lactobacillus Ferment, Dipotassium Glycyrrhizinate, Butylene Glycol, Caprylyl Glycol, 1,2-Hexanediol, Phenoxyethanol, Trisodium EDTA.

**Halo-Ronic Serum** 15 mL / 0.5 FL Oz.

**DIRECTIONS** Apply 3-4 drops on the face and neck area up to twice a day after cleaning, or as instructed by your skincare specialist.

**WARNINGS** For external use only. Use only as directed. Avoid direct contact with the eyes. Keep out of reach of children.

**INGREDIENTS** Aqua, Butylene Glycol, Propanediol, Curcuma Longa (Turmeric) Root Extract, Hydrolyzed Hyaluronic Acid, Melaleuca azadirachta leaf extract, Sodium Hyaluronate, Peroglutamic Acid, Lactobacillus Ferment, Sodium PCA, Dipotassium Glycyrrhizinate, Histidine, Betaine, Serine, Glycerin, Arginine, Alanine, Glycine, Lysine HCl, Threonine, Proline, Xanthan Gum, Glutamic Acid, Calcium Lactate, Sodium Lactate, Citric Acid, Potassium Sorbate, Sodium Benzoate, Butylene Glycol, Caprylyl Glycol, 1,2-Hexanediol, Phenoxyethanol, Alcohol.

**Optimal Moisturizing Guardian** 15 mL / 0.5 FL Oz.

**DIRECTIONS** Apply a thin layer onto the face, eye and neck area up to twice a day, or as instructed by a skincare specialist.

**WARNINGS** For external use only. Avoid direct contact with the eyes. Keep out of reach of children.

**INGREDIENTS** Aqua, Caprylic/ Capric Triglyceride, Propanediol, Cholesterol, Squalane, PEG-40 Hydrogenated Castor Oil, Cyclopentasiloxane, Glycerin, Mycrocristalline Wax, Curcuma Longa (Turmeric) Root Extract, Isosorbide Dicaprylate, Oleic Acid, Palmitic Acid, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, Ceramide 3, Magnesium Stearate, Tocopheryl Acetate, Ferulic Acid, Ceramide 6 II, Ceramide 2, Lactobacillus Ferment, Dipotassium Glycyrrhizinate, Phytosterols, Hydrogenated Lecithin, Butylene Glycol, Caprylyl Glycol, 1,2-Hexanediol, Phenoxyethanol, Trisodium EDTA.

**DeFlame + DERMSHIELD™** 15 mL / 0.5 FL Oz.

**Drug Facts**

Active Ingredient	Purpose
Allantoin 0.5%	Skin Protectant

**Uses**

- Temporarily protects minor skin irritation, cuts, scrapes, burns and helps protect and relieve chafed, chapped or cracked skin.

**Warnings**

For external use only.

**Do not use on**

- deep or puncture wounds, animal bites, serious burns.

**When using this product**

- avoid contact with eyes. In case of eye contact, flush with water.

**Stop use and ask a doctor if**

- condition worsens.
- symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

**Directions**

- Apply as needed.



## NOON POST PROCEDURE PROGRAM

allantoin, titanium dioxide, octocrylene, and avobenzone kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:78863-2600
---------------------	----------------	---------------------------	----------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-2600-1	1 in 1 CARTON	10/01/2023	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	15 mL
Part 2	1 BOTTLE	15 mL
Part 3	1 BOTTLE	15 mL
Part 4	1 BOTTLE	15 mL
Part 5	1 BOTTLE	15 mL
Part 6	1 BOTTLE	15 mL

### Part 1 of 6

#### MICRO SOFT CLEANSER

cleansing (cold creams, cleansing lotions, liquids, and pads) [skin care preparations (creams, lotions, powder, and sprays)] cream

### Product Information

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	PEG-20 GLYCERYL TRIISOSTEARATE (UNII: 4714JOJ107)	
INGR	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
INGR	ISOHEXADECANE (UNII: 918X1OUF1E)	
INGR	PROPANEDIOL (UNII: 5965N8W85T)	
INGR	WATER (UNII: 059QF0KO0R)	
INGR	MACADAMIA OIL (UNII: 515610SU8C)	

INGR	<b>SQUALANE</b> (UNII: GW89575KF9)	
INGR	<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
INGR	<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
INGR	<b>STRONTIUM CHLORIDE HEXAHYDRATE</b> (UNII: O09USB7Z44)	
INGR	<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
INGR	<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)	
INGR	<b>NYMPHAEA ALBA ROOT</b> (UNII: 866B05KWBR)	
INGR	<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
INGR	<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
INGR	<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
INGR	<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
INGR	<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
INGR	<b>ETHYLHEXYL COCOATE</b> (UNII: I1MPW273QS)	
INGR	<b>PHYTATE SODIUM</b> (UNII: 88496G1ERL)	
INGR	<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
INGR	<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
INGR	<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
COSMETIC		10/01/2023	

## Part 2 of 6

### SMART OCCLUSION SYSTEM

face and neck (excluding shaving preparations), leave-on [skin care preparations (creams, lotions, powder, and sprays)] cream

## Product Information

**Route of Administration** TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>WATER</b> (UNII: 059QF0KO0R)	

INGR	<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
INGR	<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
INGR	<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
INGR	<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
INGR	<b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F)	
INGR	<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
INGR	<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
INGR	<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
INGR	<b>TURMERIC</b> (UNII: 856YO1Z64F)	
INGR	<b>ISOSORBIDE DICAPRYLATE</b> (UNII: 0IK29C4889)	
INGR	<b>OLEIC ACID</b> (UNII: 2UMI9U37CP)	
INGR	<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
INGR	<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
INGR	<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
INGR	<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
INGR	<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
INGR	<b>FERULIC ACID</b> (UNII: AVM951ZWST)	
INGR	<b>CERAMIDE AP</b> (UNII: F1X8L2B00J)	
INGR	<b>CERAMIDE NG</b> (UNII: C04977SRJ5)	
INGR	<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)	
INGR	<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
INGR	<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
INGR	<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
COSMETIC		10/01/2023	

### Part 3 of 6

#### HALO-RONIC SERUM

face and neck (excluding shaving preparations), leave-on [skin care preparations (creams, lotions, powder, and sprays)] cream

### Product Information

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>WATER</b> (UNII: 059QF0KO0R)	
INGR	<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
INGR	<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
INGR	<b>TURMERIC</b> (UNII: 856YO1Z64F)	
INGR	<b>AZADIRACHTA INDICA LEAF</b> (UNII: HKY915780T)	
INGR	<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
INGR	<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
INGR	<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)	
INGR	<b>HISTIDINE</b> (UNII: 4QD397987E)	
INGR	<b>BETAINE</b> (UNII: 3SCV180C9W)	
INGR	<b>SERINE</b> (UNII: 452VLY9402)	
INGR	<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
INGR	<b>ARGININE</b> (UNII: 94ZLA3W45F)	
INGR	<b>ALANINE</b> (UNII: OF5P57N2ZX)	
INGR	<b>GLYCINE</b> (UNII: TE7660XO1C)	
INGR	<b>LYSINE HYDROCHLORIDE</b> (UNII: JNJ23Q2COM)	
INGR	<b>THREONINE</b> (UNII: 2ZD004190S)	
INGR	<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
INGR	<b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)	
INGR	<b>CALCIUM LACTATE ANHYDROUS</b> (UNII: 2URQ2N32W3)	
INGR	<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)	
INGR	<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
INGR	<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
INGR	<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
INGR	<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
COSMETIC		10/01/2023	

# OPTIMAL MOISTURIZING GUARDIAN

moisturizing [skin care preparations (creams, lotions, powder, and sprays)] cream

## Product Information

**Route of Administration** TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>WATER</b> (UNII: 059QF0KO0R)	
INGR	<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
INGR	<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
INGR	<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
INGR	<b>SQUALANE</b> (UNII: GW89575KF9)	
INGR	<b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F)	
INGR	<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
INGR	<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
INGR	<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
INGR	<b>TURMERIC</b> (UNII: 856YO1Z64F)	
INGR	<b>ISOSORBIDE DICAPRYLATE</b> (UNII: 0IK29C4889)	
INGR	<b>OLEIC ACID</b> (UNII: 2UMI9U37CP)	
INGR	<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
INGR	<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
INGR	<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
INGR	<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
INGR	<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
INGR	<b>BUCKMINSTERFULLERENE</b> (UNII: NP9U26B839)	
INGR	<b>FERULIC ACID</b> (UNII: AVM951ZWST)	
INGR	<b>CERAMIDE AP</b> (UNII: F1X8L2B00J)	
INGR	<b>CERAMIDE NG</b> (UNII: C04977SRJ5)	
INGR	<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)	
INGR	<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
INGR	<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
INGR	<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
COSMETIC		10/01/2023	

## Part 5 of 6

### DEFLAME

allantoin cream

#### Product Information

**Item Code (Source)** NDC:78863-1270

**Route of Administration** TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	5 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
STRONTIUM CHLORIDE HEXAHYDRATE (UNII: O09USB7Z44)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
LAURETH-4 (UNII: 6HQ855798J)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
OCTYLDODECYL XYLOSIDE (UNII: 8Z6VNR46QM)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ACEGLUTAMIDE (UNII: 01J18G9G97)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PEG-30 DIPOLYHYDROXYSTEARATE (4000 MW) (UNII: 9713Q0S7FO)	
SORBITAN TRISTEARATE (UNII: 6LUM696811)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

**SODIUM BENZOATE** (UNII: OJ245FE5EU)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1270-2	15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	10/01/2023	

## Part 6 of 6

### MULTI-VIT SUN PROTECTOR SPF 30

titanium dioxide, octocrylene, and avobenzone cream

## Product Information

Item Code (Source)	NDC:78863-1230
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	90 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	48 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	14.4 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	

<b>MAGNESIUM ALUMINUM SILICATE</b> (UNII: 6M3P64V0NC)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>PHYTATE SODIUM</b> (UNII: 88496G1ERL)
<b>XYLITOL</b> (UNII: VCQ006KQ1E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>ASCORBYL TETRAISOPALMITATE</b> (UNII: 47143LT58A)
<b>ECTOINE</b> (UNII: 7GXZ3858RY)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>PPG-3 BENZYL ETHER MYRISTATE</b> (UNII: 8075L58MKO)
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)
<b>ETHYLHEXYL COCOATE</b> (UNII: I1MPW273QS)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ALCOHOL</b> (UNII: 3K9958V90M)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1230-2	15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	10/01/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M016	10/01/2023	

**Labeler** - Noon Aesthetics M.R. Ltd (600185560)

### Establishment

Name	Address	ID/FEI	Business Operations
Noon Aesthetics M.R. Ltd		600185560	MANUFACTURE(78863-2600)