

**GRASS AND WEED MIX- glandula suprarenalis (bovine), hepar (bovine), histaminum hydrochloricum, bahia grass, bermuda grass, brome grass pollen, corn pollen, johnson grass, kentucky bluegrass, meadow fescue pollen, oats pollen, orchard grass, rye grass, timothy grass, vernal grass, wheat grass pollen, cocklebur pollen, goldenrod pollen, lambs quarters pollen, mugwort pollen, mustard pollen, ragweed pollen, red clover pollen, yellow dock pollen, adrenocorticotrophin spray**  
**Nutritional Specialties, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

## **ACTIVE INGREDIENTS:**

**(in each spray)** Adrenocorticotrophin 15C, 30C, Glandula Suprarenalis 6X, 12X, Bahia Grass 16X, 60X, 100X, Bermuda Grass 16X, 60X, 100X, Brome Grass 16X, 60X, 100X, Corn 16X, 60X, 100X, Johnson Grass 16X, 60X, 100X, Kentucky Bluegrass 16X, 60X, 100X, Meadow Fescue 16X, 60X, 100X, Oats 16X, 60X, 100X, Orchard Grass 16X, 60X, 100X, Rye Grass 16X, 60X, 100X, Timothy Grass 16X, 60X, 100X, Vernal Grass 16X, 60X, 100X, Wheat Grass 16X, 60X, 100X, Hepar (Liver) 6X, 12X, Histaminum Hydrochloricum 12X, Cocklebur 16X, 60X, 100X, Goldenrod 16X, 60X, 100X, Lambs Quarters 16X, 60X, 100X, Mugwort (Artemisia Vulgaris species) 16X, 60X, 100X, Mustard 16X, 60X, 100X, Ragweed (Ambrosia Artemisiifolia species) 16X, 60X, 100X, Red Clover 16X, 60X, 100X, Yellow Dock 16X, 60X, 100X.

## **PURPOSE:**

Adrenocorticotrophin – Congestion, Cough, and Support of Adrenal Glands,† Glandula Suprarenalis – Support of Adrenal Glands,† Bahia Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Bermuda Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Brome Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Corn – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Johnson Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Kentucky Bluegrass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Meadow Fescue – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Oats – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Orchard Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Rye Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Timothy Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Vernal Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Wheat Grass – Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Hepar (Liver) – Support of Liver,† Histaminum Hydrochloricum – Allergic Hypersensitivity, Headaches, Itching, Rashes, and Urticaria,†

Cocklebur - Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Goldenrod - Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Lambs Quarters - Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Mugwort (*Artemisia Vulgaris* species) - Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Mustard - Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Ragweed (*Ambrosia Artemisiifolia* species) - Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Red Clover - Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Yellow Dock - Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **USES:**

Provides factors that mitigate hypersensitivity to grasses.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **WARNINGS:**

**If pregnant or breast-feeding**, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

### **KEEP OUT OF REACH OF CHILDREN**

**Do not use if tamper evident seal is broken or missing.**

Store in a cool place after opening

### **KEEP OUT OF REACH OF CHILDREN:**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **DIRECTIONS:**

- Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage.

- Do not take within 15 minutes of consuming food, beverage or brushing teeth.

Consult a physician for use in children under 12 years of age.

### **INACTIVE INGREDIENTS:**

Alcohol USP 20%, Purified Water USP.

**QUESTIONS:**

**MANUFACTURED EXCLUSIVELY FOR  
NUTRITIONAL SPECIALTIES, INC.**

**PO BOX 97227**

**PITTSBURGH, PA 15229**

**www.phpltd.com**

**1-800-245-1313**

**PACKAGE LABEL DISPLAY:**

**Professional**

**Health Products**

**HOMEOPATHIC**

**NDC 83027-0300-1**

**GRASS & WEED MIX**

**2 FL. OZ (60 ml)**

Do not use if tamper evident seal is broken or missing.

**Drug Facts**

<i>Active ingredients (in each spray)</i>	<i>Purposes</i>
Adrenocorticotrophin 15c, 30c.....	Congestion, Cough, and Support of Adrenal Glands <sup>†</sup>
Glandula Suprarenalis 6x, 12x.....	Support of Adrenal Glands <sup>†</sup>
Grass and Pollen Allersodes ..... (Bahia Grass, Bermuda Grass, Brome Grass, Corn, Johnson Grass, Kentucky Bluegrass, Meadow Fescue, Oats, Orchard Grass, Rye Grass, Timothy Grass, Vernal Grass, Wheat Grass) 16x, 60x, 100x.	Allergic Sensitivity to Grasses, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing <sup>†</sup>
Hepar (Liver) 6x, 12x.....	Support of Liver <sup>†</sup>

*Drug Facts* (continued under label)

**Drug Facts** (continued)

Histaminum Hydrochloricum 12x. ...Allergic Hypersensitivity,  
Headaches, Itching,  
Rashes, and Urticaria<sup>†</sup>

**Drug Facts** (continued)

**Warnings**

If pregnant or breast-feeding, ask a health professional

UNVARNISHED AREA

PEEL  
HERE

TIE

Weed and Pollen Allergies..... Allergic Sensitivity to  
 (Cocklebur, Goldenrod, Grasses, Catarrh, Itchy  
 Lamb's Quarters, Mugwort Eyes, Mucus, Rhinitis  
 (Artemisia Vulgaris species), and Sneezing<sup>†</sup>  
 Mustard, Ragweed (Ambrosia  
 Artemisiifolia species), Red Clover,  
 Yellow Dock) 16x, 60x, 100x.

**Use**

Provides factors that mitigate hypersensitivity to grasses and weeds.<sup>†</sup>

before use.

In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN.**

**Directions**

- Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage.
- Do not take within 15 minutes of consuming food, beverage or brushing teeth.
- Consult a physician for use in children under 12 years of age.

**Drug Facts (continued)**

**Other information**

Store in a cool place after opening.

**Inactive ingredients**

Alcohol USP 20%, Purified Water USP.

**Questions? 1-800-245-1313**

<sup>†</sup> Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**GRASS AND WEED MIX**

glandula suprarenalis (bovine), hepar (bovine), histaminum hydrochloricum, bahia grass, bermuda grass, brome grass pollen, corn pollen, johnson grass, kentucky bluegrass, meadow fescue pollen, oats pollen, orchard grass, rye grass, timothy grass, vernal grass, wheat grass pollen, cocklebur pollen, goldenrod pollen, lambs quarters pollen, mugwort pollen, mustard pollen, ragweed pollen, red clover pollen, yellow dock pollen, adrenocorticotrophin spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83027-0300
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BOS TAURUS ADRENAL GLAND</b> (UNII: M2776SWB29) (BOS TAURUS ADRENAL GLAND - UNII:M2776SWB29)	BOS TAURUS ADRENAL GLAND	6 [hp_X] in 1 mL
<b>BEEF LIVER</b> (UNII: W8N8R55022) (BEEF LIVER - UNII:W8N8R55022)	BEEF LIVER	6 [hp_X] in 1 mL
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	12 [hp_X] in 1 mL
<b>PASPALUM NOTATUM POLLEN</b> (UNII: V003SHB7VK) (PASPALUM NOTATUM POLLEN - UNII:V003SHB7VK)	PASPALUM NOTATUM POLLEN	16 [hp_X] in 1 mL
<b>CYNODON DACTYLON WHOLE</b> (UNII: 2Q8MR21NHK) (CYNODON DACTYLON WHOLE - UNII:2Q8MR21NHK)	CYNODON DACTYLON WHOLE	16 [hp_X] in 1 mL
<b>BROMUS INERMIS POLLEN</b> (UNII: 766QT72BK6) (BROMUS INERMIS POLLEN - UNII:766QT72BK6)	BROMUS INERMIS POLLEN	16 [hp_X] in 1 mL
<b>ZEA MAYS POLLEN</b> (UNII: 74PD8J616H) (ZEA MAYS POLLEN - UNII:74PD8J616H)	ZEA MAYS POLLEN	16 [hp_X] in 1 mL
<b>SORGHUM HALEPENSE POLLEN</b> (UNII: 577VA5B4HP) (SORGHUM HALEPENSE POLLEN - UNII:577VA5B4HP)	SORGHUM HALEPENSE POLLEN	16 [hp_X] in 1 mL
<b>POA PRATENSIS TOP</b> (UNII: 7EA48700V9) (POA PRATENSIS TOP - UNII:7EA48700V9)	POA PRATENSIS TOP	16 [hp_X] in 1 mL
<b>LOLIUM PRATENSE POLLEN</b> (UNII: A0WFQ8P6N1) (FESTUCA PRATENSIS POLLEN - UNII:A0WFQ8P6N1)	LOLIUM PRATENSE POLLEN	16 [hp_X] in 1 mL
<b>AVENA SATIVA POLLEN</b> (UNII: A7IKY24TR7) (AVENA SATIVA POLLEN - UNII:A7IKY24TR7)	AVENA SATIVA POLLEN	16 [hp_X] in 1 mL
<b>DACTYLIS GLOMERATA TOP</b> (UNII: J41552QKAK) (DACTYLIS GLOMERATA TOP - UNII:J41552QKAK)	DACTYLIS GLOMERATA TOP	16 [hp_X] in 1 mL
<b>LOLIUM PERENNE TOP</b> (UNII: 9ZUC5NG0RD) (LOLIUM PERENNE TOP - UNII:9ZUC5NG0RD)	LOLIUM PERENNE TOP	16 [hp_X] in 1 mL
<b>PHLEUM PRATENSE TOP</b> (UNII: S7PW24BX20) (PHLEUM PRATENSE TOP - UNII:S7PW24BX20)	PHLEUM PRATENSE TOP	16 [hp_X] in 1 mL
<b>ANTHOXANTHUM ODORATUM POLLEN</b> (UNII: 2KIK19R45Y) (ANTHOXANTHUM ODORATUM POLLEN - UNII:2KIK19R45Y)	ANTHOXANTHUM ODORATUM POLLEN	16 [hp_X] in 1 mL
<b>TRITICUM AESTIVUM POLLEN</b> (UNII: F1KAH8374D) (TRITICUM AESTIVUM POLLEN - UNII:F1KAH8374D)	TRITICUM AESTIVUM POLLEN	16 [hp_X] in 1 mL
<b>CORTICOTROPIN</b> (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)	CORTICOTROPIN	15 [hp_C] in 1 mL
<b>XANTHIUM STRUMARIUM POLLEN</b> (UNII: 2QOF601J1M) (XANTHIUM STRUMARIUM POLLEN - UNII:2QOF601J1M)	XANTHIUM STRUMARIUM POLLEN	16 [hp_X] in 1 mL
<b>SOLIDAGO CANADENSIS POLLEN</b> (UNII: 644CZ16IR5) (SOLIDAGO CANADENSIS POLLEN - UNII:644CZ16IR5)	SOLIDAGO CANADENSIS POLLEN	16 [hp_X] in 1 mL
<b>CHENOPODIUM ALBUM POLLEN</b> (UNII: 098LKX5NCN) (CHENOPODIUM ALBUM POLLEN - UNII:098LKX5NCN)	CHENOPODIUM ALBUM POLLEN	16 [hp_X] in 1 mL
<b>ARTEMISIA VULGARIS POLLEN</b> (UNII: ANT994T71D) (ARTEMISIA VULGARIS POLLEN - UNII:ANT994T71D)	ARTEMISIA VULGARIS POLLEN	16 [hp_X] in 1 mL
<b>BRASSICA RAPA SUBSP. OLEIFERA POLLEN</b> (UNII: 85Z8OHV3K7) (BRASSICA RAPA POLLEN - UNII:85Z8OHV3K7)	BRASSICA RAPA SUBSP. OLEIFERA POLLEN	16 [hp_X] in 1 mL
<b>AMBROSIA ARTEMISIIFOLIA POLLEN</b> (UNII: K20Y81ACO3) (AMBROSIA ARTEMISIIFOLIA POLLEN - UNII:K20Y81ACO3)	AMBROSIA ARTEMISIIFOLIA POLLEN	16 [hp_X] in 1 mL
<b>TRIFOLIUM PRATENSE POLLEN</b> (UNII: 3SNK70F46Y) (TRIFOLIUM PRATENSE POLLEN - UNII:3SNK70F46Y)	TRIFOLIUM PRATENSE POLLEN	16 [hp_X] in 1 mL
<b>RUMEX CRISPUS POLLEN</b> (UNII: V825XJG64G) (RUMEX CRISPUS TOP - UNII:S9T422Q956)	RUMEX CRISPUS POLLEN	16 [hp_X] in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0300-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/20/2026	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/20/2026	

**Labeler** - Nutritional Specialties, Inc. (032744609)

Revised: 2/2026

Nutritional Specialties, Inc.