

PAIN RELIEVER- acetaminophen tablet
Magno-Humphries, Inc.

Pain Reliever

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

This product contains acetaminophen. Severe liver damage may occur if you take **Liver warning:**

acetaminophen may cause severe skin reactions. **Allergy alert:**

Symptoms may include:

If a skin reaction occurs, stop use and seek medical help right away.

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

- skin reddening
- blisters
- rash

Do not use

- with any other drugs containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as children even if you do not notice any signs or symptoms. **Overdose warning:**

Directions

- (see overdose warning) **do not take more than directed**
- take 2 caplets every 6 hours while symptoms last; do not take more than 6 caplets in 24 hours, unless directed by a doctor; do not take for more than 10 days unless directed by a doctor **adults and children 12 years and over:**
- ask a doctor **children under 12 years:**

Other information

- store between 20° to 25°C (68° to 77° F)

Inactive ingredients

hydroxypropyl methyl cellulose, pregelatinized starch, povidone k-30, polyethylene glycol, stearic acid, sodium starch glycolate.

Questions?

call toll-free 1-800-935-6737

Package Labeling:



NDC 54257-473-02



100 CAPLETS

**PAIN RELIEVER/FEVER REDUCER
ACETAMINOPHEN
500 MG EACH**

**EXTRA STRENGTH
PAIN RELIEVER
WITHOUT ASPIRIN**



*Compare to the active ingredient
in **TYLENOL® Extra Strength Caplets**

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
 ■ the common cold ■ headache ■ backache
 ■ minor pain of arthritis ■ toothache ■ muscular aches
 ■ premenstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.
 Symptoms may include:
 ■ skin reddening ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drugs containing

Drug Facts (continued)

ask a doctor or pharmacist.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed** (see overdose warning)
- **adults and children 12 years and over:** take 2 caplets every 6 hours while symptoms last; do not take more than 6 caplets in 24 hours, unless directed by a doctor; do not take for more than 10 days unless directed by a doctor
- **children under 12 years:** ask a doctor

Other information

- store between 20-25°C (68-77°F)

Inactive ingredients

hydroxypropyl methyl cellulose, pregelatinized starch, povidone k-30, polyethylene glycol, stearic acid, sodium starch glycolate.

Questions? call toll-free 1-800-935-6737

*This product is not manufactured or distributed by the owner of the registered trademark Tylenol®

Distributed by:
Magno-Humphries Labs
 Tigard, OR 97223 U.S.A.

Visit our website: www.magno-humphries.com

acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen,

LIFT HERE



PEEL FOR DIRECTIONS

G7354-100-01-1

PAIN RELIEVER

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54257-473
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (Off-white)	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	G551
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54257-473-02	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/24/2020	

Labeler - Magno-Humphries, Inc. (063251433)

