

MINERAL SUSCREEN SPF 30- zinc oxide 19.0% cream
Vivant Pharmaceuticals, LLC

Vivant Skincare Sunscreen SPF 30

Active Ingredients

Zinc Oxide 19.0%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

Do not use on damaged or broken skin.

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.

Children under 6 months of age: ask a doctor. Sun protection measures. Spending time

in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. – 2 p.m.

wear long-sleeved shirts, pants, hats and sunglasses.

Other Information:

Protect this product from excessive heat and direct sun.

Inactive Ingredients:

Water, Capric Caprylic Triglyceride, Lactic Acid, Mineral Oil, Isocetyl Stearoyl Stearate, Dicaprylyl Carbonate, Octyldodecanol, Glycerin, Carthamus Tinctorius (Safflower) Oleosomes, Grape Seed Oil, Glycereth 26, Sorbitan Sesquioleate, Propylene Glycol, Cetyl Alcohol, Emulsifying Wax NF, Glyceryl Stearate, PEG-100 Stearate, Polyacrylamide, C13-14 Isoparaffin, Laureth-7, Vitamin E Acetate, Saccharomyces/Zinc Ferment, Aloe Barbadensis Leaf Powder, Phenoxyethanol, Caprylyl Glycol, Potassium Sorbate, Hexylene Glycol, Sodium Acrylates Copolymer, Lecithin, Triethanolamine

Mineral Sunscreen SPF 30

VIVANT
JAMES E. FULTON, MD, PHD

REEF
SAFE

PREGNANCY
SAFE

PARABEN
FREE

MADE IN USA

VIVANTSKINCARE

vivant skincare.com | 800.984.8268
5757 N.W. 158th St. Miami Lakes, FL 33014



MINERAL SUNSCREEN
SPF 30

3 FL OZ (88.7 mL)

Dr. Fulton's journey began as a desire to end his own battle with acne and grew into an obsession that propelled him to the forefront of dermatological progress.

James E. Fulton Jr., M.D., Ph.D., would undoubtedly appear on every dermatologist's list of leading innovators in skin care.

Dr. Fulton, renowned scientist, dermatologist and cosmetic surgeon, co-developed Retin A[®] setting the gold standard for the treatment of acne and aging, and changing the skin care industry forever.

Drug Facts

Active Ingredients

• Zinc Oxide 19.0%

Purpose

• Sunscreen

Uses

• Helps prevent sunburn.

Warnings

For external use only.

Do NOT use on damaged or broken skin.

When using this product

• Keep out of eyes. Rinse with water to remove.

• Stop use and ask a doctor if

rash or irritation develops and lasts.

• Keep out of reach of children.

• If product is swallowed, get medical

help or contact a Poison Control

Center right away.

Directions

• Apply liberally 15 minutes before

sun exposure.

• Reapply at least every 2 hours.

• Children under 6 months of age:

ask doctor.

• Sun protection measures:

Spending time in the sun increases

your risk of skin cancer and early

skin aging. To decrease the risk,

regularly use sunscreen with Broad

Spectrum SPF value of 15 or higher

and other sun protection measures

including: • Limit time in the sun,

especially from 10 a.m. - 2 p.m.

• Wear long sleeved shirts, pants,

hats, and sunglasses.

Other Information:

• Protect this product from

excessive heat and direct sun.

Inactive Ingredients: Water,

Capric Caprylic Triglyceride, Lactic

Acid, Mineral Oil, Isocetyl Stearoyl

Stearate, Dicaprylyl Carbonate,

Octyldodecanol, Glycerin,

Carthamus Tinctorius (Safflower)

Oleosomes, Grape Seed Oil,

Glycereth 26, Sorbitan Sesquioleate,

Propylene Glycol, Cetyl Alcohol,

Emulsifying Wax NF, Glyceryl

Stearate, PEG-100 Stearate,

Polycrylamide C13-14 Isoparaffin,

Laureth-7, Vitamin E Acetate,

Saccharomyces/Zinc Ferment, Aloe

Barbadosis Leaf Powder,

Phenoxyethanol, Caprylyl Glycol,

Potassium Sorbate, Hexylene

Glycol, Sodium Acrylates

Copolymer, Lecithin, Triethanolamine.

VIVANT
JAMES E FULTON, MD, PHD



**MINERAL SUNSCREEN
SPF 30**

4 FL OZ (118.3 ml)

Drug Facts

Active Ingredients	Purpose
Zinc Oxide 19.0%	Sunscreen

Uses
 • Helps prevent tanning.
 • If used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early aging caused by the sun.

Warnings
 • For external use only. • Do not use on damaged or broken skin.

When Using this product
 • Keep out of eyes. • Rinse with water to remove.

Stop Use and ask doctor if rash occurs.
 • Keep out of reach of children. If product is swallowed, get medical help or contact Poison Control Center right away.

Drug Facts (continued)

Directions
 • Apply liberally 15 minutes before sun exposure.
 • Reapply at least every 2 hours.
 • Children under 6 months of age ask doctor.
 • Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • Limit time in the sun, especially from 10 a.m. - 2 p.m.
 • Wear long sleeved shirts, pants, hats, and sunglasses.


Other information:
 • Protect this product from excessive heat and direct sun.

Drug Facts (continued)

Inactive Ingredients:
 Water, Capric/Caprylic Triglyceride, Lactic Acid, Mineral Oil, Isocetyl Stearoyl Stearate, Crocoryl Carbonate, Cetylalcohol, Glycerin, Carthamus Tinctorius (Safflower) Oleosomes, Grape Seed Oil, Glycerol 26, Sorbitan Sesquilester, Propylene Glycol, Cetyl Alcohol, Emulsifying Wax NF, Glyceryl Stearate, PEG 100 Stearate, Polyacrylamide C8-18 Isopropyl, Laureth 7, Vitamin E Acetate, Saccharomyces Leaf Powder, Zinc Stearate, Zinc Oxide, Phenoxethanol, Caprylyl Glycol, Potassium Sorbate, Hexylene Glycol, Sodium Acrylates Copolymer, Lecithin, Triethanolamine.

Vivant Skin Care, LLC, Miami Lakes, FL 33014
 www.vivantskincare.com | Made in the U.S.A.
 © 2014 Vivant Skin Care, LLC

VIVANT SKINCARE



**Mineral
Sunscreen
SPF 30**

*Broad Spectrum
Reef Safe
Paraben Free*

4 FL OZ (118.3 ml)

Drug Facts

Active Ingredients

Zinc Oxide 19.0%

Uses • Helps prevent tanning. • If used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early aging caused by the sun.

Warnings

• For external use only.
 • Do not use on damaged or broken skin.
When using this product • Keep out of eyes.
 • Stop use and ask doctor if rash occurs.
 • Keep out of reach of children. If product is swallowed, get medical help or contact Poison Control Center right away.

Directions

• Apply liberally 15 minutes before sun exposure.
 • Children under 6 months of age: ask a doctor.
 • Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • Limit time in the sun, especially from 10 a.m. - 2 p.m.
 • Wear long-sleeved shirts, pants, hats and sunglasses.

Other information:

• Protect this product from excessive heat and direct sun.

Inactive Ingredients: water, Capric/Caprylic Triglyceride, Lactic Acid, Mineral Oil, Isocetyl Stearoyl Stearate, Crocoryl Carbonate, Cetylalcohol, Glycerin, Carthamus Tinctorius (Safflower) Ole 26, Sorbitan Sesquilester, Propylene Glycol, Cetyl Alcohol, Emulsifying Wax NF, Glyceryl Stearate, PEG 100 Stearate, Polyacrylamide C8-18 Isopropyl, Laureth-7, Vitamin E Acetate, Saccharomyces Leaf Powder, Phenoxethanol, Caprylyl Glycol, Potassium Sorbate, Hexylene Glycol, Sodium Acrylates Copolymer, Lecithin, Triethanolamine.

James E. Fulton, MD, PhD

Vivant Skin Care, LLC., Miami Lakes, FL 33014
 www.vivantskincare.com | Made in the U.S.A.

MINERAL SUSCREEN SPF 30

zinc oxide 19.0% cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63750-037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	22400 mg in 118.3 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LAURETH-7 (UNII: Z95S6G8201)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PEG-100 STEARATE (UNII: YD01N1999R)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM ACRYLATE (UNII: 7C98FKB43H)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
YEAST (UNII: 3NY3SM6B8U)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
LACTIC ACID (UNII: 33X04XA5AT)	
MINERAL OIL (UNII: T5L8T28FGP)	
ISOCETYL STEAROYL STEARATE (UNII: IJV4LS383R)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CARTHAMUS TINCTORIUS (SAFFLOWER) OLEOSOMES (UNII: 9S60Q72309)	
GRAPE SEED OIL (UNII: 930MLC8XGG)	
GLYCERETH-26 (UNII: NNE56F2N14)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63750-037-04	118.3 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2020	
2	NDC:63750-037-03	88.7 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2020	

Labeler - Vivant Pharmaceuticals, LLC (782696814)**Registrant** - Vivant Pharmaceuticals, LLC (782696814)

Revised: 1/2024

Vivant Pharmaceuticals, LLC