

**SALICYLIC ACID- wart remover gel gel**  
**Walgreen Company**

-----  
**Walgreens Wart Remover Gel**

***Active ingredient***

Salicylic acid 17%w/w

***Purpose***

Wart remover

***Uses***

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
- Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

***Warnings***

**For external use only.**

**Flammable**

keep away from fire and flame

**Do not use**

- on moles, birth marks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- if product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**if discomfort persists**

see your doctor or podiatrist.

**Directions**

- after washing affected area, soak wart in for 5 minutes in comfortably warm water
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

**Other information**

store between 59°F to 86°F (15°C to 30°C)

**Inactive ingredients**

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

**Questions?**

call 1-866-964-0939

**Principle Display Panel**

Walgreens

**NEW**

**MAXIMUM STRENGTH**

**Wart Remover**

**Gel**

Salicylic Acid

- Safely removes common & plantar warts
- Convenient & easy
- No-drip formula

NET WT .25 OZ (7 g)



MAXIMUM STRENGTH

# Wart Remover Gel



WALGREENS PHARMACIST RECOMMENDED\*

**NEW**

MAXIMUM STRENGTH

# Wart Remover Gel

Salicylic Acid

- Safely removes common & plantar warts
- Convenient & easy
- No-drip formula

NET WT .25 OZ (7 g)

Compare to Compound W® active ingredient\*\*



Actual Size



\* Walgreens Pharmacist Survey Study, November, 2010.  
\*\* This product is not manufactured or distributed by Mediatech Products, Inc., owner of the registered trademark Compound W®.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2012 Walgreen Co.  
MADE IN U.S.A.

### Drug Facts

Active ingredient	Purpose
Salicylic acid 17% w/w.....	Wart remover

**Use** ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance on the surface ■ the plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

### Warnings

**For external use only. Flammable** - keep away from fire and flame.

**Do not use** ■ if you are diabetic or have poor blood circulation, except under the advise and supervision of a doctor or podiatrist

### Do not use on

- moles, birthmarks and warts with hair growing from them
- mucous membranes such as nose, anus, genitals and lips
- irritated, infected or reddened skin
- genital warts and warts on the face

**When using this product** ■ if product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

If discomfort persists see your doctor or podiatrist.

### Directions

- after washing affected area, soak wart for 5 minutes in comfortably warm water ■ dry area thoroughly
- gently squeeze a drop of gel from tube and apply to wart. Apply one drop at a time to sufficiently cover each wart. ■ let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

**Other information** store between 59° and 86°F (15° and 30°C)

**Inactive ingredients** camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

**Questions?** Call 1-866-964-0939

BWRGW-1

ORG0612

## SALICYLIC ACID

wart remover gel gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0219
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 7 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ETHYL ACETATE</b> (UNII: 76845O8NMZ)	
<b>HYPOPHOSPHOROUS ACID</b> (UNII: 8B1RL9B4ZJ)	
<b>HYDROXYPROPYL CELLULOSE (1600000 WAMW)</b> (UNII: RFW2ET671P)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0219-25	7 g in 1 TUBE; Type 0: Not a Combination Product	08/24/2012	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	08/24/2012	

**Labeler** - Walgreen Company (008965063)

Revised: 12/2024

Walgreen Company