

LUBRICAINE- lidocaine 4% gel
ESBA LABORATORIES INC.

LUBRICAINE

Active Ingredient

Lidocaine 4% w/w

Purpose

Topical Anesthetic

Uses

For the temporary relief of pain and itching

Warnings

For external use only.

When using this product

- do not use in or near the eye
- do not use in large quantities, particularly over raw surfaces or blistered areas
- do not exceed recommended dosage unless directed by a doctor

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within seven days
- symptoms clear up and return within a few days
- you notice any unusual effects

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

Adults and children 12 years and older: apply a fingertip amount (approximately 1 inch strip) to affected area no more than 3 to 4 times a day

Other Information

- Store at room temperature 20-25 °C (68-77 °F)
- Tamper evident: do not use if foil under cap is damaged or missing.
- Child-Resistant Cap: push down and turn to open

Inactive Ingredients

Allantoin, Aloe Barbadensis Leaf Extract, Benzyl Alcohol, Citric Acid, Dehydroacetic Acid, Dipotassium Glycyrrhizinate, Lactic Acid, Natural Flavors, Potassium Sorbate, Purified Water, Stevia Rebaudiana Extract, Vaccinium Macrocarpon (Cranberry) Fruit Extract, Xanthan Gum.

Questions

Call toll-free in USA & Canada 800-677-9299 9 am to 5 pm Eastern Time M-F or visit www.esbalabs.com

Lidocaine 4% in an all natural gel



FREE OF: • Alcohol • Glycerin
• Sugars • Estrogen • Parabens
• Soy • Propyleneglycol
• Artificial color, flavor or fragrance
• Petroleum derivatives
• Animal products

NDC 63135-727-04



Drug Facts

Active Ingredient	Purpose
Lidocaine 4%.....	Topical Anesthetic

Use For temporary relief of pain and itching.

Warnings
For external use only.
When using this product • do not use in or near the eye
• do not use in large quantities, particularly over raw surfaces or blistered areas • do not exceed recommended dosage unless directed by a doctor.
Stop use and ask a doctor if • allergic reaction occurs
• condition worsens or does not improve within seven days • symptoms clear up and return within a few days
• you notice any unusual effects.
Keep out of the reach of children If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
• Adults and children 12 years and older: apply a fingertip amount (approximately 1 inch strip) to affected area no more than 3 to 4 times a day.

Other information
• Store at room temperature 20-25°C (68-77°F).
• Tamper Evident: do not use if seal under cap is broken or missing.
• Child-Resistant Cap: push down and turn to open.

Inactive Ingredients
Allantoin⁽¹⁾, Aloe Barbadensis Leaf Extract⁽²⁾, Benzyl Alcohol⁽³⁾, Citric Acid, Dehydroacetic Acid⁽⁴⁾, Dipotassium Glycyrrhizinate⁽⁵⁾, Lactic Acid, Natural Flavors, Potassium Sorbate⁽⁶⁾, Purified Water, Stevia Rebaudiana Extract⁽⁷⁾, Vaccinium Macrocarpon (Cranberry) Fruit Extract, Xanthan Gum.

Questions
Call toll-free in USA & Canada **800-677-9299**
9 am -5 pm Eastern Time M-F or visit www.esbalabs.com

⁽¹⁾ Comfrey extract ⁽²⁾ Certified organic Aloe extract at 100% strength
⁽³⁾ Preservative system Ecocert approved for organic and natural products
⁽⁴⁾ Licorice root extract ⁽⁵⁾ Food grade preservative with generally recognized as safe (GRAS) status ⁽⁶⁾ Certified organic Stevia extract



for her

Lidocaine 4%

Topical Anesthetic Gel

- eases pain and itching
- all botanical moisturizers
- optimal pH to eliminate odor
- water based - non staining

moisturizing slippery gel



ORGANIC Aloe Vera

plus
extracts
of

Cranberry
Comfrey
Licorice

Made with Organic Ingredients
4 Oz (113 grams)

LUBRICAINÉ

lidocaine 4% gel

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63135-727

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
LACTIC ACID, DL- (UNII: 3B8D35Y7S4)	3.5 g in 100 g
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	1 g in 100 g
STEVIA REBAUDIUNA LEAF (UNII: 6TC6NN0876)	1 g in 100 g
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	0.5 g in 100 g
BENZYL ALCOHOL (UNII: LKG8494WBH)	0.54 g in 100 g
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	0.06 g in 100 g
VANILLA (UNII: Q74T35078H)	1 g in 100 g
ALOE VERA LEAF (UNII: ZY81Z83H0X)	0.5 g in 100 g
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	0.3 g in 100 g
XANTHAN GUM (UNII: TTV12P4NEE)	3 g in 100 g
CRANBERRY (UNII: 0MVO31Q3QS)	5 g in 100 g
ALLANTOIN (UNII: 344S277G0Z)	0.4 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63135-727-04	113 g in 1 TUBE; Type 0: Not a Combination Product	09/03/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/03/2019	

Labeler - ESBA LABORATORIES INC. (963303490)

Registrant - ESBA LABORATORIES INC. (963303490)

Revised: 9/2024

ESBA LABORATORIES INC.